

PowerLite[®] 9x Series

97

XGA Resolution

98

XGA Resolution
Ultra Bright

99W

WXGA Resolution
Ultra Bright



Network connectivity and control for today's classroom

3x Brighter Colors¹, and reliable performance — 3LCD, 3-chip technology

One measurement of brightness is not enough — look for both high color brightness and high white brightness. The PowerLite 97, 98 and 99W have:

Color Brightness — 2700 to 3000 lumens²

White Brightness — 2700 to 3000 lumens²

Impressive image quality — available in native XGA and WXGA (widescreen) resolutions

Manage projectors and present remotely — easy network connectivity; software included

Moderator software — wirelessly control which personal devices are displayed

Wireless — project from your iPhone[®], iPad[®] and Android[™] mobile devices with the Epson iProjection[™] App³

HDMI digital connectivity — up to HD quality video and audio with just one cable

Easily engage your students — built-in 16 W speaker and microphone input; or, use external speakers, even in Standby Mode





Network connectivity and control for today's classroom

Featuring network connectivity and exceptional image quality, the PowerLite 97, 98 and 99W each present a smart choice for virtually any classroom. Offering 3x Brighter Colors¹ than competitive models, Epson 3LCD projectors ensure bright, vivid lessons. Reliable and easy to use, this PowerLite 9x Series includes options for XGA or widescreen WXGA resolutions. Project and control content from multiple devices and easily share students' work. It's the perfect way for everyone in the BYOD classroom to collaborate. These versatile projectors are even equipped with HDMI connectivity and premium audio features.

Series at a glance



GOOD

PowerLite 97

- Color brightness: 2700 lumens²
- White brightness: 2700 lumens²
- XGA resolution (1024 x 768)
- Network connectivity



BETTER

Step up to PowerLite 98

- Color brightness: 3000 lumens²
- White brightness: 3000 lumens²



BEST

Step up to PowerLite 99W

- Color brightness: 3000 lumens²
- White brightness: 3000 lumens²
- WXGA widescreen resolution (1280 x 800)

Amazing image quality



PowerLite 97



PowerLite 98/99W

3x Brighter Colors with Epson¹

Brilliant image quality requires high color brightness (color light output), and Epson 3LCD projectors have 3x Brighter Colors than leading competitive projectors.¹

One brightness measurement (lumens) is not enough. A projector's specification needs to show both high color brightness and high white brightness. If color brightness is lower than white brightness, images may be dark, dull and lose detail. If not provided, be sure to ask for a projector's color brightness specification.




EPSON

High color brightness and high white brightness

COMPETITOR

Color brightness significantly lower than white brightness

Actual photographs of projected images from an identical signal source. Price, resolution and white brightness are similar for both projectors (Epson 3LCD and 1-chip DLP competitor). Both projectors are set to their brightest mode.



3LCD – The #1 projection technology in the world

- All 3LCD projectors have both high color brightness and high white brightness
- All 3LCD projectors have 3 chips
- 25% lower power consumption for lower energy costs⁴
- 20 years of road-tested reliability



Remarkable resolution for brilliant clarity and detail


Resolution defines the level of detail and depth you'll see in a projected image. It's measured as the number of pixels wide by the number of pixels high. The more pixels, the better the detail.

1.5x more resolution than SVGA



SVGA (800 x 600)

Meets basic projection needs



XGA (1024 x 768)

Ensures sharper detail


2x more resolution than SVGA



WXGA (1280 x 800)

Offers high-definition and is ideal for widescreen (16:10) displays

Classroom collaboration and connectivity



Supports BYOD classroom collaboration

Networking features that take teaching to the next level

- Manage up to 1024 Epson networked projectors using the included EasyMP® software or Crestron® RoomView® — saves time and money
- Send updates or announcements remotely to up to 1024 Epson networked projectors using the Message Broadcasting plug-in for EasyMP
- Connect your projector to an access point to share it with the entire class, without running more cables

Teaching tools

- Support BYOD classroom collaboration using Epson’s Moderator software
 - Present up to four different device screens to the entire class
 - Connect up to 50 Windows®, Mac®, iOS or Android devices
 - Encourage and control classroom collaboration
- Change presenters wirelessly via Windows, Mac, iOS or Android devices


Share from your tablet or smartphone

Display from your iOS or Android mobile device with the free Epson iProjection App and any nearby wireless Epson projector.³

- Control your presentation with just a touch of the screen
- Advance through PowerPoint® or Keynote presentations
- Zoom in and out of PDF, Excel® and Word® documents
- Project Web pages and view brilliant, high-quality images



Free Epson iProjection App



EasyMP network projection

Choose the function/connection that’s right for you


	SINGLE CONNECTION Wireless Ad Hoc*	GOOD RJ-45 Hardwired	BETTER Wireless Infrastructure*	BEST Hardwired RJ-45 with Access Point	Epson Software Needed
Message Broadcast		✓	✓	✓	Message Broadcasting Plug-In
Present Over the Network	✓ **	✓	✓	✓	EasyMP Network Projection
Moderator Functionality		✓	✓	✓	EasyMP Multi-PC Projection
iOS or Android Wireless Connection	✓ **		✓	✓	Epson iProjection App for iOS or Android
Projector Monitor and Control		✓	✓	✓	EasyMP Monitor Utility

*Optional wireless module required


**Internet access unavailable in Ad Hoc/Quick Connect mode. Not all Android devices are compatible. See owner’s manual for capabilities.

Easy to use

Flexible positioning



Without horizontal keystone



With horizontal keystone

Simple Setup Suite from Epson

Epson projectors offer a suite of innovative features that ensure flexible placement and fast, easy setup.

- **HDMI connectivity** Get both audio and brilliant video quality with just one cable. Compatible with the latest laptops, Blu-ray® and media players.
- **Convenient lens control** Optimize the image size whether your projector is close to the screen or far away, with the 1.6x optical zoom.
- **Easy image adjustments** Position your projector almost anywhere and still get a correctly proportioned image, with keystone correction and easy-slide controls.
- **Quick Corner®** This innovative feature allows you to move any of the four corners of an image independently, to adjust each corner for a perfectly rectangular picture.
- **Advanced 3-in-1 USB Plug 'n Play instant setup** Instantly project audio and video from a PC or Mac via a USB connection.
- **Quick, convenient control** Instant Off® means no cool-down time required; it's ready to shut down when you are.



Built-in closed captioning

- Helps meet ADA 508 requirements for students with hearing impairments
- No need to pay for an additional decoder and its installation

Save energy and more



Energy saving features right at your fingertips

Energy-efficient, long-life lamp

- Epson lamps maximize viewing time while minimizing the total cost of ownership
- Epson's unique lamp design saves energy — lamp lasts up to 6000 hours⁶
- Replacement lamps available at a low cost

Easily conserve power

- **ECO Mode** — operates the projector in a lower brightness setting
- **Sleep Mode (A/V Mute)** — control your presentation; it's right at your fingertips
- **Direct Power Off/On** — power the projector on/off with the flip of a wall switch
- **Standby audio out** — continue to pass audio out to an external speaker and play your audio even when the projector is "off" (in Standby Mode)
- **Standby microphones** — use a connected wired or wireless microphone, amplified through the built-in speakers, even while the projector is in Standby Mode
- **Schedule function** — control the projector at non-networked venues; the embedded "clock" inside the projector enables it to schedule tasks without having the "Network Standby Mode" on

PowerLite 9x Series 3LCD Projectors 97/98/99W


Specifications

Projection System 3LCD, 3-chip technology
Projection Method Front/rear/ceiling mount
Driving Method Poly-silicon TFT Active Matrix
Pixel Number
 97/98: 786,432 dots (1024 x 768) x 3
 99W: 1,024,000 dots (1280 x 800) x 3
Color Brightness² Color Light Output
 97: 2700 lumens
 98/99W: 3000 lumens
White Brightness² White Light Output
 97: 2700 lumens
 98/99W: 3000 lumens
Aspect Ratio 97/98: 4:3, 99W: 16:10
Native Resolution
 97/98: 1024 x 768 (XGA)
 99W: 1280 x 800 (WXGA)
Resize
 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA/99W only), 1280 x 800 (WXGA/ 97 and 98 only), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1366 x 768 (WXGA60-3), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 900 (WXGA++), 1600 x 1200 (UXGA60)
Lamp Type 200 W UHE
Lamp Life⁶
 Up to 6000 hours (ECO Mode)
 Up to 5000 hours (Normal Mode)
Throw Ratio Range
 97/98: 1.48 (Zoom:Wide), 1.77 (Zoom:Tele)
 99W: 1.30 (Zoom:Wide), 1.56 (Zoom:Tele)
Size (projected distance)
 97/98: 30" to 300" (0.7 to 7.6 m)
 99W: 33" to 318" (0.8 to 8.0 m)
Keystone Correction
 Vertical: ± 30 degrees (Automatic)
 Horizontal: ± 30 degrees (Slider)
USB Plug 'n Play
 Projector is compatible with PC and Mac computers
Contrast Ratio Up to 10,000:1
Color Reproduction Up to 1 billion colors

Projection Lens

Type Optical zoom (Manual)/ Focus (Manual)
F-number 1.58 – 1.72
Focal Length 16.9 – 20.28 mm
Zoom Ratio 1.0 – 1.2

Interfaces



Other

Display Performance NTSC: 480 lines PAL: 576 lines
 (Depends on observation of the multi-burst pattern)
Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/SECAM
Speaker 16 W (mono)
Operating Temperature 41 ° to 95 °F (5 ° to 35 °C)
Power Supply Voltage 100 – 240 V AC ±10%, 50/60 Hz
Power Consumption
 294 W (Normal Mode)
 245 W (ECO Mode)
 2.9 W Standby (Communication On)
 0.36 W Standby (Communication Off)
Fan Noise
 37 dB (Normal Mode)
 29 dB (ECO Mode)
Security Kensington®- style lock provision, padlock and security anchor bar

Dimensions (W x D x H)

Including feet 11.6" x 9.7" x 3.5"
Excluding feet 11.6" x 9.6" x 3.4"
Weight 6 lb (2.7 kg)

Remote Control

Features
 Brightness, Contrast, Tint, Saturation, Sharpness, Input signal, Sync, Tracking, Position, Color temperature, Volume
Operating Angle
 Right/left: ± 30 degrees
 Upper/lower: ± 15 degrees
Operating Distance 19.7 ft (6 m)

Eco Features

RoHS compliant
 Recyclable product⁷
 Epson America, Inc. is a SmartWaySM Transport Partner⁸

Support

The Epson ConnectionSM
 Pre-sales support
 (U.S. and Canada): 800-463-7766
 Internet website: www.epson.com

Service Programs

Two-year projector limited warranty, Epson Road Service program, PrivateLine[®] dedicated toll-free support and 90-day lamp limited warranty

What's in the Box

PowerLite 97, 98 or 99W projector, power cord, computer cable (VGA), projector remote control, batteries, user manual CD, Quick Setup Sheet, warranty card, password protect sticker

Ordering Information

Product Name	Product Code
PowerLite 97 projector	V11H576020
PowerLite 98 projector	V11H577020
PowerLite 99W projector	V11H578020
Accessories	Product Code
Genuine Epson lamp (ELPLP78)	V13H010L78
Replacement air filter (ELPAF32)	V13H134A32
Wireless LAN module (ELPAP07)	V12H418P12
Quick Connect USB key (ELPAP09)	V12H005M09

1 Compared to leading 1-chip DLP business and education projectors based on NPD data, July 2011 through June 2012. Color brightness (color light output) measured in accordance with IDMS 15.4. Color brightness will vary depending on usage conditions.

2 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118.

3 Check your owner's manual to determine if a wireless LAN module must be purchased separately to enable wireless connection on your Epson projector. Epson projectors can be networked either through the Ethernet port on the projector (check model specifications for availability) or via a wireless connection. Not all Epson projectors are able to be networked. Availability varies depending on model.

4 Data source: ProjectorCentral.com Jan. 2013. Average of 1128 shipping models for which the manufacturers provided lumens and total power data, all resolutions and brightness levels. Energy efficiency was measured as wattage per lumen. It was measured for both 3LCD and 1-chip projectors in each of five brightness segments. 3LCD projectors averaged less required electricity per lumen in each of the five segments.

5 Leading 3LCD and 1-chip DLP business and education projectors selected according to NPD data as of July 2013. Independent U.S. research conducted by Radius Research (July 2013); results confirmed at a 99% confidence level.

6 ECO Mode is up to 6000 hours. Normal Mode is up to 5000 hours. Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

7 See our website for convenient and reasonable recycling options at www.epson.com/recycle

8 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Better Products for a Better Future[™]
 eco.epson.com



Epson America, Inc.
 3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada Limited
 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com
 www.epson.ca

Specifications and terms are subject to change without notice. EPSON, EasyMP, Instant Off, PowerLite and Quick Corner are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future and Epson iProjection are trademarks of Seiko Epson Corporation. PrivateLine is a registered trademark, Built to Perform is a trademark and Epson Connection is a service mark of Epson America, Inc. Android is a trademark of Google Inc. iPad, iPhone and Mac are trademarks of Apple Inc., registered in the U.S. and other countries. SmartWay is a service mark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2013 Epson America, Inc. Com-SS-Oct-13 CPD-39704R1 11/13