

# EPSON

*EPSON RC+ 7.0 Option*

***Force Guide 7.0***

*SPEL+ Language Reference*

Rev.15

ENM236S5775F

Original instructions



*EPSON RC+ 7.0 Option*

***Force Guide 7.0***  
***SPEL+ Language Reference***

Rev.15

©Seiko Epson Corporation 2015-2023

## FOREWORD

Thank you for purchasing our robot products. This manual contains the information necessary for the correct use of the Force Guide 7.0.  
Please carefully read this manual and other related manuals when using this software.  
Keep this manual in a handy location for easy access at all times.

The robot system and its optional parts are shipped to our customers only after being subjected to the strictest quality controls, tests, and inspections to certify its compliance with our high performance standards. Please note that the basic performance of the product will not be exhibited if our robot system is used outside of the usage conditions and product specifications described in the manuals.

This manual describes possible dangers and consequences that we can foresee. Be sure to comply with safety precautions on this manual to use our robot system safely and correctly.

## TRADEMARKS

Microsoft, Windows, Windows logo, Visual Basic, and Visual C++ are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.  
Other brand and product names are trademarks or registered trademarks of the respective holders.

## TRADEMARK NOTIFICATION IN THIS MANUAL

Microsoft® Windows® 8 operating system

Microsoft® Windows® 10 operating system

Microsoft® Windows® 11 operating system

Throughout this manual, Windows 8, Windows 10 and Windows 11 refer to above respective operating systems. In some cases, Windows refers generically to Windows 8, Windows 10 and Windows 11.

## NOTICE

No part of this manual may be copied or reproduced without authorization.  
The contents of this manual are subject to change without notice.  
Please notify us if you should find any errors in this manual or if you have any comments regarding its contents.

## MANUFACTURER

**SEIKO EPSON CORPORATION**

## CONTACT INFORMATION

For detailed contact information, see "SUPPLIER" of the manual below.

*"Safety Manual"*

## SAFETY PRECAUTIONS

Installation of robots and robotic equipment should only be performed by qualified personnel in accordance with national and local codes. Please carefully read this manual and other related manuals when using this software.  
Keep this manual in a handy location for easy access at all times.



# Table of Contents

Summary.....	1
Explanation of Force Guide 7.0 Properties and Statuses Format.....	1
Force Guide 7.0 Command Table .....	2
Robot Control Related Commands.....	2
Force Object Related Commands .....	2
Mass Property Object Related Commands .....	3
Coordinate Conversion Related Commands.....	3
Force Guidance Related Commands .....	3
Force Object - Common .....	4
FS (Force Sensor) Object.....	5
FCS (Force Coordinate System) Object.....	6
Robot Object.....	7
FC (Force Control) Object .....	8
FT (Force Trigger) Object.....	10
FM (Force Monitor)Object .....	13
FMR (Force Motion Restriction) Object.....	16
MP (Mass Properties) Object .....	19
General Purpose Sequence Result.....	20
Contact Object Result.....	21
Relax Object Result .....	22
FollowMove Object Result.....	23
SurfaceAlign Object Result.....	24
PressProbe Object Result .....	25
ContactProbe Object Result.....	26
Press Object Result .....	27
PressMove Object Result.....	28
SPELFunc Object Result.....	29
Paste Sequene Result.....	30
Paste Object Result .....	31
ScrewTighten Sequence Result .....	32
ScrewTighten Object Result.....	33
ScrewRetighten Object Result.....	34
HeightInspect Sequence Result .....	35
HeightInspect Object Result.....	36
Insert Sequence Result .....	37
Insert Object Result .....	38
TensileTest Object Result .....	39
Object Designation .....	40
Force Guide 7.0 Constant .....	41
Arc, Arc3 Statement.....	43
AvgForceClear Property .....	44
AvgForces Status .....	46
AvgForces Result .....	48
BMove Statement .....	49
ConditionStatus Result .....	50
CoordinateSystem Property .....	52

CVMove Statement .....	54
DatumPoint Property .....	55
Description Property .....	56
Dist_Axes Property .....	57
Dist_Enabled Property .....	58
Dist_Levels Property .....	59
Dist_Polarity Property .....	61
Enabled Property .....	63
EndForces Result .....	65
EndPos Result .....	67
EndStatus Result .....	68
EndStatusData Result .....	70
FailedStatus Result .....	72
FCElapsedTime Function .....	74
FCEnd Statement .....	75
FCKeep Statement .....	76
FCMEnd Property .....	77
FCMStart Property .....	78
FCOn Function .....	80
FCSMove Statement .....	81
FDef Function .....	83
FDel Statement .....	84
FExport Statement .....	85
FGet Statement .....	86
FGGet Statement .....	87
FGRun Statement .....	88
FImport Statement .....	90
FLabel\$ Function .....	91
FlangeOffset Property .....	92
FList Statement .....	94
FLoad Statement .....	95
Fmag_AvgForce Status .....	96
Fmag_Axes Property .....	97
Fmag_Enabled Property .....	98
Fmag_Force Status .....	99
Fmag_Levels Property .....	100
Fmag_LPF_Enabled Property .....	102
Fmag_LPF_TimeConstant Property .....	103
Fmag_PeakForce Status .....	105
Fmag_Polarity Property .....	106
FNumber Function .....	107
Forces Status .....	108
ForceSensor Property .....	110
FSave Statement .....	111
FSet Statement .....	112
Fx, Fy, Fz, Tx, Ty, Tz Property .....	113
Fx_AvgForce, Fy_AvgForce, Fz_AvgForce Status .....	115
Fx_Damper, Fy_Damper, Fz_Damper Property .....	116



Fx_Enabled, Fy_Enabled, Fz_Enabled Property .....	118
Fx_Force, Fy_Force, Fz_Force Status.....	119
Fx_Levels, Fy_Levels, Fz_Levels Property .....	120
Fx_LPF_Enabled, Fy_LPF_Enabled, Fz_LPF_Enabled Property.....	122
Fx_LPF_TimeConstant, Fy_LPF_TimeConstant, Fz_LPF_TimeConstant Property.....	124
Fx_Mass, Fy_Mass, Fz_Mass Property .....	126
Fx_PeakForce, Fy_PeakForce, Fz_PeakForce Status.....	128
Fx_Polarity, Fy_Polarity, Fz_Polarity Property.....	129
Fx_Spring, Fy_Spring, Fz_Spring Property .....	131
Fx_TargetForce, Fy_TargetForce, Fz_TargetForce, Property .....	133
F_CheckPos Function .....	135
F_DestPos Function .....	137
F_FlangeOffset Statement .....	138
F_GravityDirection Statement .....	139
F_OffsetPos Function .....	140
F_RefPos Function .....	142
GetRobotFCOn Function.....	143
GravityCenter Property .....	145
GravityDirection Property .....	146
HoldTimeThresh Property .....	148
J1_Enabled, J2_Enabled, J3_Enabled, J4_Enabled, J5_Enabled, J6_Enabled Property.....	150
J1_Levels, J2_Levels, J3_Levels, J4_Levels, J5_Levels, J6_Levels Property.....	151
J1_Polarity, J2_Polarity, J3_Polarity, J4_Polarity, J5_Polarity, J6_Polarity Property .....	153
JointEnabled Property .....	155
JointLowerLevels Property .....	156
JointPolarities Property.....	158
JointUpperLevels Property .....	160
Label Property .....	162
LastExecObject Result .....	163
LimitAccelJ Property .....	164
LimitAccelR Property .....	166
LimitAccelS Property .....	168
LimitAccelSRJ Property.....	170
LimitedStatus Result.....	172
LimitSpeedJ Property .....	173
LimitSpeedR Property .....	175
LimitSpeedS Property.....	177
LimitSpeedSRJ Property .....	179
LogEnd Property.....	181
LogStart Property.....	182
LowerLevels Property .....	185
LPF_Enabled Property .....	187
LPF_TimeConstants Property .....	189
Mass Property.....	191
MeasuredHeight Result.....	192
Model Property .....	193
MotionLimited Status .....	194
Move Statement.....	196

MP Statement.....	203
MPDef Function.....	204
MPDel Statement .....	205
MPGet Statement.....	206
MPLabel\$ Function .....	207
MPList Statement.....	208
MPNumber Function .....	209
MPSet Statement .....	210
Number Property .....	211
Operator Property.....	212
Orientation Property .....	213
PeakForceClear Property.....	216
PeakForces Status .....	218
PeakForces Result.....	220
Polarities Property .....	222
PosEnabled Property .....	224
Position Property .....	225
PosLowerLevels Property .....	227
PosPolarities Property.....	229
PosUpperLevels Property .....	231
PosX_Enabled, PosY_Enabled, PosZ_Enabled Property .....	233
PosX_Levels, PosY_Levels, PosZ_Levels Property .....	234
PosX_Polarity, PosY_Polarity, PosZ_Polarity Property.....	236
Reboot Property .....	238
RecordEnd Property .....	239
RecordStart Property.....	240
RefPos Status.....	245
Reset Property.....	247
RobotLocal Property.....	249
RobotTool Property .....	251
Rot_Axes Property .....	253
Rot_Enabled Property .....	254
Rot_Levels Property .....	255
Rot_Polarity Property .....	257
SerialCode Property .....	258
StepID Property.....	259
TargetForcePriorityMode Property.....	261
TargetForces Property .....	262
TillStopMode Property.....	264
Time Result .....	266
Tmag_AvgForce Status.....	267
Tmag_Axes Property.....	268
Tmag_Enabled Property .....	269
Tmag_Force Status.....	270
Tmag_Levels Property .....	271
Tmag_LPF_Enabled Property.....	273
Tmag_LPF_TimeConstant Property .....	275
Tmag_PeakForce Status.....	277

Tmag_Polarity Property .....	278
TMove Statement .....	279
Triggered Status .....	280
TriggeredAxes Status .....	281
TriggeredForces Status .....	283
TriggeredForces Result .....	285
TriggeredJoints Status .....	287
TriggeredPos Status .....	289
TriggeredPos Result .....	290
TriggerMode (FT#) Property .....	291
TriggerMode (FMR#) Property .....	293
Tx_AvgForce, Ty_AvgForce, Tz_AvgForce Status .....	306
Tx_Damper, Ty_Damper, Tz_Damper Property .....	307
Tx_Enabled, Ty_Enabled, Tz_Enabled Property .....	309
Tx_Force, Ty_Force, Tz_Force Status .....	310
Tx_Levels, Ty_Levels, Tz_Levels Property .....	311
Tx_LPF_Enabled, Ty_LPF_Enabled, Tz_LPF_Enabled Property .....	313
Tx_LPF_TimeConstant, Ty_LPF_TimeConstant, z_LPF_TimeConstant Property .....	315
Tx_Mass, Ty_Mass, Tz_Mass Property .....	317
Tx_PeakForce, Ty_PeakForce, Tz_PeakForce Status .....	319
Tx_Polarity, Ty_Polarity, Tz_Polarity Property .....	320
Tx_Spring, Ty_Spring, Tz_Spring Property .....	322
Tx_TargetForce, Ty_TargetForce, Tz_TargetForce Property .....	324
UpperLevels Property .....	326
Appendix A: List of Commands Added for Each Version .....	328



## Summary

This reference manual explains the Force Guide 7.0 object properties and status, as well as all of the Force Guide 7.0 SPEL<sup>+</sup> commands.

Refer to the following manual for how to use Force Guide 7.0.

*EPSON RC+ 7.0 Option Force Guide 7.0*

## Explanation of Force Guide 7.0 Properties and Statuses Format

This manual explains all Force Guide 7.0 properties and statuses. The items explained on each reference page are as follows.

Application	When Property or Status is used with Force Object, this indicates which respective properties are applied to which force object. (Examples: Force Coordinate System Object FCS#, Force Control Object FC#, Force Trigger Object FT#, Force Monitor Object FM#...)
Comments	Contains a simple explanation of each property or status.
Immediate Execution	When “Yes”: Reflected in motion directly after execution in the FSet string When “No”: After the properties are set and the motion command is executed, the motion, reflecting the established properties, is executed
Usage	Explains the SPEL <sup>+</sup> Language property, or the method to access the status SPEL
Values	Explains the range for values which can be set in properties, or explains the range of the status return value
Detailed Explanation	This gives greater detail than that which is contained in the comments. Specific warnings and special instructions are given for each property. Be sure to read this prior to using that property.
Usage Example	This gives usage examples for properties, statuses, functions, statements and commands.
Reference	This lists related properties, statuses, force objects, and other related items.

## Force Guide 7.0 Command Table

### Robot Control Related Commands

FCKeep	Activates the force control function, and when the specified amount of time has elapsed, a stop is executed.
FCEnd	Stops the active force control function.
GetRobotFCOn	Returns the robot number of the robot executing the force control function.
FCOn	Determines if the specified robot is executing the force control function.
FCElapsedTime	Returns the duration after started the force control function of the specified robot.
Move	Activates force control and executes a linear interpolation motion.
TMove	Executes an offset linear interpolation motion in the current tool coordinate system with the force control function active.
BMove	This executes in the local selected coordinate system an offset linear interpolation motion with the force control active.
CVMove	Activates force control and executes a free curve CP motion.
Arc3	Moves the robot in a circular interpolation motion in 3 dimensions with the force control active.
Arc	Moves the robot in a circular interpolation motion in the XY plane with the force control active.
FCSMove	Executes an offset linear interpolation motion in the specified force coordinate system.
F_CheckPos	Returns whether specified position is satisfied trigger condition set in FMR object.

### Force Object Related Commands

FGet	This is used when acquiring the properties or status of a force object.
FSet	Used when setting the value of force object properties.
FLoad	Loads all force objects from the disc into the current project.
FSave	Saves all force objects from the current project to the disc.
FExport	Exports the project force files for the project currently selected.
FImport	Imports force files into the currently selected robot project.
FDef	Indicates whether the force object is defined or not.
FDel	Deletes the force object.
FList	Displays a list of objects.
FLabel\$	Returns the label for the force object and the force sensor object.
FNumber	Returns the number of the force object by type.

### Mass Property Object Related Commands

MPGet	Used when obtaining the Mass Property Object value.
MPSet	Used when setting the Mass Property Object value.
MP	Sets or returns the number for the Mass Property Object to be used.
MPDef	Indicates whether the Mass Property Object is defined or not.
MPDel	Deletes the Mass Property Object.
MPList	Displays a list of Mass Property Objects.
MPNumber	Returns the number of the Mass Property Object.
MPLabel\$	Returns the Mass Property Object label.

### Coordinate Conversion Related Commands

F_FlangeOffset	This sets or returns the force sensor position and orientation in the Tool 0 (TCP0, J6 flange) coordinate system.
F_GravityDirection	Sets or returns the direction of gravity for the robot
F_DestPos	Returns the virtual destination position before correction by force control function.
F_RefPos	Returns the current virtual command position f before correction by force control function.
F_OffsetPos	Returns the position of relative movement from the reference point.

### Force Guidance Related Commands

FGRun	Executes a force guide sequence.
FGGet	Acquires a result of a force guide sequence or a force guide object.

## Force Object - Common

### Comments

A force object is an object (collectively) used when using the force function. The following are the types of objects.

Force Control Object (FC)

Force Trigger Object (FT)

Force Coordinate System (FCS)

Force Monitor Object (FM)

Force Motion Restriction Object (FMR)

Label	Sets or returns the object label.
Number	Sets or returns the number of the object by type.
Description	Sets or returns an explanation for an object.



## FS (Force Sensor) Object

### Comments

This is a force sensor related object (collectively). It is used to control the sensor and obtain data, etc.

### Range

FS1 to FS4

Reset	Resets the force sensor.
Reboot	Reboots the force sensor.
Label	Returns the force sensor label.
Description	Displays an explanation of the force sensor.
Model	Returns the model name of the force sensor.
SerialCode	Returns the serial code for the force sensor.

### FCS (Force Coordinate System) Object

#### Comments

This object (collectively) is used to convert the coordinate system in the direction of the user set values for force and torque.

FCS0 corresponds to the set leading point of the tool.

#### Range

FCS0 to FCS63

However, FCS0 corresponds to the coordinate system of the selected tool and cannot be modified.

Position	Sets or returns the force coordinate origin.
----------	--

Orientation	Sets or returns the orientation of the force coordinate coordinate-axis.
-------------	--

#### See Also

*EPSON RC+ User's Guide*

*6.16 Coordinate Systems*

*6.18 Robot Motion Commands*

## Robot Object

### Comments

This object (collectively) is used to establish the installation settings for the robot to which the force sensor is installed, or for the purpose of obtaining data when the robot is operating / moving.

FlangeOffset	Sets the positional relationship between Tool 0 (TCP0, J6 Flange) and the force sensor position.
GravityDirection	Sets or returns the direction of gravity for the robot.
StepID	Sets or returns the robot object StepID.
RefPos	Returns the command position for the first variable, including the force control. Returns only the command position for the second variable, disregarding the effect of the force control.

## FC (Force Control) Object

### Comments

This object (collectively) is used to fix the movement properties when executing the force control function.

### Range

FC0 to FC999

CoordinateSystem	Returns or sets the force coordinates.
Fx_Enabled, Fy_Enabled, Fz_Enabled	Independently activates/inactivates, or returns the force control function of the translational direction.
Tx_Enabled, Ty_Enabled, Tz_Enabled	Independently activates/inactivates, or returns the force control function of the rotational direction.
Enabled	Activates/inactivates, or returns the force control function for each axis collectively.
Fx_Mass	Sets or returns the virtual coefficient of inertia for the force control on the X axis in the direction of the translational force.
Fx_Damper	Sets or returns the virtual coefficient of viscosity for the force control on the X axis in the direction of the translational force.
Fx_Spring	Sets or returns the virtual coefficient of elasticity for the force control on the X axis in the direction of the translational force.
Fx, Fy, Fz, Tx, Ty, Tz	Sets or returns the virtual coefficient of elasticity, the virtual coefficient of viscosity, and the virtual coefficient of inertia for the force control on the specified axis of the force coordinates.
Fy_Mass	Sets or returns the virtual coefficient of inertia for the force control on the Y axis in the direction of the translational force.
Fy_Damper	Sets or returns the virtual coefficient of viscosity for the force control on the Y axis in the direction of the translational force.
Fy_Spring	Sets or returns the virtual coefficient of elasticity for the force control on the Y axis in the direction of the translational force.
Fz_Mass	Sets or returns the virtual coefficient of inertia for the force control on the Z axis in the direction of the translational force.
Fz_Damper	Sets or returns the virtual coefficient of viscosity for the force control on the Z axis in the direction of the translational force.
Fz_Spring	Sets or returns the virtual coefficient of elasticity for the force control on the Z axis in the direction of the translational force.
Tx_Mass	Sets or returns the virtual coefficient of inertia for the force control in the rotational direction around the X axis.
Tx_Damper	Sets or returns the virtual coefficient of viscosity for the force control in the rotational direction around the X axis.
Tx_Spring	Sets or returns the virtual coefficient of elasticity for the force control in the rotational direction around the X axis.
Ty_Mass	Sets or returns the virtual coefficient of inertia for the force control in the rotational direction around the Y axis.
Ty_Damper	Sets or returns the virtual coefficient of viscosity for the force control in the rotational direction around the Y axis.

Ty_Spring	Sets or returns the virtual coefficient of elasticity for the force control in the rotational direction around the Y axis.
Tz_Mass	Sets or returns the virtual coefficient of inertia for the force control in the rotational direction around the Z axis.
Tz_Damper	Sets or returns the virtual coefficient of viscosity for the force control in the rotational direction around the Z axis.
Tz_Spring	Sets or returns the virtual coefficient of elasticity for the force control in the rotational direction around the Z axis.
TargetForcePriorityMode	Activates/inactivates or returns the target force priority mode.
Fx_TargetForce	Sets or returns the target force on the X axis in the direction of the translational force.
Fy_TargetForce	Sets or returns the target force on the Y axis in the direction of the translational force.
Fz_TargetForce	Sets or returns the target force on the Z axis in the direction of the translational force.
Tx_TargetForce	Sets or returns the target torque in the rotational direction around the X axis.
Ty_TargetForce	Sets or returns the target torque in the rotational direction around the Y axis.
Tz_TargetForce	Sets or returns the target torque in the rotational direction around the Z axis.
TargetForces	Simultaneously sets or returns the target force and target torque for each of the six axes.
MotionLimited	Returns the velocity and acceleration limits during force control.
LimitSpeedS	Sets or returns the maximum velocity limit for tool position change during force control.
LimitSpeedR	Sets or returns the maximum velocity limit for tool orientation change during force control.
LimitSpeedJ	Sets or returns the maximum velocity limit for joint movement during force control.
LimitSpeedSRJ	Sets or returns the maximum velocity limit for tool position change, tool orientation change, and joint movement during force control.
LimitAccelS	Sets or returns the maximum acceleration limit for tool position change during force control.
LimitAccelR	Sets or returns the maximum acceleration limit for tool orientation change during force control.
LimitAccelJ	Sets or returns the maximum acceleration limit for joint movement during force control.
LimitAccelSRJ	Sets or returns the maximum acceleration limit for tool position change, tool orientation change, and joint movement during force control.

## FT (Force Trigger) Object

### Comments

This object (collectively) is used for changing the movement path based on the value from the force sensor, and for use with conditional branches.

### Range

FT0 to FT999

ForceSensor	Sets or returns the number of the force sensor in question.
CoordinateSystem	Returns or sets the force coordinates.
TriggerMode	Sets or returns the object of the force trigger monitor.
Operator	Sets or returns the trigger conditions.
TillStopMode	Sets or returns the stop method when trigger conditions are met.
Fmag_Axes	Sets or returns the subject axis for calculating the resultant force.
Tmag_Axes	Sets or returns the subject axis for calculating the resultant torque.
Fx_Enabled, Fy_Enabled, Fz_Enabled	Independently activates/inactivates, or returns the force trigger of the translational direction.
Tx_Enabled, Ty_Enabled, Tz_Enabled	Independently activates/inactivates, or returns the force trigger of the rotational direction.
Fmag_Enabled	Activates/inactivates or returns the force trigger based on Fmag resultant force.
Tmag_Enabled	Activates/inactivates or returns the force trigger based on Tmag resultant torque.
Enabled	Activates/inactivates, or returns the force trigger for each axis collectively.
Fx_Polarity	Sets or returns for Fx whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.
Fy_Polarity	Sets or returns for Fy whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.
Fz_Polarity	Sets or returns for Fz whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.
Tx_Polarity	Sets or returns for Tx whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.
Ty_Polarity	Sets or returns for Ty whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.
Tz_Polarity	Sets or returns for Tz whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.
Fmag_Polarity	Sets or returns for resultant force whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.
Tmag_Polarity	Sets or returns for resultant torque whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.
Polarities	Sets or returns for each axis whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.

Fx_Levels	Sets or returns the upper and lower threshold values for Fx force.
Fy_Levels	Sets or returns the upper and lower threshold values for Fy force.
Fz_Levels	Sets or returns the upper and lower threshold values for Fz force.
Tx_Levels	Sets or returns the upper and lower threshold values for Tx torque.
Ty_Levels	Sets or returns the upper and lower threshold values for Ty torque.
Tz_Levels	Sets or returns the upper and lower threshold values for Tz torque.
Fmag_Levels	Sets or returns the upper and lower threshold values for resultant force.
Tmag_Levels	Sets or returns the upper and lower threshold values for resultant torque.
UpperLevels	Sets or returns the upper threshold values for force and torque for each axis simultaneously.
LowerLevels	Sets or returns the lower threshold values for force and torque for each axis simultaneously.
Fx_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the force in the X axis in the direction of translation.
Fy_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the force in the Y axis in the direction of translation.
Fz_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the force in the Z axis in the direction of translation.
Tx_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the torque around the X axis.
Ty_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the torque around the Y axis.
Tz_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the torque around the Z axis.
Fmag_LPF_Enabled	Activates/inactivates or returns the resultant force low-pass filter.
Tmag_LPF_Enabled	Activates/inactivates or returns the resultant torque low-pass filter.
LPF_Enabled	Activates/inactivates or returns the low-pass filters applied to each axis simultaneously.
Fx_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the force in the X axis in the direction of translation.
Fy_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the force in the Y axis in the direction of translation.
Fz_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the force in the Z axis in the direction of translation.
Tx_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the torque around the X axis.
Ty_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the torque around the Y axis.
Tz_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the torque around the Z axis.
Fmag_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the resultant force.
Tmag_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the resultant torque.

LPF_TimeConstants	Sets or returns the time constant for the low-pass filter applied to each axis simultaneously.
Triggered	Returns the status/condition of the force trigger.
TriggeredAxes	Returns the forced/not forced status of force triggers by axis.
TriggeredPos	Returns the met position for the force trigger conditions.
TriggeredForces	Returns force and torque when end conditions of force trigger are achieved.



## FM (Force Monitor)Object

### Comments

This object (collectively) is used to display the value from the force sensor and when recording that value.

### Range

FM0 to FM255

ForceSensor	Sets or returns the number of the force sensor in question.
CoordinateSystem	Returns or sets the force coordinates.
RobotLocal	Sets or returns the local coordinate system that will serve as the basis for robot positions.
RobotTool	Sets or returns the tool coordinate system that will serve as the basis for robot positions
Fmag_Axes	Sets or returns the subject axis for calculating the resultant force.
Tmag_Axes	Sets or returns the subject axis for calculating the resultant torque.
Fx_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the force in the X axis in the direction of translation.
Fy_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the force in the Y axis in the direction of translation.
Fz_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the force in the Z axis in the direction of translation.
Tx_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the rotational force around the X axis.
Ty_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the rotational force around the Y axis.
Tz_LPF_Enabled	Activates/inactivates or returns the low-pass filter applied to the rotational force around the Z axis.
Fmag_LPF_Enabled	Activates/inactivates or returns the resultant force low-pass filter.
Tmag_LPF_Enabled	Activates/inactivates or returns the resultant torque low-pass filter.
LPF_Enabled	Activates/inactivates or returns the low-pass filters applied to each axis simultaneously.
Fx_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the force in the X axis in the direction of translation.
Fy_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the force in the Y axis in the direction of translation.
Fz_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the force in the Z axis in the direction of translation.
Tx_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the rotational force around the X axis.
Ty_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the rotational force around the Y axis.
Tz_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the rotational force around the Z axis.

Fmag_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the resultant force.
Tmag_LPF_TimeConstant	Sets or returns the time constant for the low-pass filter applied to the resultant torque.
LPF_TimeConstants	Sets or returns the time constant for the low-pass filter applied to each axis simultaneously.
AvgForceClear	Activates/inactivates force and torque averaging simultaneously.
PeakForceClear	Activates/inactivates force and torque peak value calculations simultaneously.
LogEnd	Ends recording of sensor values, robot position/orientation, step data, and the time of data acquisition.
LogStart	Begins recording of sensor values, robot position/orientation, step data, and the time of data acquisition.
FCMEnd	Ends recording of the sensor value, position and orientation of the robot, and StepID using the force control monitor.
FCMStart	Begins recording of the sensor value, position and orientation of the robot, and StepID using the force control monitor.
RecordEnd	Ends recording of sensor values, robot position/orientation, and StepID that starts by RecordStart property.
RecordStart	Begins recording of sensor values, robot position/orientation, StepID, and the time of data acquisition.
Fx_Force	Returns X axis force.
Fy_Force	Returns Y axis force.
Fz_Force	Returns Z axis force.
Tx_Force	Returns X axis torque.
Ty_Force	Returns Y axis torque.
Tz_Force	Returns Z axis torque.
Fmag_Force	Returns the resultant force for the force monitor object.
Tmag_Force	Returns the resultant torque for the force monitor object.
Forces	Returns all force data, torque data, resultant force data, and resultant torque data on force monitor object.
Fx_AvgForce	Returns average Fx force.
Fy_AvgForce	Returns average Fy force.
Fz_AvgForce	Returns average Fz force.
Tx_AvgForce	Returns average Tx torque.
Ty_AvgForce	Returns average Ty torque.
Tz_AvgForce	Returns average Tz torque.
Fmag_AvgForce	Returns average resultant force.
Tmag_AvgForce	Returns average resultant torque.
AvgForces	Returns average force and torque simultaneously.
Fx_PeakForce	Returns the peak Fx force.
Fy_PeakForce	Returns the peak Fy force.

Fz_PeakForce	Returns the peak Fz force.
Tx_PeakForce	Returns the peak Tx torque.
Ty_PeakForce	Returns the peak Ty torque.
Tz_PeakForce	Returns the peak Tz torque.
Fmag_PeakForce	Returns the resultant force peak.
Tmag_PeakForce	Returns the resultant torque peak.
PeakForces	Returns the resultant force and torque peaks simultaneously.

## FMR (Force Motion Restriction) Object

### Description

Force motion restriction is an object (collectively) used for changing the movement path based on the position of the robot, and for use with conditional branches.

### Range

FMR0 to FMR63

ForceSensor	Sets or returns the number of the force sensor in question.
HoldTimeThresh	Sets or returns the duration to determine that trigger conditions have been achieved.
CoordinateSystem	Sets or returns the force coordinates.
Operator	Sets or returns the trigger conditions when multiple triggers are set.
RobotLocal	Sets or returns the local coordinate system that will serve as the basis for robot positions.
RobotTool	Sets or returns the tool coordinate system that will serve as the basis for robot positions.
TriggerMode	Sets or returns the object of the force motion restriction monitor.
DatumPoint	Sets or returns the reference point when TriggerMode is set to FG_REL_POINT.
PosX_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the position on the X axis.
PosY_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the position on the Y axis.
PosZ_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the position on the Z axis.
PosEnabled	Collectively sets or returns the enable/disable switch for the force motion restriction function for the position on each axis.
Dist_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the distance of the specified axis.
Rot_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the rotation angle of the specified axis.
J1_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the J1 joint position.
J2_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the J2 joint position.
J3_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the J3 joint position.
J4_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the J4 joint position.
J5_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the J5 joint position.
J6_Enabled	Sets or returns the enable/disable switch for the force motion restriction function for the J6 joint position.

JointEnabled	Collectively sets or returns the enable/disable switch for the force motion restriction function for each joint position.
Dist_Axes	Sets or returns the target axis for finding the force motion restriction range in relation to distance.
Rot_Axes	Sets or returns the target axis for finding the force motion restriction range in relation to rotation angle.
PosX_Polarity	Sets or returns whether to activate force motion restriction when the X axis position falls within, or outside the threshold range.
PosY_Polarity	Sets or returns whether to activate force motion restriction when the Y axis position falls within, or outside the threshold range.
PosZ_Polarity	Sets or returns whether to activate force motion restriction when the Z axis position falls within, or outside the threshold range.
PosPolarities	Collectively sets or returns whether to activate force motion restriction when the positions on each axis fall within, or outside the threshold range.
Dist_Polarity	Sets or returns whether to activate force motion restriction when the robot position falls within, or outside the threshold range for distance.
Rot_Polarity	Sets or returns whether to activate force motion restriction when the robot position falls within, or outside the threshold range for the rotation angle.
J1_Polarity	Sets or returns whether to activate force motion restriction when the J1 joint position falls within, or outside the threshold range.
J2_Polarity	Sets or returns whether to activate force motion restriction when the J2 joint position falls within, or outside the threshold range.
J3_Polarity	Sets or returns whether to activate force motion restriction when the J3 joint position falls within, or outside the threshold range.
J4_Polarity	Sets or returns whether to activate force motion restriction when the J4 joint position falls within, or outside the threshold range.
J5_Polarity	Sets or returns whether to activate force motion restriction when the J5 joint position falls within, or outside the threshold range.
J6_Polarity	Sets or returns whether to activate force motion restriction when the J6 joint position falls within, or outside the threshold range.
JointPolarities	Collectively sets or returns whether to activate force motion restriction when the positions on each joint fall within, or outside the threshold range.
PosX_Levels	Sets or returns the lower and upper threshold limits for the position in the direction of the X axis.
PosY_Levels	Sets or returns the lower and upper threshold limits for the position in the direction of the Y axis.
PosZ_Levels	Sets or returns the lower and upper threshold limits for the position in the direction of the Z axis.
PosUpperLevels	Collectively sets or returns the upper threshold limit for the positions in the direction of each axis.
PosLowerLevels	Collectively sets or returns the lower threshold limit for the positions in the direction of each axis.
Dist_Levels	Sets or returns the lower and upper threshold limits for robot travel distance.
Rot_Levels	Sets or returns the lower and upper threshold limits for the angle of movement of the robot.
J1_Levels	Sets or returns the lower and upper threshold limits for the J1 joint position.

J2_Levels	Sets or returns the lower and upper threshold limits for the J2 joint position.
J3_Levels	Sets or returns the lower and upper threshold limits for the J3 joint position.
J4_Levels	Sets or returns the lower and upper threshold limits for the J4 joint position.
J5_Levels	Sets or returns the lower and upper threshold limits for the J5 joint position.
J6_Levels	Sets or returns the lower and upper threshold limits for the J6 joint position.
JointUpperLevels	Collectively sets or returns the upper threshold limit for each joint position.
JointLowerLevels	Collectively sets or returns the lower threshold limit for each joint position.
Triggered	Returns the status of the force motion restriction.
TriggeredAxes	Returns the achievement status for force motion restriction by axis when the object monitored is in position.
TriggeredJoints	Returns the achievement status for force motion restriction by axis when the object monitored is in the joint position.
TriggeredPos	Returns position when end conditions of force motion restriction are achieved.
TriggeredForces	Returns force and torque when end conditions of force motion restriction are achieved.

## MP (Mass Properties) Object

### Comments

This object (collectively) deals with the Mass Property for gravity compensation.

### Range

MP0 to MP15

However, MP0 is fixed when the values are such that gravity compensation inactivated. Modification is not possible.

Label	Sets or returns the label.
Number	Returns the number.
Description	Establishes or returns the explanation.
Mass	This sets or returns the weight of the hand and workpiece/payload at the leading end side from the force sensor.
GravityCenter	This sets or returns the overall center of gravity of the hand and workpiece/payload at the leading end side from the force sensor.

### General Purpose Sequence Result

#### Comments

Result of force guide sequence. There are the following types:

EndStatus	Execution result of a force guide sequence.
EndStatusData	Additional information for EndStatus.
Time	Execution time for a force guide sequence.
LastExecObject	Name of the force guide object that was executed at the end.
EndForces	Force and torque at end of a force guide sequence.
PeakForces	Returns the peak values of force and torque during execution of a force guide sequence.



## Contact Object Result

### Comments

Result of Contact object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

## Relax Object Result

### Comments

Result of Relax object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

## FollowMove Object Result

### Comments

Result of FollowMove object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution
PeakForces	Peak value of force and torque during object execution.

## SurfaceAlign Object Result

### Comments

Result of SurfaceAlign object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

## PressProbe Object Result

### Comments

Result of PressProbe object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

## ContactProbe Object Result

### Comments

Result of ContactProbe object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

## Press Object Result

### Comments

Result of Press object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

## PressMove Object Result

### Comments

Result of PressMove object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.



SPELFunc Object Result

Comments

Result of SPELFunc object. There are the following types:

EndStatus	Execution results of the object.
Time	Execution time for the object.

## Paste Sequene Result

### Comments

Result of Paste sequence. There are the following types:

EndStatus	Execution results of a force guide sequence.
FailedStatus	Failed reasons of a force guide sequence.
Time	Execution time for a force guide sequence.
LastExecObject	Name of the force guide object that was executed at the end.
EndForces	Force and torque at end of a force guide sequence.
PeakForces	Returns the peak values of force and torque during execution of a force guide sequence.

## Paste Object Result

### Comments

Result of Paste object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
LimitedStatus	Limited status of limited condition.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

### ScrewTighten Sequence Result

#### Comments

Result of ScrewTighten sequence. There are the following types:

EndStatus	Execution results of a force guide sequence.
FailedStatus	Failed reasons of a force guide sequence.
Time	Execution time for a force guide sequence.
LastExecObject	Name of the force guide object that was executed at the end.
EndForces	Force and torque at end of a force guide sequence.
PeakForces	Returns the peak values of force and torque during execution of a force guide sequence.

## ScrewTighten Object Result

### Comments

Result of ScrewTighten object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
LimitedStatus	Limited status of limited condition.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

## ScrewRetighten Object Result

### Comments

Result of ScrewRetighten object. There are the following types:

EndStatus	Execution results of the object.
Time	Execution time for the object.
ConditionStatus	Status of end condition achievement.
LimitedStatus	Limited status of limited condition.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.

## HeightInspect Sequence Result

### Comments

Result of HeightInspect sequence. There are the following types:

EndStatus	Execution results of a force guide sequence.
FailedStatus	Failed reasons of a force guide sequence.
Time	Execution time for a force guide sequence.
LastExecObject	Name of the force guide object that was executed at the end.
EndForces	Force and torque at end of a force guide sequence.
PeakForces	Returns the peak values of force and torque during execution of a force guide sequence.
MeasuredHeight	Height measured by force guide sequence.

## HeightInspect Object Result

### Comments

Result of HeightInspect object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
LimitedStatus	Limited status of limited condition.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.



## Insert Sequence Result

### Comments

Result of Insert sequence. There are the following types:

EndStatus	Execution results of a force guide sequence.
FailedStatus	Failed reasons of a force guide sequence.
Time	Execution time for a force guide sequence.
LastExecObject	Name of the force guide object that was executed at the end.
EndForces	Force and torque at end of a force guide sequence.
PeakForces	Returns the peak values of force and torque during execution of a force guide sequence.

## Insert Object Result

### Comments

Result of Insert object. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
LimitedStatus	Limited status of limited condition.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

## TensileTest Object Result

### Comments

Result of TensileTest. There are the following types:

EndStatus	Execution results of the object.
ConditionStatus	Status of end condition achievement.
LimitedStatus	Limited status of limited condition.
Time	Execution time for the object.
EndForces	Force and torque at end of the object.
EndPos	Robot position/orientation at end of the object.
AvgForces	Average value of force and torque during object execution.
PeakForces	Peak value of force and torque during object execution.
TriggeredForces	Force and torque when the end conditions of force are achieved.
TriggeredPos	Robot position/orientation when the end conditions of force are achieved.

## Object Designation

### Application

Force Control Object FC, Force Coordinate System Object FCS, Force Trigger Object FT, Force Monitor Object FM, Force Motion Restriction Object FMR, Force Sensor Object FS, Mass Property Object MP, Robot Object Robot

### Comments

This is a formula specifying the object by a statement or function.

### Usage

Force Control Object:	<b>FC#</b>	<b>FC(#)</b>	<b>FC(<i>Label</i>)</b>	<b>FC(<i>(Var)</i>)</b>
Force Coordinate System Object:	<b>FCS#</b>	<b>FCS(#)</b>	<b>FCS(<i>Label</i>)</b>	<b>FCS(<i>(Var)</i>)</b>
Force Trigger Object:	<b>FT#</b>	<b>FT(#)</b>	<b>FT(<i>Label</i>)</b>	<b>FT(<i>(Var)</i>)</b>
Force Monitor Object:	<b>FM#</b>	<b>FM(#)</b>	<b>FM(<i>Label</i>)</b>	<b>FM(<i>(Var)</i>)</b>
Force Motion Restriction Object:	<b>FMR#</b>	<b>FMR(#)</b>	<b>FMR(<i>Label</i>)</b>	<b>FMR(<i>(Var)</i>)</b>
Force Sensor Object:	<b>FS#</b>	<b>FS(#)</b>	-	<b>FS(<i>(Var)</i>)</b>
Mass Property Object:	<b>MP#</b>	<b>MP(#)</b>	<b>MP(<i>Label</i>)</b>	<b>MP(<i>(Var)</i>)</b>
Robot Object:	<b>Robot</b>			

**#** An integer 0 or greater

***Label*** The label assigned to the object

***Var*** A variable expressed as an integer or real number 0 or greater

### Detailed Explanation

In the statement or function, the respective Number #, object label *Label*, and variable *Var* value are specified for the object. The real number is specified by truncating the decimal places to the nearest whole integer.

### Usage Example

Program example which specifies an object.

```
Function Test
    Integer Var
    String Var1$, Var2$
    Var = 1
    FSet FC1.Label, "Label1"           ' Establishes object FC1 label.
    FSet FC(1).Description, "comment 1" ' Establishes object FC1 comments.
    FGet FC(Label1).Description, Var1$  ' Refers to object FC1 by its label.
    Print Var1$                        ' Prints "comment 1".
    FGet FC((Var)).Description, Var2$   ' Refers to object FC1 by the variable.
    Print Var2$                        ' Prints "comment 1" in the same manner.
Fend
```

## Force Guide 7.0 Constant

The following constants are established for Force Guide 7.0.  
The constants can be used as needed when writing a program.

### Tips

In place of the name of the constant, a value can be inserted directly, but it is recommended that the name of the constants be used throughout the program.

Name of Constants	Values	Application
FG_FX FG_FY FG_FZ FG_TX FG_TY FG_TZ FG_FMAG FG_TMAG	0 1 2 3 4 5 6 7	All force objects
FG_X FG_Y FG_Z FG_U FG_V FG_W	0 1 2 3 4 5	[FlangeOffset GravityDirection  GravityCenter Position Orientation], Property
FG_SPRING FG_DAMPER FG_MASS	0 1 2	FC#.(Axis) Property
FG_LIMIT_S FG_LIMIT_R FG_LIMIT_J	0 1 2	FC#.Limit[Accel Speed]SRJ Property
FG_XYZ FG_XY FG_YZ FG_ZX	0 1 2 3	FT#.Fmag_Axes, Tmag_Axes Property FM#.Fmag_Axes, Tmag_Axes Property FMR#.Dist_Axes Property
FG_ROT_X FG_ROT_Y FG_ROT_Z FG_ROT_ALL	0 1 2 3	FMR#.ROT_Axes Property
FG_FORCE FG_DIFF	0 1	FT#.TriggerMode Property
FG_OR FG_AND	0 1	FT#.Operator Property FMR#.Operator Property
FG_BASE FG_LOCAL FG_TOOL FG_CUSTOM	0 1 2 3	FCS#.Orientation Property
FG_OUT FG_IN	0 1	FT#.(Axis)_Polarity Property FMR#.[PosX PosY PosZ Dist Rot (Joint)]_Polarity Property
FG_LOWERLEVEL FG_UPPERLEVEL	0 1	FT#.[Fx Fy Fz Tx Ty Tz Fmag Tmag]_Levels, Property
FG_CRD_SYS FG_LOCAL_NO	0 1	FCS#.Orientation Property
FG_CURRENT_TOOL	-1	FM#.RobotTool Property
FG_RESET_FINE FG_RESET_WAIT_VIBRATION	0 1	FS#.Reset Property
FG_STANDARD_STOP FG_SOFT_STOP	0 1	FT#.TillStopMode Property

Name of Constants	Values	Application
FG_ABS_COORD_SYS	0	FMR#.TriggerMode Property
FG_REL_COORD_SYS	1	
FG_REL_TOOL	2	
FG_REL_POINT	3	
FG_FRC_CORRECTION	4	
FG_ABS_JOINT	5	
FG_REL_JOINT	6	
FG_PASSED	0	Sequence.EndStatus Result Sequence.Object.EndStatus Result
FG_FAILED	1	
FG_NOEXEC	2	
FG_ABORTED	3	

## NOTE



Use caution as the names of the force sensing constants and the corresponding functions for axial direction and values are different.

Name of Constants	Values	Application
FORCE_XFORCE	1	Force_GetForces Statement
FORCE_YFORCE	2	
FORCE_ZFORCE	3	
FORCE_XTORQUE	4	
FORCE_YTORQUE	5	
FORCE_ZTORQUE	6	

## Arc, Arc3 Statement

### Comments

Arc moves the robot in a circular interpolation motion in the XY plane with force control active.

Arc3 moves the robot in a circular interpolation motion in 3 dimensions with the force control active.

### Usage

**Arc** Point1, Point2 [*FC#*] [ROT] [ CP ] [CF] [Till | Find] [!parallel processing!] [SYNC]

**Arc3** Point1, Point2 [*FC#*] [ROT] [ CP ] [CF] [Till | Find] [!parallel processing!] [SYNC]

*Point1* Specifies the point data defining the through position of the motion.

*Point2* Specified the point data defining the target position of the motion.

*FC#* Specifies the force control object.

*CF* Continues the force control function. Can be omitted.

### Detailed Explanation

By adding a force control object as a parameter to a normal Arc or Arc3, an Arc or Arc3 motion is carried out with the force control function active.

For Arc and Arc3 motion details, refer to the following manual.

*EPSON RC+ 7.0 SPEL+ Language Reference*

*Arc, Arc3*

For details on the force control function, refer to *Move Statement*.

### Usage Example

This is an example of a simple program which executes an Arc motion with the force control function active.

In this example, the Arc is executed in the X axis direction of the tool coordinate system with the force control function active.

```
Function ForceArcTest
    FSet FCS1.Orientation, FG_TOOL      ' Sets the force coordinate data

    FSet FC1.CoordinateSystem, FCS1     ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0                ' Sets the virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1               ' Sets the virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10                 ' Sets the virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True           ' Sets the Fx force control function to active

    Arc P0,P1 FC1                      ' Executes an Arc motion with the force control
                                         ' function active

Fend
```

### See Also

Arc, Arc3, Move, Force Control Object FC#

## AvgForceClear Property

### Application

Force Monitor Object FM#

### Comments

Activates/inactivates force and torque averaging simultaneously.

### Immediate Execution

Yes

### Usage

**FSet Object. AvgForceClear, bValueFx, bValueFy, bValueFz, bValueTx, bValueTy, bValueTz [, bValueFmag, bValueTmag]**

**Object** Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

**bValueFx** A Boolean value or formula defining the new value of the property

**bValueFy** A Boolean value or formula defining the new value of the property

**bValueFz** A Boolean value or formula defining the new value of the property

**bValueTx** A Boolean value or formula defining the new value of the property

**bValueTy** A Boolean value or formula defining the new value of the property

**bValueTz** A Boolean value or formula defining the new value of the property

**bValueFmag** A Boolean value or formula defining the new value of the property

**bValueTmag** A Boolean value or formula defining the new value of the property

### Values

bValueFx, bValueFy, bValueFz, bValueTx, bValueTy, bValueTz, bValueFmag, bValueTmag

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

AvgForceClear activates/inactivates force and torque averaging simultaneously.

Be sure to execute AvgForceClear prior to executing AvgForces and XX\_AvgForce. Without executing AvgForceClear, "0" is returned.



### Usage Example

This is an example of force averaging in the Fx axis.

```
Function CheckAverageForces
    Double AF(7)
    FSet FC1.Enabled, True, False, False, False, False, False
    FSet FC1.TargetForces, 10, 0, 0, 0, 0, 0
    FSet FS1.Reset
    FSet FM1.CoordinateSystem, FCS0
    FSet FM1.AvgForceClear, True, False, False, False, False, False, False,
False
    FCKeep FC1, 10
    FGet FM1.AvgForces, AF()
    Print AF(FG_FX)
Fend
```

### See Also

Force Monitor Object FM#

## AvgForces Status

### Application

Force Monitor Object FM#

### Comments

Returns average force and torque simultaneously.

### Usage

**FGet** *Object.AvgForces, rArray()*

**Object** Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

**rArray()** The number of elements, which define the property values, is an array of 8 or more real numbers.

### Values

rArray()

Element number	Element number constant	Description
0	FG_FX	Acquires the average Fx force.
1	FG_FY	Acquires the average Fy force.
2	FG_FZ	Acquires the average Fz force.
3	FG_TX	Acquires the average Tx torque.
4	FG_TY	Acquires the average Ty torque.
5	FG_TZ	Acquires the average Tz torque.
6	FG_FMAG	Acquires the average resultant force Fmag.
7	FG_TMAG	Acquires the average resultant torque Tmag.

Note: When the number of elements is an array of 6 or 7, the element number returns 0 to 5.

### Detailed Explanation

AvgForces returns force and torque averages simultaneously.

Execute AvgForceClear prior to executing AvgForces. Without executing AvgForceClear, 0 is returned.

When the time from executing AvgForceClear to executing AvgForces is short, an error in the average force and torque is generated. Establish a low-pass filter with a time constant of about 5 times between the AvgForceClear and the AvgForces execution.

There is a time limit on AvgForces. Execute AvgForces within 600 seconds of executing AvgForceClear. When AvgForces is executed after 600 seconds has passed, an error is generated.

## Usage Example

This is an example of force averaging in the Fx axis.

```
Function CheckAverageForces
    Double AF(7)
    FSet FC1.Enabled, True, False, False, False, False, False
    FSet FC1.TargetForces, 10, 0, 0, 0, 0, 0
    FSet FS1.Reset
    FSet FM1.CoordinateSystem, FCS0
    FSet FM1.AvgForceClear, True, False, False, False, False, False, False,
False
    FCKeep FC1, 10
    FGet FM1.AvgForces, AF()
    Print AF(FG_FX)
Fend
```

## See Also

Force Monitor Object FM#

## AvgForces Result

### Comments

Returns average values of force and torque during execution of a force guide object.

### Usage

**FGGet** *Sequence.Object.AvgForces*, *rArray*()

**Sequence** Force guide sequence name or string variable representing force guide sequence name

**Object** Force guide object name or string variable representing force guide object name.

**rArray** Real array variable with six or more elements showing returned values

### Values

*rArray*()

Element number	Element number constant	Description
0	FG_FX	Acquires average value of force in Fx direction during execution of a force guide object.
1	FG_FY	Acquires average value of force in Fy direction during execution of a force guide object.
2	FG_FZ	Acquires average value of force in Fz direction during execution of a force guide object.
3	FG_TX	Acquires average value of torque in Tx direction during execution of a force guide object.
4	FG_TY	Acquires average value of torque in Ty direction during execution of a force guide object.
5	FG_TZ	Acquires average value of torque in Tz direction during execution of a force guide object.

### Detailed Explanation

Returns average values of force and torque during execution of a force guide object.

If the number of elements in a specified array variable is less than six, returns force and torque in each direction for the defined element numbers. Also, if the number of elements in the array variable exceeds six, returns force and torque in each direction from element number 0 to 5, while making no change to element number 6 and above.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function AvgForceTest
    Double dArray(6)

    Motor On

    FGRun Sequence1
    FGGet Sequence1.Contact01.AvgForces, dArray() ' Acquisition of AvgForces
    Print dArray(FG_FX)

Fend
```

### See Also

FGGet, Contact object, Relax object, FollowMove object, SurfaceAlign object, PressProbe object, ContactProbe object, Press object, PressMove object, Paste object, ScrewTighten object, ScrewRetighten object, HeightInspect object, Insert object, TensileTest object

## BMove Statement

### Comments

This executes in the local selected coordinate system an offset linear interpolation motion with the force control active.

### Usage

**BMove** *P#* [*FC#*] [*ROT*] [*CP*] [*CF*] [*Till* | *Find*] [*!parallel processing!*] [*SYNC*]

*P#* Specifies the point data to define the amount of movement.

*FC#* Specifies the force control object.

*CF* Continues the force control function. Can be omitted.

### Detailed Explanation

By adding a force control object as a parameter to a normal BMove command, a BMove motion is carried with the force control function active.

For BMove motion details, refer to the following manual.

*EPSON RC+ 7.0 SPEL+ Language Reference*

*BMove*

For details on the force control function, refer to *Move Statement*.

### Usage Example

This is a simple program example for executing a BMove motion with the force control function active.

In this example, the BMove motion is executed with the force control function active in the X axis direction of the tool coordinate system.

```
Function ForceBMoveTest
    FSet FCS1.Orientation, FG_TOOL      ' Sets the force coordinate data

    FSet FC1.CoordinateSystem, FCS1     ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0                ' Sets virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1                ' Sets virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10                 ' Sets virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True            ' Sets the Fx force control function to active

    BMove XY(100,0,0,0) FC1              ' Executes the BMove motion with the force
                                          ' control function active

Fend
```

### See Also

BMove, Move, Force Control Object FC#

## ConditionStatus Result

### Comments

Returns status of end condition achievement for a force guide object.

### Usage

**FGGet Sequence.Object.ConditionStatus, iVar**

**Sequence** Force guide sequence name or string variable representing force guide sequence name

**Object** Force guide object name or string variable representing force guide object name.

**iVar** Integer variable that shows a returned value

### Values

*iVar*

Bit	Result
0	Status of achievement of force-related end condition
1	Status of achievement of position-related end condition
2	Status of achievement of I/O-related end condition

Bit values

0: Not achieved

1: Achieved

### Detailed Explanation

Returns status of end condition achievement for a force guide object.

Force guide objects can use some of force-related, position-related, and I/O-related end conditions. The ConditionStatus result sets the corresponding bit to “1” if a condition is achieved, or “0” if a condition is not achieved. This result is used to branch processing according to which conditions are achieved.

## Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function ConditionStatusTest
    Integer iVar

    Motor On
    FGRun Sequence1

    FGGet Sequence1.Press01.ConditionStatus, iVar ' Acquisition of
ConditionStatus
    If (iVar And &H01) <> 0 Then
        ' Processing when force-related condition is achieved
        —
        —
        —
    ElseIf (iVar And &H02) <> 0 Then
        ' Processing when position-related condition is achieve
        —
        —
        —
    EndIf

Fend
```

## See Also

FGGet, Contact object, Relax object, FollowMove object, SurfaceAlign object, PressProbe object, ContactProbe object, Press object, PressMove object, Paste object, ScrewTighten object, ScrewRetighten object, HeightInspect object, Insert object, TensileTest object

## CoordinateSystem Property

### Application

Force Control Object FC#, Force Trigger Object FT#,  
Force Monitor Object FM#, Force Motion Restriction Object FMR#

### Comments

Returns or sets the force coordinates.

### Immediate Execution

No

### Usage

**FGet** *Object.CoordinateSystem, iVar*

**FSet** *Object.CoordinateSystem, FCS#*

**Object** Object name or string variable defining object name  
The object is specified as FC (numerical value), FT (numerical value), FM (numerical value), FMR (numerical value), FC (label), FT (label), or FM (label), FMR (label).

**iVar** An integer variable defining the value of the property

**FCS#** Force Coordinate System Object  
Specified as whether FCS (numerical value) or FCS (label).

### Values

iVar

	Value
Minimum	0 (default)
Maximum	63

### Detailed Explanation

Sets or returns the force coordinates used with the force control function, the force trigger function, the force monitor function, and the force motion restriction function.

The CoordinateSystem default is FCS0. It means the same since FCS0 matches to the leading point setting of the tool at the moment. (You cannot change FCS0 setting. This is a description to help understanding.)

```
FSet FCS0.Position, 0, 0, 0
FSet FCS0.Orientation, FG_TOOL
```

### Usage Example

In this example, after setting the origin and coordinate axes for force coordinate 1, force coordinate 1 is set for the Force Monitor Object, and force data is acquired.

```
Function GetForces
  Real myForces(8)
  FSet FCS1.Position, 0, 0, 100
  FSet FCS1.Orientation, FG_TOOL
  FSet FM1.CoordinateSystem, FCS1
  FGet FM1.Forces, myForces()
  Print myForces(FG_FX), myForces(FG_FY), myForces(FG_FZ)
Fend
```

### See Also



Force Coordinate System Object FCS#, Force Control Object FC#, Force Trigger Object FT#,  
Force Monitor Object FM#, Force Motion Restriction FMR#

## CVMove Statement

### Comments

This executes a free curve CP motion, defined by the Curve command, with the force control active.

### Usage

**CVMove** File name[*FC#*] [*CP*] [*CF*] [*Till* | *Find*] [*SYNC*]

**P#** Specifies the point data defining the target position of the motion.

**FC#** Specifies the force control object.

**CF** Continues the force control function. Can be omitted.

### Detailed Explanation

By adding a force control object as a parameter to a CVMove command, a CVMove motion is executed with the force control function active.

For CVMove motion details, refer to the following manual.

*EPSON RC+ 7.0 SPEL+ Language Reference*  
*CVMove*

For details on the force control function, refer to *Move Statement*.

### Usage Example

This is a simple program example to execute a CVMove motion with the force control function active.

In this example, a CVMove motion is executed with the force control function active in the X axis direction of the tool coordinate system.

```
Function ForceCVMoveTest
    FSet FCS1.Orientation, FG_TOOL          ' Sets the force coordinate data

    FSet FC1.CoordinateSystem, FCS1         ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0                   ' Sets virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1                   ' Sets virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10                    ' Sets virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True               ' Sets the Fx force control function to
active                                     '
    curve "mycurve",0,0,4,P(1:7)           ' Sets a free curve
    CVMove "mycurve" FC1                   ' Executes a Move motion with the force
                                           ' control active

Fend
```

### See Also

CVMove, Move, Force Control Object FC#

## DatumPoint Property

### Application

Force Motion Restriction Object FMR#

### Description

Sets or returns the reference point when TriggerMode is set to FG\_REL\_POINT.

### Immediate Execution

No

### Usage

**FGet** *Object.Description, iVar*

**FSet** *Object.Description, P#*

*Object*      Object name or string variable defining object name  
                  The force object is specified as either FMR (numerical value) or FMR (label).

*iVar*            An integer variable defining the value of the property

*P#*             A variable defining the point data

### Detailed Explanation

This sets or returns the reference point data when the TriggerMode property is set to FG\_REL\_POINT.

This property is used to set or confirm the reference point for robot positions/orientations for determining set trigger met conditions.

If a force motion restriction object with the TriggerMode property set to FG\_REL\_POINT is specified for Till, Wait, or other qualifier, monitoring will begin by applying point data from the time that monitoring starts. Note that any changes to the point data specified by this property will not be applied to monitoring if such changes are made after monitoring begins.

When using this property with FSet, specify point data such as P1. However, note that temporary point data acquired by Here and other similar functions cannot be specified. When using this property with FGet, specify an integer variable such as Integer to acquire the point number. For example, "1" will be acquired when specifying P1. Keep this in mind when different types of variables are used for FSet and FGet.

### Usage Example

This is an example of setting P1 as the reference point for the force motion restriction object.

```
Function DatumPointTest
    Integer iVar

    FSet FMR1.DatumPoint, P1           'Specify P1 as the reference point data
    FGet FMR1.DatumPoint, iVar         'iVar will be set to "1"

    Print iVar
End
```

### See Also

Force Motion Restriction Object FMR#

## Description Property

### Application

Force Control Object FC#, Force Sensor Object FS#, Force Trigger Object FT#, Force Monitor Object FM#, Force Motion Restriction Object FMR#, Force Coordinate System Object FCS#, Mass Property Object MP#

### Comments

This refers to the explanation for each object, and provides an explanation for objects other than Force Sensor Objects.

### Immediate Execution

No

### Usage

**FGet** *Object1.Description, sVar\$*

**FSet** *Object2.Description, sValue\$*

**MPGet** *MPObject.Description, sVar\$*

**MPSet** *MPObject.Description, sValue\$*

**Object1** Object name or string variable defining object name  
The object is specified as FC (numerical value), FS (numerical value), FT (numerical value), FM (numerical value), FMR(numerical value), FCS (numerical value), FC (label), FT (label), FM (label), FMR(label), or FCS (label).

**Object2** Object name or string variable defining object name  
The object is specified as FC (numerical value), FT (numerical value), FM (numerical value), FMR(numerical value), FCS (numerical value), FC (label), FT (label), FM (label), FMR(label), or FCS (label).

**MPObject** Mass Property Object name or string variable defining the Mass Property Object name.  
The Mass Property Object is specified as a MP(numerical value) or MP(label).

**sVar\$** String variable defining the property value

**sValue\$** String value or formula defining the property value

### Values

String

### Detailed Explanation

This allows one to refer to the explanation for each object in Descriptions Property as well as establish/modify the explanation. The Force Sensor Object explanation can be referred to, but cannot be established.

The explanation can be freely written using up to 255 characters.

### Usage Example

This is an example of establishing an explanation for an object.

```
> FSet FC1.Description, "force 1"
```

### See Also

Force Control Object FC#, Force Sensor Object FS#  
Force Trigger Object FT#, Force Monitor Object FM#  
Force Motion Restriction Object FMR#, Force Coordinate System Object FCS#  
Mass Property Object MP#

## Dist\_Axes Property

### Application

Force Motion Restriction Object FMR#

### Comments

Sets or returns the subject axis for finding the force motion restriction range in relation to distance.

### Immediate Execution

No

### Usage

**FGet** *Object.Dist\_Axes, iVar*

**FSet** *Object.Dist\_Axes, iValue*

*Object* Object name or string variable defining object name  
The object is specified as FMR (numerical value) or FMR (label).

*iVar* String variable defining the property value

*iValue* String value or formula defining the new property value

### Values

iValue

Constant name	Value	Description
FG_XYZ	0	The movement distance of X, Y, Z axis are combined. (default). (Dist = $\sqrt{\text{PosX}^2 + \text{PosY}^2 + \text{PosZ}^2}$ )
FG_XY	1	The movement distance of X, Y axis are combined. (Dist = $\sqrt{\text{PosX}^2 + \text{PosY}^2}$ )
FG_YZ	2	The movement distance of Y, Z axis are combined. (Dist = $\sqrt{\text{PosY}^2 + \text{PosZ}^2}$ )
FG_ZX	3	The movement distance of Z, X axis are combined. (Dist = $\sqrt{\text{PosX}^2 + \text{PosZ}^2}$ )

### Detailed Explanation

Dist is a value that combined the movement distance of target axis from X, Y, Z.

This property is used when set or check the target axis to acquire the combined movement distance.

### Usage Example

This is an example of setting or checking the target axis to acquire the combined movement distance for force motion restriction object.

```
Function Test_Dist_Axes
    Integer iVar
    FSet FMR1.Dist_Axes, FG_ZX
    FGet FMR1.Dist_Axes, iVar
    Print iVar
End
```

### See Also

Force Motion Restriction Object FMR#

## Dist\_Enabled Property

### Application

Force Motion Restriction Object FMR#

### Comments

Sets or returns enable/disable of force motion restriction function of the movement distance.

### Immediate Execution

No

### Usage

**FGet** *Object.Dist\_Enabled, bVar*

**FSet** *Object.Dist\_Enabled, bValue*

*Object*      Object name or string variable defining object name

*bVar*        A Boolean variable defining the value of the property

*bValue*      A Boolean value or formula defining the new value of the property

### Values

bValue

Constant name	Value	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

Independently activates/inactivates or returns the force motion restriction function for the movement distance.

### Usage Example

This is an example of activating motion restriction function of the movement distance for the force motion restriction object.

```
> FSet FMR1.Dist_Enabled, True
```

### See Also

Force Motion Restriction Object FMR#

## Dist\_Levels Property

### Application

Force Motion Restriction Object FMR#

### Comments

Sets or returns the value of the lower threshold and upper threshold of movement distance.

### Immediate Execution

No

### Usage

**FGet** *Object.Dist\_Levels, rArray()*

**FSet** *Object.Dist\_Levels, rValueL, rValueU*

*Object* Object name or string variable defining object name  
The object is specified as FMR (numerical value) or FMR (label)

*rArray()* The number of elements defining the values of the property is an array of 2 or more real number variables

*rValueL* A real number or formula defining the new value of the property

*rValueU* A real number or formula defining the new value of the property

### Value

*rArray()*

Element number	Element number constant
0	FG_LOWERLEVEL
1	FG_UPPERLEVEL

*rValueL* (Unit: [mm])

	Values
Minimum	0 (default)
Maximum	20000

*rValueU* (Unit: [mm])

	Values
Minimum	0
Maximum	20000 (default)

### Detailed Explanation

Dist\_Levels allow you to set or return the value of the lower threshold and upper threshold of movement distance.

rValueL is the lower threshold. rValueU is the upper threshold. Be sure that  $rValueL < rValueU$ .

This is used for error checking and task completion conditions.

### Usage Example

This is an example of stopping the robot due to an error from being below the lower threshold or above the upper threshold in the movement distance.

```
Function SettingLevels
    FSet FMR1.Dist_Enabled, True
    FSet FMR1.Dist_Polarity, FG_OUT
    FSet FMR1.Dist_Levels, 0, 100
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#



## Dist\_Polarity Property

### Application

Force Motion Restriction Object FMR#

### Comments

This returns the status of or sets whether the force motion restriction is triggered by either being within the thresholds or being outside of the thresholds in the movement distance.

### Immediate Execution

No

### Usage

**FGet** Object.**Dist\_Polarity**, *iVar*

**FSet** Object.**Dist\_Polarity**, *iValue*

**Object** Object name, or string variable defining the object name  
The object is specified as either FMR (numerical value)), FMR (label).

**iVar** An integer variable defining the value of the property

**iValue** An integer value or formula defining the new value of the property

### Value

iValue

Constant name	Value	Description
FG_OUT	0	Triggered when value is not within upper and lower thresholds. (default)
FG_IN	1	Triggered when value is within upper and lower thresholds.

### Detailed Explanation

Dist\_Polarity returns the status of or sets whether the force trigger is triggered by either being within the thresholds or being outside of the thresholds in the movement distance.

### Usage Example

This is an example of stopping the robot due to an error from being below the lower threshold or above the upper threshold in the movement distance.

```
Function SettingPolarity
    FSet FMR1.Dist_Enabled, True
    FSet FMR1.Dist_Polarity, FG_OUT
    FSet FMR1.Dist_Levels, 0, 100
    Trap 1, FMR1 Call ForceError
Fend
```

```
Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## Enabled Property

### Application

Force Control Object FC#, Force Trigger Object FT#

### Comments

Activates/inactivates the force control function or the force trigger function for each axis at the same time, or returns the status thereof.

### Immediate Execution

No

### Usage

**FGet** *Object.Enabled, bArray()*

**FSet** *FC#.Enabled, bValueFx, bValueFy, bValueFz, bValueTx, bValueTy, bValueTz*

**FSet** *FT#.Enabled, bValueFx, bValueFy, bValueFz, bValueTx, bValueTy, bValueTz  
[,bValueFm, bValueTm]*

**Object** Object name, or string variable defining the object name  
The object is specified as FC (numerical value), FT (numerical value), FC (label), or FT (label).

**bArray()** The number of elements, which define the property values, is an array of 6 or 8 or more real number variables

**bValueFx** A Boolean value or formula defining the new value of the property

**bValueFy** A Boolean value or formula defining the new value of the property

**bValueFz** A Boolean value or formula defining the new value of the property

**bValueTx** A Boolean value or formula defining the new value of the property

**bValueTy** A Boolean value or formula defining the new value of the property

**bValueTz** A Boolean value or formula defining the new value of the property

**bValueFm** A Boolean value or formula defining the new value of the property

**bValueTm** A Boolean value or formula defining the new value of the property

### Values

**bArray()** :

Element number	Element number constant	Description
0	FG FX	Activates/inactivates Fx.
1	FG FY	Activates/inactivates Fy.
2	FG FZ	Activates/inactivates Fz.
3	FG TX	Activates/inactivates Tx.
4	FG TY	Activates/inactivates Ty.
5	FG TZ	Activates/inactivates Tz.
6	FG FMAG	Activates/inactivates Fmag resultant force.
7	FG TMAG	Activates/inactivates Tmag resultant torque.

Note: When the number of elements is an array of 6 or 7, or for a force control object, the element number returns 0 to 5.

bValueFx, bValueFy, bValueFz, bValueTx, bValueTy, bValueTz, bValueFm, bValueTm

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

Activates/inactivates the force control function or the force trigger function for each axis at the same time, or returns the status thereof.

For SCARA robots (including RS series), the force control cannot be executed with the FC object when Tx or Ty for the Enable property is “True”.

### See Also

Force Control Object FC#, Force Trigger Object FT#

## EndForces Result

### Comments

Returns force and torque at end of a force guide object or force guide sequence.

### Usage

**FGGet Sequence.EndForces, rArray()**

**FGGet Sequence.Object.EndForces, rArray()**

**Sequence** Force guide sequence name or string variable representing force guide sequence name

**Object** Force guide object name or string variable representing force guide object name.  
Omitted when a result of a force guide sequence is acquired.

**rArray** Real array variable with six or more elements showing returned values

### Values

rArray()

Element number	Element number constant	Description
0	FG_FX	Acquires force in Fx direction at end of a force guide sequence or force guide object.
1	FG_FY	Acquires force in Fy direction at end of a force guide sequence or force guide object.
2	FG_FZ	Acquires force in Fz direction at end of a force guide sequence or force guide object.
3	FG_TX	Acquires torque in Tx direction at end of a force guide sequence or force guide object.
4	FG_TY	Acquires torque in Ty direction at end of a force guide sequence or force guide object.
5	FG_TZ	Acquires torque in Tz direction at end of a force guide sequence or force guide object.

### Detailed Explanation

Returns force and torque at end of a force guide object or force guide sequence.

If the number of elements in a specified array variable is less than six, returns force and torque in each direction for the defined element numbers. Also, if the number of elements in the array variable exceeds six, returns force and torque in each direction from element number 0 to 5, while making no change to element number 6 and above.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function EndForceTest
    Double dArray(6)

    Motor On

    FGRun Sequence1
    FGGet Sequence1.Contact01.EndForces, dArray() ' Acquisition of EndForces
    Print dArray(FG_FX)

Fend
```

**See Also**

FGGet, GeneralPurpose sequence, Contact object, Relax object, FollowMove object, SurfaceAlign object, PressProbe object, ContactProbe object, Press object, PressMove object, Paste sequence, Paste object, ScrewTighten object, ScrewTighten sequence, ScrewRetighten object, HeightInspect object, HeightInspect sequence, Insert sequence, Insert object, TensileTest object

## EndPos Result

### Comments

Returns position at end of a force guide object.

### Usage

**FGGet** *Sequence.Object.EndPos*, *P#*

*Sequence* Force guide sequence name or string variable representing force guide sequence name

*Object* Force guide object name or string variable representing force guide object name.

*P#* Variable representing a point data

### Detailed Explanation

Returns position at end of a force guide object.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function EndPosTest

    Motor On

    FGRun Sequence1
    FGGet Sequence1.Contact01.EndPos, P1    ' Acquisition of EndPos
    Print P1

End
```

### See Also

FGGet, Contact object, Relax object, FollowMove object, SurfaceAlign object, PressProbe object, ContactProbe object, Press object, PressMove object, Paste object, ScrewTighten object, ScrewRetighten object, HeightInspect object, Insert object, TensileTest object

## EndStatus Result

### Comments

Returns end status for a force guide sequence or force guide object.

### Usage

**FGGet Sequence.EndStatus, iVar**

**FGGet Sequence.Object.EndStatus, iVar**

**Sequence** Force guide sequence name or string variable representing force guide sequence name

**Object** Force guide object name or string variable representing force guide object name.  
Omitted when a result of a force guide sequence is acquired.

**iVar** Integer variable that shows a returned value

### Values

*iVar*

Constant name	Value	Description
FG PASSED	0	Force guide sequence or force guide object succeeded.
FG FAILED	1	Force guide sequence or force guide object failed.
FG NOEXEC	2	Force guide sequence or force guide object has not been executed.
FG ABORTED	3	Force guide sequence or force guide object stopped during execution.

### Detailed Explanation

Returns end status for a force guide sequence or force guide object.

Success/fail criteria differ for each force guide sequence and force guide object. For details about the conditions, refer to the following manual:

*EPSON RC+ 7.0 option Force Guide 7.0 Software*

Force guide sequence: 4.2.3 *Details on results of force guide sequence*

Force guide object: 4.3 *Force Guide Object*

FG\_NOEXEC is returned if a force guide sequence has not been executed. FG\_NOEXEC is also returned if a force guide object is not executed depending on conditional branch or if a force guide sequence ends midway through because a preceding object failed. FG\_ABORTED is returned if the emergency stop button or the <Stop> button on the [Run] window is pressed during execution, or if Stop input is received via remote input.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function EndStatusTest
    Integer iVar

    Motor On

    FGRun Sequence1
    FGGet Sequence1.Contact01.EndStatus, iVar      ' Acquisition of EndStatus
    Print iVar

Fend
```



**See Also**

FGGet, GeneralPurpose sequence, Contact object, Relax object, FollowMove object, SurfaceAlign object, PressProbe object, ContactProbe object, Press object, PressMove object, SPEL function object, Paste sequence, Paste object, ScrewTighten object, ScrewTighten sequence, ScrewRetighten object, HeightInspect object, HeightInspect sequence, Insert sequence, Insert object, TensileTest object

## EndStatusData Result

### Comments

Returns a reason for end status failure in a general purpose sequence.

### Usage

**FGGet Sequence.EndStatusData, iVar**

**Sequence** General purpose sequence name or string variable representing general purpose sequence name

**iVar** Integer variable that shows a returned value

### Values

**iVar**

Bit	Result
0	Object whose AbortSeqOnFail is True failed.
1	Start position orientation (X, Y, Z, U, V, W) deviated from the specified range.
2	Starting arm orientation (Hand, Elbow, Wrist) differed from the specified arm orientation.

Bit values

0: Not achieved

1: Achieved

### Detailed Explanation

Returns a reason for end status failure in a general purpose sequence.

AbortSeqOnFail is a property that specifies whether to end or continue a sequence after a force guide object has failed. If the force guide object whose AbortSeqOnFail is True fails, the general purpose sequence will also fail.

The start position/orientation (X, Y, Z, U, V, W) is checked when the PosCheckEnabled property is True. The force guide sequence will fail if the sequence starting position/orientation deviates from the point specified by the StartCheckPoint property by an amount that exceeds the value specified by StartPntTolX in the X direction, exceeds the value specified by StartPntTolY in the Y direction, or exceeds the value specified by StartPntTolZ in the Z direction in the coordinate system specified by StartPntTolLocal, or exceeds the angle specified by StartPntTolRot in the direction of rotation. When a failure occurs, the general purpose object will not be executed.

The starting arm orientation (Hand, Elbow, Wrist) is checked when the OrientCheckEnabled property is True. The force guide sequence will fail if the sequence starting arm orientation differs from each arm orientation at a point specified by the StartCheckPoint property. In such a case, the general purpose object will not be executed.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function EndStatuDataTest
    Integer iVar

    Motor On

    FGRun Sequence1
    FGGet Sequence1.EndStatusData, iVar      ' Acquisition of EndStatusData
    Print iVar

Fend
```

### See Also

FGGet, general purpose sequence

## FailedStatus Result

### Description

Returns the reason for failure regarding the dedicated sequence.

### Usage

**FGGet Sequence.EndStatus, iVar**

**Sequence** Force guide sequence name or string variable representing force guide sequence name

**iVar** Integer variable that shows a returned value

### Values

*iVar*

Name of Constants	Values	Description
OK	0	Force guide sequence successful.
GeneralObjectFailed	1	General object failed.
ForceConditionFailed	10	Failure due to force outside the successful condition range.
ContactFailed	12	Failure due to position not reached.
PosConditionFailed	20	Failure due to position outside the successful condition range.
Overrun	21	Failure due to overrun.
Jammed	22	Failure due to position outside the successful condition range, even with the force within the successful condition range.
NoOKSignal	31	Failure due to not receiving the screw tightening complete signal from the screwdriver.

### Detailed Explanation

Returns the reason for failure regarding the dedicated sequence.

The success/failure judgment conditions differ for each dedicated sequence.

For more information about each condition, refer to the following manual.

EPSON RC+ 7.0 option Force Guide 7.0 Software

Dedicated sequence: 4.3.2.3 Details on results of the paste sequence

Dedicated sequence: 4.4.2.3 Details on results of the screw tightening sequence

Dedicated sequence: 4.5.2.3 Details on results of HeightInspect sequence

Dedicated sequence: 4.6.2.3 Details on results of Insert sequence

This result will only return the failure reason for objects whose AbortSeqOnFail is True. Further, running this result without executing the specified sequence beforehand will result in error.

## Usage Example

This is an example of a simple program used to acquire results with FGGet.

```
Function FailedStatusTest
    Integer iVar

    Motor On

    FGRun Sequence1
    FGGet Sequence1. FailedStatus, iVar ' Acquire FailedStatus
    Print iVar

End
```

## See Also

FGGet, paste sequence, screw tightening sequence, height detection sequence, insert sequence

## FCElapsedTime Function

### Description

Returns the time elapsed since the force control function was activated for the specified robot.

### Usage

**FCElapsedTime**(*RobotNo*)

*RobotNo*    An integer value or expression which specifies the robot number.

### Return Values

Returns the time elapsed since the force control function was activated for the specified robot.

### Detailed Explanation

Returns the time elapsed since the force control function was activated for the specified robot.

This function returns the elapsed duration only while the force control function is activated for the specified robot. Executing this function when the force control function is inactive will return a “0” value.

The *RobotNo* may be omitted. If omitted, the robot selected in the Robot statement will be specified.

### Usage Example

This example displays the elapsed time for the force control function.

```
Function FCElapsedTimeTest
    Print FCElapsedTime(1)
End
```

### See Also

FCKeep, FCEnd, Force Control Object FC#

## FCEnd Statement

**Comments**

Stops the active force control function.

**Usage**

**FCEnd**

**Detailed Explanation**

This inactivates the currently active force control function by adding a CF parameter to FCKeep or the motion command.

**See Also**

FCKeep, Force Control Object FC#

## FCKeep Statement

### Comments

Activates the force control function, and when the specified amount of time has elapsed, a stop is executed.

### Usage

**FCKeep** *FC#* [*CF*] [*Till* | *Find*] [*SYNC*], *rValue*

*FC#* Specifies the force control object.

*rValue* Real number or formula

### Detailed Explanation

This does not execute a motion command, but is used when wanting to activate the force control function over a fixed period of time. When wanting to perform push-work using a fixed force over a fixed period of time, after moving the tool using position control to a point just prior to contact, specify the Force Control Object having had the target force set therein, and execute FCKeep.

In addition, when desiring to continue force control for a fixed period of time following the execution of a motion command, which includes force control, add a force control object and a CF parameter to the motion command and execute, then continue on with the execution of the FCKeep.

### Usage Example

This example continues activation of the force control function for a period of 30 seconds in accordance to the Force Control Object FC1.

```
> FCKeep FC1, 30
```

In this example, after moving to P1 with the force control active, in accordance with the Force Control Object FC1, the force control function is maintained for a period of 10 seconds.

```
Function main
  Move P1 FC1 CF
  FCKeep FC1, 10
FEnd
```

### See Also

Till, FCEnd, FCOOn function, Force Control Object FC#



## FCMEnd Property

### Application

Force Monitor Object FM#

### Comments

Ends recording of the sensor value, position and orientation of the robot, and StepID using the force control monitor.

This property is a function for previous version which is before RC+7.4.0 (F/W 7.4.0.0). We recommend using RecordStart property and RecordEnd property.

### Immediate Execution

Yes

### Usage

**FSet** *Object.FCMEnd*

*Object*     Object name, or string variable defining the object name  
The object is specified as either of FM (numerical value) or FM (label).

### Detailed Explanation

Recording of the data is started by FCMStart property. This property is used to stop recording the data before the measurement time specified by FCMStart property elapses.

### Usage Example

This is an example to start and stop the data recording using Channel 1 of the force control monitor.

The recording starts to acquire the data with intervals of 0.1 seconds for 60 seconds, and then stops after 10 seconds by the FCMEnd property.

In this example, the Wait statement is used to halt the data recording, but it can be replaced by motion commands to record the force in motion and robot position.

```
Function FCMTest
    FSet FM1.ForceSensor, 1
    FSet FM1.FCMEnd
    FSet FM1.FCMStart, 1, 60, 0.1
    Wait 10
    FSet FM1.FCMEnd
Fend
```

### See Also

Force Monitor Object FM#

## FCMStart Property

### Application

Force Monitor Object FM#

### Comments

Begins recording of the sensor value, position and orientation of the robot, and StepID using the force control monitor.

This property is a function for previous version which is before RC+7.4.0 (F/W 7.4.0.0). We recommend using RecordStart property and RecordEnd property.

### Immediate Execution

Yes

### Usage

**FSet** *Object.FCMStart, iValueC, rValueD, rValueI*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FM (numerical value) or FM (label).

**iValueC** An integer or formula defining the new value of the property

**rValueD** A real number or formula defining the new value of the property

**rValueI** A real number or formula defining the new value of the property

### Values

rValueC (Channel number)

Value	Description
1	Starts recording using the channel 1 of the force control monitor.
2	Starts recording using the channel 2 of the force control monitor.

rValueD (Measurement time unit [sec])

	Value
Minimum	1*
Maximum	600*

Default: none

rValueI (Measurement interval unit: [sec])

	Value
Minimum	0.002*
Maximum	10*

Default: none

\* However, “measurement time / measurement interval” should be 30,000 or less.

### Detailed Explanation

This property is used to start recording of the sensor value, position and orientation of the robot, and StepID using the force control monitor.

This property is available when the Controller is connected to the force control monitor. Although the channels 1 and 2 can be used at the same time, it is not possible to start the data recording while by specifying the channel number in use.

The product of specified measurement time and interval “measurement time / measurement interval” cannot exceed 30,000. Also, it is not possible to start the data recording by using the same robot and force monitor object in parallel. To start the two data recording in parallel, use different force monitor objects.

In addition, this property cannot be used together with the LogStart property or EPSON RC+GUI force monitor.

The recorded data is saved to a file according to the force control monitor settings.

This property keeps processing until the measurement time ends or FCMEnd is executed property after the task is finished. We recommend that execute FCMEnd property before executing FCMStart property if you want to execute in a row.

### Usage Example

This is an example to start and stop the data recording using Channel 1 of the force control monitor.

The recording starts to acquire the data with intervals of 0.1 seconds for 60 seconds.

In this example, the Wait statement is used to halt the data recording, but it can be replaced by motion commands to record the force in motion and robot position.

```
Function FCMTest
    FSet FM1.ForceSensor, 1
    FSet FM1.FCMEnd
    FSet FM1.FCMStart, 1, 60, 0.1
    Wait 60
    FSet FM1.FCMEnd
Fend
```

### See Also

Force Monitor Object FM#

## FCon Function

### Comments

Determines if the specified robot is executing the force control function.

### Usage

`FCon(RobotNo)`

*RobotNo*    An integer value or formula which specifies the robot number.

### Return Values

Number	Constant	Description
0	Off	Force Control Function is inactive
1	On	Force Control Function is active

### Detailed Explanation

This identifies whether the specified robot is executing the force control function or not.

“On” will be returned when the force control function is active due to a CF parameter following the completion of a motion command, or when the force control function is active due to FCKeep.

### Usage Example

The following displays the activation status of the force control function.

```
Function main
  If FCon(1) = Off Then
    Print "Force Control is off"
  EndIf
Fend
```

### See Also

FCKeep, FCEnd, Force Control Object FC#

## FCSMove Statement

### Comments

Executes an offset linear interpolation motion in the specified force coordinate system.

### Usage

**FCSMove** P# { FCS# | FC#} [ROT] [CF] [CP] [Till | Find] [!parallel processing!] [SYNC]

<b>P#</b>	Specifies the target position of the motion using point data.
<b>FCS#</b>	Specifies the force coordinate system object.
<b>FC#</b>	Specifies the force control object.
<b>CF</b>	Continues the force control function. Can be omitted.
<b>ROT</b>	Gives priority to the tool orientation modification and establishes the velocity and acceleration of the motion. Can be omitted.
<b>CP</b>	Specifies the path motion. Can be omitted.
<b>Till   Find</b>	Describes the Till or Find formulas. Can be omitted. <div style="margin-left: 40px;">Till   Find</div> <div style="margin-left: 40px;">Till Sw(formula) = {On   Off}</div> <div style="margin-left: 40px;">Find Sw(formula) = {On   Off}</div>
<b>!parallel processing!</b>	A parallel processing statement can be added in order to execute I/O or other commands during the motion. Can be omitted.
<b>SYNC</b>	Reserves a motion command. The robot will not begin moving until the robot begins moving via the SyncRobots.

### Detailed Explanation

This executes an offset linear interpolation motion in the specified force coordinate system.

Specify along with the target coordinates either a Force Coordinate System Object or Force Control Object.

If specifying a force coordinate system object, an offset linear interpolation motion will be executed in the specified force coordinate system.

If specifying a Force Control Object, an offset linear interpolation motion will be executed in force coordinate system specified by the Force Control Object. This motion will be executed with the force control active.

The point flag defined by the point data will be ignored, and the current point flag will be maintained. However, on vertical 6 axis robots (including N series), the point flag is automatically changed to decrease the amount of joint movement.

Each established value for SpeedS and AccelS will be used for the FCSMove velocity and acceleration. For the relationship between velocity and acceleration/deceleration, please see the warning: "Use FCSMove with CP." However, the velocity and acceleration/deceleration when using a qualified ROT parameter will be the established value for SpeedR and AccelR, respectively. In such instances, the values for SpeedS and AccelS are ignored.

Ordinarily, an error occurs when the movement distance is "0" and there is only articulation movement. By adding a qualified ROT parameter and giving priority to the acceleration/deceleration for the tool orientation modification, there is no error and the motion becomes possible. When adding a qualified ROT parameter and there is no orientation modification and the movement distance is not "0," an error occurs.

Moreover, an error occurs when the orientation modification velocity is too great with respect to the movement distance, or when the specified rotational velocity exceeds the limitations of the Manipulator. In such instances, reduce the specified velocity, or add a qualified ROT parameter and give priority to the acceleration/deceleration of the orientation modification.

By using a Till qualifier, the robot can be decelerated and stopped mid-motion and the FCSMove completed when the Till conditions are met.

By using a Find qualifier, the point data will be stored in FindPos when the Find conditions are met during the motion.

By using !parallel processing!, another process can be executed parallel to the motion.

---

### Note

#### Use FCSMove with CP

---

When using CP parameters, the motion control within the motion command moves to the next statement at the same time as deceleration begins. This is convenient when desiring to link multiple motion commands for a continuous motion at a fixed velocity. Without using CP, FCSMove will find without fail the arm decelerating and stopping at the specified target coordinates.

---

### Usage Example

This is an example of a movement 100 mm in the X axis direction in the force coordinate system 1.

```
> FCSMove XY(100, 0, 0, 0, 0, 0) FCS1
```

### See Also

Force Coordinate System Object FCS#, TMove, AccelS, AccelR, SpeedS, SpeedR

## FDef Function

### Application

Force Control Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

### Comments

Identifies whether the specified force object is defined or not.

### Usage

**FDef**(*Object*)

*Object*      Object name or string variable defining the object name

### Return Values

“True” if the specified force object is defined, “False” if undefined.

### Detailed Explanation

Identifies whether the specified force object is defined or not.

### Usage Example

This is an example of when the object is defined.

```
Function main
  If FDef(FC9) Then
    Print "FC9 is defined"
  EndIf
Fend
```

### See Also

Force Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

## FDel Statement

### Application

Force Control Object#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

### Comments

This deletes the specified force object.

### Usage

**FDel** *Object1* [, *Object2*]

*Object1*     The object name at the beginning of the object data range to be deleted, or a string variable defining the object name

*Object2*     The object name at the end of the object data range to be deleted, or a string variable defining the object name

### Detailed Explanation

This is used to delete any type of specified force object while the program is running. This deletes the object data starting with the start object and ending with the end object established in the parameters. The start object and end object must be the same type of object. In addition, please assign a smaller number to the start object than the end object. No error occurs when the object is not defined.

### Usage Example

This is an example of deleting an object.

```
> FDel FC1                         ' Deletes Force Control Object1
> FDel FT2, FT10                 ' Deletes Force Trigger Object2 through 10
```

### See Also

Force Control Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#



## FExport Statement

### Comments

This exports the force file to the specified path.

### Usage

**FExport** *Filename\_sValue\$, DestPath\_sValue\$*

*FileName\_sValue\$*      A string value defining the specific file you wish to export.  
The file extension is “.frc”. You cannot specify the path.

*DestPath\_sValue\$*      A string value defining the destination path and file.  
The file extension is “.frc”.

### Detailed Explanation

This makes a copy of the specified force file in the destination folder.

If a file with the same name exists in the folder, it will be overwritten.

The file name must be alphanumeric characters and the underscore character only, and can be up to 255 characters.

### Frequent Errors

Specified destination folder does not exist

When the path of *DestPath\_sValue\$* does not exist, an error is generated.

Specified file is not found

When the path is included in *FileName\_sValue\$*, an error is generated.

### Usage Example

This is an example of exporting a project file to a separate folder.

```
> FExport "myforce.frc", "C:\temp\myforce.frc"
```

### See Also

FImport, FLoad, FSave

## FGet Statement

### Application

Force Object FC#, Force Trigger Object FT#, Force Monitor Object FM#,  
Force Coordinate System Object FCS#

### Comments

This is used when acquiring the properties or status of a force object.

### Usage

**FGet** *Object.Property, Var*

*Object*      Object name, or string variable defining the object name

*Property*    The name of the property for which the value is to be acquired

*Var*          Variable which expresses the return value.

The number and form differ according to the property.

### Detailed Explanation

This is used when acquiring the properties or status of a force object.

### Usage Example

This is an example of acquiring from a force monitor object and displaying the axial value of force sensor 1 for each axis.

```
Function test

    Real myForces(8)

    FSet FS1.Reset

    FSet FM1.ForceSensor, 1
    FSet FM1.CoordinateSystem, FCS0
    Do
        FGet FM1.Forces, myForces()
        Print myForces(0), myForces(1), myForces(2)
        Wait 1
    Loop
Fend
```

### See Also

FSet

## FGGet Statement

### Comments

Acquires a result of a force guide sequence or force guide object.

### Usage

**FGGet** *Sequence.Result, Var*

**FGGet** *Sequence.Object.Result, Var*

**Sequence** Force guide sequence name or string variable representing force guide sequence name

**Object** Force guide object name or string variable representing force guide object name.  
Omitted when a result of a force guide sequence is acquired.

**Result** Name of result to acquire a value

**Var** Variable that shows a returned value  
The number and types vary according to results.

### Detailed Explanation

Acquires a specified result.

If a result other than EndStatus is specified while the target force guide sequence or force guide object has not been executed by FGRun, an error will occur.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function FGGetTest
    Integer iResult

    Motor On

    FGRun Sequence1                                ' Execution of a force guide sequence
    FGGet Sequence1.EndStatus, iResult            ' Acquisition of results
    Print iResult

Fend
```

### See Also

FGRun

## FGRun Statement

### Comments

Executes a force guide sequence.

### Usage

#### **FGRun Sequence**

**Sequence**      Sequence name or string value representing sequence name

### Detailed Explanation

Executes a specified force guide sequence. The force guide sequence starts from the position where the FGRun statement was executed. Execute after moving to the assumed start position by the Go statement, Move statement, or other motion commands.

When the specified force guide sequence ends, the program proceeds to the next statement.

To acquire the results of sequences executed by FGRun, use FGGet.

When path motion is enabled by the CP parameter or CP statement, the program waits until the robot stops and then executes a force guide sequence.

When any of the following conditions is fulfilled at the time of execution start, an error occurs.

- The robot specified in the program differs from the robot specified by the RobotNumber property. Specify the correct robot by the Robot statement.
- The robot type specified in the program differs from the robot type specified by the RobotType property. Specify the correct robot by the Robot statement.
- The tool number specified in the program differs from the tool number specified by the RobotTool property. Specify the correct tool number by the Tool statement.
- Motor is in OFF state. Switch to ON state by the Motor statement.
- Force control function is currently being executed. Stop force control by the FCEnd statement.
- Conveyor tracking is currently being executed. Stop conveyor tracking by the Cnv\_AbortTrack statement.
- Currently in the torque control mode.  
Disable the torque control mode by the TC statement.

FGRun, when executed, automatically overwrites the following properties; therefore, it cannot be used together with the following properties:

FM object

AvgForceClear property

PeakForceClear property

### Usage Example

The following is an example of a simple program that executes FGRun.

In this example, the results are acquired by FGGet after execution.

```
Function FGRunTest
    Integer iResult

    Motor On

    FGRun Sequence1                                ' Execution of a force guide sequence
    FGGet Sequence1.EndStatus, iResult              ' Acquisition of results
    Print iResult

End
```

### See Also

FGGet

## FImport Statement

### Comments

This imports a force file into the currently selected robot project.

### Usage

**FImport** *SourcePath\_sValue\$, FileName\_sValue\$ [, RobotNo\_iValue]*

*SourcePath\_sValue\$*    A string value defining the file you wish to import into the current project.  
The extension is “.frc”

*FileName\_sValue\$*    A string value defining a specific file you wish to import into the current project  
for the current robot.  
The extension is “.frc” You cannot specify the path.

*RobotNo\_iValue*        This is a real number expression specifying which robot is associated with the  
force file.  
Can be omitted.    When the robot number is “0,” the force file will be imported  
as a common force file.    When omitted, the current robot number is used.

### Detailed Explanation

FImport imports a force file into the currently selected project and adds it to the currently selected robot file.  
The added file can be loaded with the FLoad statement.    When a file with the same file name exists on the  
currently selected robot, it is overwritten.

The file name must be alphanumeric characters and the underscore character only, and can be up to 255  
characters.

### Frequent Errors

Specified file does not exist

When *SourcePath\_sValue\$* does not exist, an error is generated.

Specified file is not found

An error occurs when the path is included in *FileName\_sValue\$*.

Specified file is not on current robot

When a force file from a different robot is specified in *FileName\_sValue\$*, an error occurs.

### Usage Example

This is an example of importing a force file to the currently selected project.

```
> Robot 1  
> FImport "C:\temp\myforce.frc", "myforce.frc"
```

### See Also

FExport, FSave, Robot

## FLabel\$ Function

### Application

Force Control Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

### Comments

Returns the label for all Force Objects and Force Sensor Objects.

### Usage

**FLabel\$(Object)**

*Object*      Object name, or string variable defining the object name  
Specify the object as FC (numerical value), FC (label), FCS (numerical value), FCS (label), FT (numerical value), FT (label), FM (numerical value), or FM (label).

### Return Values

String

### Detailed Explanation

Returns the label for all force objects and force sensor objects.

### Usage Example

This is an example of establishing a label for a force object and displaying it.

```
> FSet FC1.Label, "Label1"  
> Print FLabel$(FC1)  
Label1
```

### See Also

Label Property, Force Control Object FC#, Force Coordinate System Object FCS#, Force Trigger Object FT#, Force Monitor Object FM#

## FlangeOffset Property

### Application

Robot Object Robot

### Comments

This sets or returns the force sensor position and orientation in the Tool 0 (TCP0, J6 flange) coordinate system.

### Usage

**FGet** **Robot.FlangeOffset**, *rArray()*

**FSet** **Robot.FlangeOffset**, *rValueX*, *rValueY*, *rValueZ*, *rValueU*, *rValueV*, *rValueW*

*rArray()* The maximum number of elements to define the value of the property is an array of 6 or more real number variables

*rValueX* A real number or formula defining the new value of the property

*rValueY* A real number or formula defining the new value of the property

*rValueZ* A real number or formula defining the new value of the property

*rValueU* A real number or formula defining the new value of the property

*rValueV* A real number or formula defining the new value of the property

*rValueW* A real number or formula defining the new value of the property

### Values

*rArray()*

Element number	Element number constant	Description
0	FG_X	Positional X component
1	FG_Y	Positional Y component
2	FG_Z	Positional Z component
3	FG_U	Positional U component
4	FG_V	Positional V component
5	FG_W	Positional W component

*rValueX*, *rValueY*, *rValueZ*

Item	Values
Minimum	-2000
Maximum	2000

*rValueU*, *rValueV*, *rValueW*

Item	Values
Minimum	-360
Maximum	360



(Default)

Robot type	Sensor type	Mount type	(rValueX, rValueY, rValueZ, rValueU, rValueV, rValueW)
C4 series	S250N	Table Top mounting	(0, 0, 5, 0, 0, 0)
		Ceiling mounting	(0, 0, 5, 180, 0, 0)
C8 series	S250L, S250P	Table Top mounting	(0, 0, 5, 0, 0, 0)
		Ceiling mounting	(0, 0, 5, 180, 0, 0)
		Wall mounting	(0, 0, 5, 0, 0, 0)
C12 series	S250L	Table Top mounting	(0, 0, 5, 0, 0, 0)
N2 series	S250H	Table Top mounting	(0, 0, 5, 180, 0, 0)
		Ceiling mounting	(0, 0, 5, 0, 0, 0)
N6 series	SH250LH	Table Top mounting	(0, 0, 0, 0, 0, 0)
		Ceiling mounting	(0, 0, 0, 180, 0, 0)
G3, G6, GX4, GX8 series	S2503, S2506	All	(0, 0, -22, 180, 0, 180)
G10, G20, GX10-B, GX20-B series	S25010		(0, 0, -24, 180, 0, 180)
RS series	S2503		(0, 0, -22, 180, 0, 180)

### Detailed Explanation

This sets and returns the orientation and position of the center of the force sensor's base plane in the Tool 0 coordinate system.

This is used when the positional relationship between Tool 0 and the force sensor has changed. Since the sensor reading cannot be acquired in the assumed coordinate system if a mistake is made in the setting operation, re-set it accurately and use the force function.

### Usage Example

This is an example of setting the positional relationship between Tool 0 of Robot 1 and the force sensor. (10 mm in the Z axis direction)

```
> Robot 1
> FSet Robot.FlangeOffset, 0, 0, 10, 0, 0, 0
```

### See Also

Robot Object Robot

## FList Statement

### Application

Force Control Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

### Comments

Displays a list of objects.

### Usage

**FList** *Object1* [, [*Object2*]]

*Object1* This is the string variable defining the name of the Force Control Object, Force Trigger Object, Force Monitor Object, or Force Coordinate System Object or Object with which the object data range to be listed starts.

*Object2* This is the string variable defining the name of the Force Control Object, Force Trigger Object, Force Monitor Object, or Force Coordinate System Object or Object with which the object data range to be listed ends.

### Detailed Explanation

The defined object data from the specified start object to the specified end object is displayed in the Command window or Run window.

When “,” and the end object are omitted, only the start object is displayed, and when “,” is used and the end object is omitted, all objects from the start object on are displayed.

The output format for each line is the same format as for the FSet Statement.

*Object.Property, Values*

*Object* Object name

*Property* Property name

*Values* The number representing the value and the format are according to the properties

### Usage Example

This is an example of listing force object data.

```
> FList FC1
FC1.Label, "LabelFC1"
FC1.CoordinateSystem, FCS0
FC1.Enabled, False, False, False, False, False, False
FC1.Fx, 0, 10, 10
FC1.Fy, 0, 10, 10
FC1.Fz, 0, 10, 10
FC1.Tx, 0, 50, 5000
FC1.Ty, 0, 50, 5000
FC1.Tz, 0, 50, 5000
FC1.TargetForcePriorityMode, False
FC1.TargetForces, 0, 0, 0, 0, 0, 0
FC1.LimitSpeedSRJ, 50, 25, 50
FC1.LimitAccelSRJ, 200, 100, 100
FC1.Description, ""
```

### See Also

Force Control Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

## FLoad Statement

### Application

Force Control Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

### Comments

This loads a force file into the robot's force memory area.

### Usage

**FLoad** *FileName\_sValue\$* [,Merge]

*FileName\_sValue\$* A character strings specifying the name of the file to be loaded into the robot's force memory area.

**Merge** Character string to specify that the current force memory area is not to be cleared.

### Detailed Explanation

This loads a force file into the robot's force memory area.

The file extension is fixed to ".frc" If the extension is omitted, ".frc" will be added. The specified file is limited to files within the project. You cannot specify the path.

When Merge is not specified, the object currently in the memory area is cleared prior to loading. When Merge is specified, a new force object is added to the current memory area. When the force object to be added already exists, it is overwritten.

### Frequent Errors

Cannot specify path

When *FileName\_sValue\$* includes the path, an error is generated.

Cannot find specified file (file does not exist)

When *FileName\_sValue\$* cannot be found, an error occurs.

Force file from different robot

When a force file from a different robot is specified in *FileName\_sValue\$*, an error occurs

In such cases, either add the force file using the project editor, or execute either FSave or Fimport.

### Usage Example

This is an example of loading a force file.

```
> FLoad "myforce.frc"
```

### See Also

FSave

## Fmag\_AvgForce Status

### Application

Force Monitor Object FM#

### Comments

Returns average resultant force.

### Usage

**FGet** Object.**Fmag\_AvgForce**, rVar

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FM (numerical value) or FM (label).

*rVar*        A real number variable defining the value of the property

### Detailed Explanation

Fmag\_AvgForce returns the average resultant force.

Execute AvgForceClear before executing Fmag\_AvgForce. Without executing AvgForceClear, “0” is returned.

If the time between executing AvgForceClear and executing Fmag\_AvgForce is short, an error in the force and torque averages will occur. Establish a low-pass filter with a time constant of about 5 times between the AvgForceClear and the Fmag\_AvgForce execution.

There is a time limit on Fmag\_AvgForce. Execute Fmag\_AvgForce within 600 seconds of executing AvgForceClear. When Fmag\_AvgForce is executed after 600 seconds has passed, an error is generated.

### Usage Example

This is an example of acquiring the average resultant force.

```
Function CheckAverageForce
  Double AF
  FSet FC1.Enabled, True, False, False, False, False, False
  FSet FC1.TargetForces, 10, 0, 0, 0, 0, 0
  FSet FS1.Reset
  FSet FM1.CoordinateSystem, FCS0
  FSet FM1.AvgForceClear, False, False, False, False, False, False, True,
False
  FCKeep FC1, 10
  FGet FM1.Fmag_AvgForce, AF
  Print AF
Fend
```

### See Also

Force Monitor Object FM#

## Fmag\_Axes Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

Sets or returns the subject axis to acquire the resultant force.

### Immediate Execution

No

### Usage

**FGet** *Object.Fmag\_Axes, iVar*

**FSet** *Object.Fmag\_Axes, iValue*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FM (numerical value), FT(label), or FM(label).

**iVar** An integer variable defining the value of the property

**iValue** An integer value or formula defining the new value of the property.

### Values

iValue

Name of Constants	Values	Explanation
FG_XYZ	0	The forces in the X, Y, and Z axes are combined. (default) ( $Fmag = \sqrt{Fx^2 + Fy^2 + Fz^2}$ )
FG_XY	1	The forces in the X and Y-axes are combined. ( $Fmag = \sqrt{Fx^2 + Fy^2}$ )
FG_YZ	2	The forces in the Y and Z-axes are combined. ( $Fmag = \sqrt{Fy^2 + Fz^2}$ )
FG_ZX	3	The forces in the Z and X-axes are combined. ( $Fmag = \sqrt{Fx^2 + Fz^2}$ )

### Detailed Explanation

Fmag produces a value representing the combined force from the subject axes from the X, Y, and Z axes.

This property is used when setting or checking the subject axes to obtain the resultant force.

### Usage Example

This is an example of setting the subject axes to obtain the resultant force with respect to Force Monitor Object.

```
Function Test_Fmag_Axes
  Integer iVar
  FSet FM1.Fmag_Axes, FG_ZX
  FGet FM1.Fmag_Axes, iVar
  Print iVar
End
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#

## Fmag\_Enabled Property

### Application

Force Trigger Object FT#

### Comments

Activates/inactivates the trigger based on Fmag resultant force, or returns the status thereof.

### Immediate Execution

No

### Usage

**FGet** *Object.Fmag\_Enabled, bVar*

**FSet** *Object.Fmag\_Enabled, bValue*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

*bVar*          A Boolean variable defining the value of the property

*bValue*       A Boolean value or formula defining the new value of the property

### Values

bValue

Name of Constants	Values	Explanation
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

This activates/inactivates or returns the trigger, which is tripped by the resultant force Fmag.

### See Also

Force Trigger Object FT#

## Fmag\_Force Status

### Application

Force Monitor Object FM#

### Comments

Returns the resultant force.

### Usage

**FGet** *Object.Fmag\_Force, rVar*

*Object*     Object name or string variable defining object name  
               The object is specified as either of FM (numerical value) or FM (label).

*rVar*        A real number variable defining the value of the property

### Detailed Explanation

Fmag\_Force returns the resultant force of the subject axes specified by Fmag\_Axes in the force coordinate system specified by CoordinateSystem.

### Usage Example

This example obtains the value of the resultant force in the X and Y axes in the specified force coordinate system.

```
Function Test_Fmag_Force
  Real rVar
  FSet FCS1.Position, 0, 0, 100
  FSet FCS1.Orientation, FG_TOOL
  FSet FM1.ForceSensor, 1
  FSet FM1.CoordinateSystem, FCS1
  FSet FM1.Fmag_Axes, FG_XY
  FGet FM1.Fmag_Force, rVar
  Print rVar
End
```

### See Also

Force Monitor Object FM#

## Fmag\_Levels Property

### Application

Force Trigger Object FT#

### Comments

Sets or returns the upper and lower threshold values for resultant force.

### Immediate Execution

No

### Usage

**FGet** *Object.Fmag\_Levels, rArray()*

**FSet** *Object.Fmag\_Levels, rValueL, rValueU*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

*rArray()*    The number of elements, which define the property values, is an array of 2 or more real number variables

*rValueL*     A real number or formula defining the value of the new property

*rValueU*     A real number or formula defining the value of the new property

### Values

*rArray()*

Element number	Element number constant
0	FG_LOWERLEVEL
1	FG_UPPERLEVEL

*rValueL* (Unit: [N])

	Values
Minimum	0 (default)
Maximum	1000

*rValueU* (Unit: [N])

	Values
Minimum	0
Maximum	1000 (default)

### Detailed Explanation

Fmag\_Levels sets or returns the upper and lower thresholds for resultant force.

rValueL is the lower threshold. rValueU is the upper threshold. Be sure that rValueL < rValueU.

This is used for error checking and task completion conditions.



**Usage Example**

This is an example of stopping the robot due to an error from being below the lower threshold or above the upper threshold.

```
Function SettingLevels
    FSet FT1.Enabled, False, False, False, False, False, False, True,
    False
    FSet FT1.Fmag_Polarity, FG_OUT
    FSet FT1.Fmag_Levels, 0, 50
    Trap 1, FT1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

**See Also**

Force Trigger Object FT#

## Fmag\_LPF\_Enabled Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

Activates/inactivates or returns the resultant force low-pass filter.

### Immediate Execution

No

### Usage

**FGet** *Object.Fmag\_LPF\_Enabled, bVar*

**FSet** *Object.Fmag\_LPF\_Enabled, bValue*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FM (numerical value), FT(label), or FM(label).

**bVar** A Boolean variable defining the value of the property

**bValue** A Boolean value or formula defining the new value of the property

### Values

Name of Constants	Values	Description
False	0	Sets the low-pass filter to inactive. (default)
True	-1	Sets the low-pass filter to active.

### Detailed Explanation

This activates/inactivates or returns the status of the low-pass filter for resultant force.

When the low-pass filter is active, signal noise can be reduced, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces status, PeakForces status, the Force Trigger Function, and Force Monitor, but is not applied to Forces status.

### Usage Example

This is an example of activating the low-pass filter for resultant force and acquiring the force peak data.

```
Function GetPeakForceTest
    Real myPeakForce
    FSet FCS1.Orientation, FG_TOOL
    FSet FM1.CoordinateSystem, FCS1
    FSet FM1.Fmag_Axes, FG_XYZ
    FSet FM1.Fmag_LPF_Enabled, True
    FSet FM1.Fmag_LPF_TimeConstant, 0.02
    FSet FM1.PeakForceClear, True, True, True, True, True, True, True,
True
    Wait 10
    FGet FM1.Fmag_PeakForce, myPeakForce
    Print myPeakForce
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#,  
Fmag\_LPF\_TimeConstant Property, LPF\_Enabled Property

## Fmag\_LPF\_TimeConstant Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

Sets or returns the time constant for the low-pass filter applied to the resultant force.

### Immediate Execution

No

### Usage

**FGet** *Object.Fmag\_LPF\_TimeConstant, rVar*

**FSet** *Object.Fmag\_LPF\_TimeConstant, rValue*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FM (numerical value), FT(label), or FM(label).

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

rValue (Unit: [sec])

	Values
Minimum	0.002
Maximum	5

Default: 0.01

### Detailed Explanation

This specifies the time constant for the resultant force low-pass filter.

The low-pass filter time constant is the time it takes to arrive at an input value of  $1-e^{-1}$  (approximately 63.2%) when giving step input.

The signal noise reduction can be enhanced when increasing the time constant, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces Status, PeakForces Status, the Force Trigger Function, and Force Monitor, but is not used with Forces Status.

### Usage Example

This example sets the low-pass filter for resultant force and acquires the force peak data.

```
Function GetPeakForceTest
  Real myPeakForce
  FSet FCS1.Orientation, FG_TOOL
  FSet FM1.CoordinateSystem, FCS1
  FSet FM1.Fmag_Axes, FG_XYZ
  FSet FM1.Fmag_LPF_Enabled, True
  FSet FM1.Fmag_LPF_TimeConstant, 0.02
  FSet FM1.PeakForceClear, True, True, True, True, True, True, True,
True
  Wait 10
  FGet FM1.Fmag_PeakForce, myPeakForce
  Print myPeakForce
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#,  
Fmag\_LPF\_Enabled Property, LPF\_TimeConstants Property

## Fmag\_PeakForce Status

### Application

Force Monitor Object FM#

### Comments

Returns the resultant force peak.

### Usage

**FGet** *Object.Fmag\_PeakForce, rVar*

*Object*     Object name or string variable defining object name  
               The object is specified as either of FM (numerical value) or FM (label).

*rVar*        A real number variable defining the value of the property

### Detailed Explanation

Fmag\_PeakForce returns the value of the resultant force peak.  
 Execute PeakForceClear before executing Fmag\_PeakForce.

### Usage Example

This example measures the resultant force peak.

```
Function CheckPeakForce
  Double PF
  FSet FC1.Enabled, True, False, False, False, False, False
  FSet FC1.TargetForces, 10, 0, 0, 0, 0, 0
  FSet FS1.Reset
  FSet FM1.CoordinateSystem, FCS0
  FSet FM1.PeakForceClear, False, False, False, False, False, False, True, False
  FCKeep FC1, 10
  FGet FM1.Fmag_PeakForce, PF
  Print PF
End
```

### See Also

Force Monitor Object FM#

## Fmag\_Polarity Property

### Application

Force Trigger Object FT#

### Comments

Sets or returns for resultant force whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.

### Immediate Execution

No

### Usage

**FGet** Object.*Fmag\_Polarity*, *iVar*

**FSet** Object.*Fmag\_Polarity*, *iValue*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

*iVar*          An integer variable defining the value of the property

*iValue*        An integer value or formula defining the new value of the property

### Values

*iValue*

Name of Constants	Values	Description
FG_OUT	0	Triggered when value is not within upper and lower thresholds. (default)
FG_IN	1	Triggered when value is within upper and lower thresholds.

### Detailed Explanation

Fmag\_Polarity returns the status of or sets whether the force trigger is triggered by either the resultant force being within the thresholds or the resultant force being outside of the thresholds.

### Usage Example

This example generates an error and stops the robot when the resultant force is above the upper threshold or below the lower threshold.

```
Function SettingPolarity
  FSet FT1.Enabled, False, False, False, False, False, False, True, False
  FSet FT1.Fmag_Polarity, FG_OUT
  FSet FT1.Fmag_Levels, 0, 50
  Trap 1, FT1 Call ForceError
Fend

Function ForceError
  AbortMotion All
Fend
```

### See Also

Force Trigger Object FT#

## FNumber Function

### Application

Force Control Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

### Comments

This returns the force object number corresponding to the label of the specified force object.

### Usage

#### **FNumber**(*Object*)

*Object*      Object name, or string variable defining the object name  
The object is specified as FC (label), FCS (label), FT (label), or FM (label).

### Return Values

Integers

### Detailed Explanation

This returns the force object number corresponding to the label of the specified force object. An error occurs when there is no corresponding object.

### Usage Example

This is an example of establishing a label for a force object, acquiring the number from that label, then displaying it.

```
> FSet FM1.Label, "Label1"  
> Print FNumber(FM(Label1))  
1
```

### See Also

Number Property, Label Property, Force Control Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

## Forces Status

### Application

Force Monitor Object FM#

### Comments

This returns data on the resultant force.

### Usage

**FGet** *Object.Forces*, *rArray()*

*Object*      Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*rArray*      The number of elements, which define the property values, is an array of 8 or more real numbers.

### Values

*rArray()*

Element number	Element number constant
0	FG FX
1	FG FY
2	FG FZ
3	FG TX
4	FG TY
5	FG TZ
6	FG FMAG
7	FG TMAG

### Detailed Explanation

Forces returns data on the specified force coordinate system specified by CoordinateSystem.

Since this command acquires the current value, it will acquire the value without the application of the low-pass filter. The data reflecting the application of the low-pass filter can be confirmed via Force Monitor or Force Log.

### Usage Example

This example establishes force coordinate systems 1 and 2, and acquires the respective resultant force data.



```

Function Test_Forces
  Real rArray1(8), rArray2(8)
  FSet FCS1.Position, 0, 0, 100
  FSet FCS1.Orientation, FG_TOOL
  FSet FCS2.Position, 0, 0, 5
  FSet FCS2.Orientation, FG_LOCAL, 1
  FSet FM1.ForceSensor, 1
  FSet FM1.CoordinateSystem, FCS1
  FGet FM1.Forces, rArray1()
  Print rArray1(FG_FX), rArray1(FG_FY), rArray1(FG_FZ),
rArray1(FG_TX), rArray1(FG_TY), rArray1(FG_TZ), rArray1(FG_FMAG),
rArray1(FG_TMAG)
  FSet FM1.ForceSensor, 1
  FSet FM1.CoordinateSystem, FCS2
  FGet FM1.Forces, rArray2()
  Print rArray2(FG_FX), rArray2(FG_FY), rArray2(FG_FZ),
rArray2(FG_TX), rArray2(FG_TY), rArray2(FG_TZ), rArray2(FG_FMAG),
rArray2(FG_TMAG)
Fend

```

**See Also**

Force Monitor Object FM#

## ForceSensor Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#,  
Force Motion Restriction Object FMR#

### Comments

Sets or returns the number of the force sensor in question.

### Usage

**FGet** *Object.ForceSensor, iVar*

**FSet** *Object.ForceSensor, iValue*

**Object**     Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FM (numerical value) FMR (numerical value), FT(label), FM (label), or FMR (label).

**iVar**        An integer variable defining the value of the property

**iValue**     An integer value or formula defining the new value of the property.

### Values

iValue (Unit: Number)

	Values
Minimum	1 (default)
Maximum	4

### Detailed Explanation

This sets the number of the subject force sensor, or when confirming, uses the properties thereof.

### Usage Example

This example sets and acquires the number of the force sensor corresponding to FM1.

```
Function Test_ForceSensor
  Integer iVar
  FSet FM1.ForceSensor, 3
  FGet FM1.ForceSensor, iVar
  Print iVar
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#,  
Force Motion Restriction Object FMR#

## FSave Statement

### Comments

This saves the force data in the main memory in the current robot file.

### Usage

**FSave** *FileName\_sValue\$*

*FileName\_sValue\$* The character string specifying the file name in the force data storage destination.

### Detailed Explanation

This saves the force data in the main memory in the current robot file.

The extension is fixed to “.frc”. If the extension is omitted, “.frc” will be added. The file name must be alphanumeric characters and the underscore character only, and can be up to 255 characters.

You cannot specify the path. If the force data has not already been saved previously, it will be added to the current robot project.

### Frequent Errors

The specified file is not the current robot file

When a force file from a different robot is specified in *FileName\_sValue\$*, an error occurs.

The path is specified in the specified file name

When the path is included in *FileName\_sValue\$*, an error occurs.

Be sure to specify the file name only.

File name error

An error is generated when a space or invalid character is contained in *FileName\_sValue\$*.

### Usage Example

This example saves the force file.

```
> FSave "myforce.frc"
```

### See Also

FLoad

## FSet Statement

### Application

Force Object FC#, Force Trigger Object FT#, Force Monitor Object FM#, Force Coordinate System Object FCS#

### Comments

Used when setting the value of force object properties.

### Usage

**FSet** *Object.Property, Values*

*Object*      Object name defining the property value

*Property*    Property name defining the new value

*Values*      Parameter  
                The number and form differ according to the property.

### Detailed Explanation

This is used to set the force object properties and control the force sensor.

The property modifications made via FSet are only made in memory and are not saved to the file. Call up FSave to save the new settings to the file. In addition, when the Controller power is cycled and the unit reboots, or when a project is loaded, the values from the force file are loaded into memory and the modifications not saved to the file will revert to their original value.

### Usage Example

This example sets the properties for Force Monitor Object, and acquires and displays the value in each axis for force sensor 1.

```
Function test

    Real myForces(8)

    FSet FS1.Reset

    FSet FM1.ForceSensor, 1
    FSet FM1.CoordinateSystem, FCS0
    Do
        FGet FM1.Forces, myForces()
        Print myForces(0), myForces(1), myForces(2)
        Wait 1
    Loop
Fend
```

### See Also

FGet, FSave, ForceObject

## Fx, Fy, Fz, Tx, Ty, Tz Property

### Application

Force Control Object FC#

### Comments

Sets or returns the value of the following coefficients for force control in the specified axis of the force coordinates.

- Virtual coefficients of elasticity (Spring)
- Virtual coefficients of viscosity (Damper)
- Virtual coefficients of inertia (Mass)

### Immediate Execution

No

### Usage

**FGet** *Object.XX, rArray()*

**FSet** *Object.XX, rValueS, rValueD, rValueM*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**XX** A character string defining the name of the property

**rArray()** The number of elements defining the value of the property is an array of 3 or more real numbers

**rValueS** A real number or formula defining the new value of the property

**rValueD** A real number or formula defining the new value of the property

**rValueM** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies translated force in the X axis.
Fy	Specifies translated force in the Y axis.
Fz	Specifies translated force in the Z axis.
Tx	Specifies rotational force in the X axis.
Ty	Specifies rotational force in the Y axis.
Tz	Specifies rotational force in the Z axis.

rArray()

Element number	Element number constant	Description
0	FG_SPRING	Virtual coefficient of elasticity
1	FG_DAMPER	Virtual coefficient of viscosity
2	FG_MASS	Virtual coefficient of inertia

#### rValueS

Fx, Fy, Fz	Value (Unit: N/mm)
Minimum	0
Maximum	100

Default: 0

Tx, Ty, Tz	Value (Unit: N·mm/deg)
Minimum	0
Maximum	1000000

Default: 0

#### rValueD

Fx, Fy, Fz	Value (Unit: N/(mm/sec))
Minimum	0.1
Maximum	200

Default: 10

Tx, Ty, Tz	Value (Unit: N·mm/(deg/sec))
Minimum	10
Maximum	1000000

Default: 3000

#### rValueM

Fx, Fy, Fz	Value (Unit: mN/(mm/sec <sup>2</sup> ) = kg)
Minimum	0.001
Maximum	1000

Default: 10

Tx, Ty, Tz	Value (Unit: mN·mm/(deg/sec <sup>2</sup> ))
Minimum	1000
Maximum	10000000

Default: 30000

### Detailed Explanation

This sets or returns the value of the virtual coefficients of elasticity, viscosity, and inertia for force control in the specified axes in the established force coordinate system.

The following properties can be set or retrieved with one command.

(XX indicates either of Fx, Fy, Fz, Tx, Ty, or Tz)

XX\_Spring property

XX\_Damper property

XX\_Mass property

rValueS, rValueD, and rValueM set the virtual coefficients of elasticity, viscosity, and inertia, respectively.

Refer to the following manual for details on coefficients.

*EPSON RC+ 7.0 Option Force Guide 7.0*

### Usage Example

This example sets the virtual coefficients of elasticity, viscosity, and inertia for Fz, and carries out a motion with force control active.

```
Function ForceControlTest
    FSet FCS1.Orientation, FG_TOOL
    FSet FC1.CoordinateSystem, FCS1
    FSet FC1.Enabled, False, False, True, False, False, False
    FSet FC1.Fz, 0.01, 4, 5
    Move CurPos +Z(10) FC1
Fend
```

### See Also

Force Control Object FC#

## Fx\_AvgForce, Fy\_AvgForce, Fz\_AvgForce Status

### Application

Force Monitor Object FM#

### Comments

This returns the average translated force in the specified axes.

### Usage

**FGet** *Object.XX\_AvgForce, rVar*

*Object*     Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*XX*           A character string defining the name of the property

*rVar*          A real number variable defining the value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies translated force in the X axis.
Fy	Specifies translated force in the Y axis.
Fz	Specifies translated force in the Z axis.

### Detailed Explanation

XX\_AvgForce returns the average translated force in the specified axis.

Before executing XX\_AvgForce, execute AvgForceClear. "0" will be returned if AvgForceClear is not executed.

If the time between executing AvgForceClear and executing XX\_AvgForce is short, an error in the force and torque averages will occur. Establish a low-pass filter with a time constant of about 5 times between the AvgForceClear and the XX\_AvgForce execution.

There is a time limit on XX\_AvgForce. Execute XX\_AvgForces within 600 seconds of executing AvgForceClear. When XX\_AvgForce is executed after 600 seconds has passed, an error is generated.

### Usage Example

This is an example of force averaging in the Fx axis.

```
Function CheckAverageForce
  Double AF
  FSet FC1.Enabled, True, False, False, False, False, False, False
  FSet FC1.TargetForces, 10, 0, 0, 0, 0, 0, 0
  FSet FS1.Reset
  FSet FM1.CoordinateSystem, FCS0
  FSet FM1.AvgForceClear, True, False, False, False, False, False, False,
False
  FCKeep FC1, 10
  FGet FM1.Fx_AvgForce, AF
  Print AF
Fend
```

### See Also

Force Monitor Object FM#

## Fx\_Damper, Fy\_Damper, Fz\_Damper Property

### Application

Force Control Object FC#

### Comments

This sets or returns the value of the virtual coefficient of viscosity for force control in the specified axis for the force in the direction of translation.

### Immediate Execution

No

### Usage

**FGet** *Object.XX\_Damper, rVar*

**FSet** *Object.XX\_Damper, rValue*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies translated force in the X axis.
Fy	Specifies translated force in the Y axis.
Fz	Specifies translated force in the Z axis.

rValue (Unit: [N/(mm/sec)])

	Values
Minimum	0.1
Maximum	200

Default: 10

### Detailed Explanation

This sets or returns the value of the virtual coefficient of viscosity for force control in the specified axis of the established force coordinate system.

Refer to the following manual for details on coefficients.

*EPSON RC+ 7.0 option Force Guide 7.0*



### Usage Example

This example sets the virtual coefficients of elasticity, viscosity, and inertia in Fx and carries out a motion with force control active.

```
FSet FCS1.Orientation, FG_TOOL
FSet FC1.CoordinateSystem, FCS1
FSet FC1.Enabled, True, False, False, False, False, False
FSet FC1.Fx_Spring, 0.01
FSet FC1.Fx_Damper, 4
FSet FC1.Fx_Mass, 5
Move CurPos +X(10) FC1
```

### See Also

Force Control Object FC#

**Fx\_Enabled, Fy\_Enabled, Fz\_Enabled Property****Application**

Force Control Object FC#, Force Trigger Object FT#

**Comments**

Independently activates/inactivates, or returns the force control function or force trigger function of the translational direction.

**Immediate Execution**

No

**Usage**

**FGet** *Object.XX\_Enabled, bVar*

**FSet** *Object.XX\_Enabled, bValue*

*Object*      Object name, or string variable defining the object name

*XX*            A character string defining the name of the property

*bVar*          A Boolean variable defining the value of the property

*bValue*       A Boolean value or formula defining the new value of the property

**Values**

XX

Specified Axis	Description
Fx	Specifies translated force in the X axis.
Fy	Specifies translated force in the Y axis.
Fz	Specifies translated force in the Z axis.

bValue

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

**Detailed Explanation**

Independently activates/inactivates, or returns the force control function or force trigger function of the translational direction.

**Usage Example**

This example activates the Force Control Object in the X axis.

```
> FSet FC1.Fx_Enabled, True
```

**See Also**

Force Control Object FC#, Force Trigger Object FT#

## Fx\_Force, Fy\_Force, Fz\_Force Status

### Application

Force Monitor Object FM#

### Comments

This returns force data for the specified axis.

### Usage

**FGet** *Object.XX\_Force, rVar*

*Object*     Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*XX*         A character string defining the name of the property

*rVar*        A real number variable defining the value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies translated force in the X axis.
Fy	Specifies translated force in the Y axis.
Fz	Specifies translated force in the Z axis.

### Detailed Explanation

Use this property to confirm the force data for the specified axis in the force coordinate system specified by CoordinateSystem.

### Usage Example

This example establishes the force coordinate system 1 for the Force Monitor Object, and acquires X axis force data.

```
Function Test_Fx_Force
  Real rVar
  FSet FCS1.Position, 0, 0, 100
  FSet FCS1.Orientation, FG_TOOL
  FSet FM1.ForceSensor, 1
  FSet FM1.CoordinateSystem, FCS1
  FGet FM1.Fx_Force, rVar
  Print rVar
Fend
```

### See Also

Force Monitor Object FM#

## Fx\_Levels, Fy\_Levels, Fz\_Levels Property

### Application

Force Trigger Object FT#

### Comments

This sets or returns the value of the lower force threshold and upper force threshold in the direction of translation in the specified axis.

### Immediate Execution

No

### Usage

**FGet** *Object.XX\_Levels, rArray()*

**FSet** *Object.XX\_Levels, rValueL, rValueU*

*Object* Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

*XX* A character string defining the name of the property

*rArray()* The number of elements defining the values of the property is an array of 2 or more real number variables

*rValueL* A real number or formula defining the new value of the property

*rValueU* A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies the X axis in the direction of translation.
Fy	Specifies the Y axis in the direction of translation.
Fz	Specifies the Z axis in the direction of translation.

*rArray()*

Element number	Element number constant
0	FG_LOWERLEVEL
1	FG_UPPERLEVEL

*rValueL* (Unit: [N])

	Values
Minimum	-1000 (default)
Maximum	1000

*rValueU* (Unit: [N])

	Values
Minimum	-1000
Maximum	1000 (default)

### Detailed Explanation

XX\_Levels sets or returns the lower and upper force threshold values for the specified axis in the direction of translation.

rValueL is the lower threshold. rValueU is the upper threshold. Be sure that  $rValueL < rValueU$ .

This is used for error checking and task completion conditions.

### Usage Example

This is an example of stopping the robot due to an error from being below the lower threshold or above the upper threshold in the Fx direction.

```
Function SettingLevels
  FSet FT1.Enabled, True, False, False, False, False, False, False, False
  FSet FT1.Fx_Polarity, FG_OUT
  FSet FT1.Fx_Levels, -50, 50
  Trap 1, FT1 Call ForceError
Fend

Function ForceError
  AbortMotion All
Fend
```

### See Also

Force Trigger Object FT#

**Fx\_LPF\_Enabled, Fy\_LPF\_Enabled, Fz\_LPF\_Enabled Property****Application**

Force Trigger Object FT#, Force Monitor Object FM#

**Comments**

This activates/inactivates or returns the status of the low-pass filter for the specified axis for the force in the direction of translation.

**Immediate Execution**

No

**Usage**

**FGet** *Object.XX\_LPF\_Enabled, bVar*

**FSet** *Object.XX\_LPF\_Enabled, bValue*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FT (label), FM (numerical value), or FM (label).

**XX** A character string defining the name of the property

**bVar** A Boolean variable defining the value of the property

**bValue** A Boolean value or formula defining the value of the property

**Values**

XX

Specified Axis	Description
Fx	Specifies the X axis in the direction of translation.
Fy	Specifies the Y axis in the direction of translation.
Fz	Specifies the Z axis in the direction of translation.

bValue

Name of Constants	Values	Description
False	0	Sets the low-pass filter to inactive. (default)
True	-1	Sets the low-pass filter to active.

**Detailed Explanation**

This activates/inactivates or returns the status of the low-pass filter for the specified axis for the force in the direction of translation.

When the low-pass filter is active, signal noise can be reduced, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces status, PeakForces status, the Force Trigger Function, and Force Monitor. It is not applied to Forces status.

### Usage Example

This example sets the low pass filter for Fx and acquires the force peak data.

```
Function GetPeakForceTest
    Real myPeakForce
    FSet FCS1.Orientation, FG_TOOL
    FSet FM1.CoordinateSystem, FCS1
    FSet FM1.Fx_LPF_Enabled, True
    FSet FM1.Fx_LPF_TimeConstant, 0.02
    FSet FM1.PeakForceClear, True, True, True, True, True, True
    Wait 10
    FGet FM1.Fx_PeakForce, myPeakForce
    Print myPeakForce
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#

## Fx\_LPF\_TimeConstant, Fy\_LPF\_TimeConstant, Fz\_LPF\_TimeConstant Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

This sets the time constant or returns the value thereof for the force in the specified axis in the direction of translation.

### Immediate Execution

No

### Usage

**FGet** *Object.XX\_LPF\_TimeConstant, rVar*

**FSet** *Object.XX\_LPF\_TimeConstant, rValue*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FT (label), FM (numerical value), or FM (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies the X axis in the direction of translation.
Fy	Specifies the Y axis in the direction of translation.
Fz	Specifies the Z axis in the direction of translation.

rValue (Unit: [sec])

	Values
Minimum	0.002
Maximum	5

Default: 0.01

### Detailed Explanation

This sets the time constant for the low-pass filter or returns the status thereof for the specified axis in the direction of translation for the force trigger function or force monitor function.

The low-pass filter time constant is the time it takes to arrive at an input value of  $1-e^{-1}$  (approximately 63.2%) when giving step input.

The signal noise reduction can be enhanced when increasing the time constant, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces Status, PeakForces Status, the Force Trigger Function, and Force Monitor. It is not used with Forces Status.



### Usage Example

This example sets the low pass filter for Fx and acquires the force peak data.

```
Function GetPeakForceTest
    Real myPeakForce
    FSet FCS1.Orientation, FG_TOOL
    FSet FM1.CoordinateSystem, FCS1
    FSet FM1.Fx_LPF_Enabled, True
    FSet FM1.Fx_LPF_TimeConstant, 0.02
    FSet FM1.PeakForceClear, True, True, True, True, True, True
    Wait 10
    FGet FM1.Fx_PeakForce, myPeakForce
    Print myPeakForce
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#

## Fx\_Mass, Fy\_Mass, Fz\_Mass Property

### Application

Force Control Object FC#

### Comments

This sets or returns the value of the virtual coefficient of inertia for force control in the specified axis of the force in the translational direction.

### Immediate Execution

No

### Usage

**FSet** *Object.XX\_Mass, rValue*

**FGet** *Object.XX\_Mass, rVar*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies the X axis in the direction of translation.
Fy	Specifies the Y axis in the direction of translation.
Fz	Specifies the Z axis in the direction of translation.

rValue (Unit: [mN/(mm/sec<sup>2</sup>) = kg])

	Values
Minimum	0.001
Maximum	1000

Default: 10

### Detailed Explanation

This sets or returns the value of the virtual coefficient of inertia for force control in the specified axis of the force in the direction of translation within the established force coordinate system.

Refer to the following manual for details on coefficients.

*EPSON RC+ 7.0 option Force Guide 7.0*

### Usage Example

This example sets the Fx virtual coefficients of elasticity, viscosity, and inertia, and carries out a motion with force control active.

```
Function Test_Mass
    FSet FCS1.Orientation, FG_TOOL
    FSet FC1.CoordinateSystem, FCS1
    FSet FC1.Enabled, True, False, False, False, False, False
    FSet FC1.Fx_Spring, 0.01
    FSet FC1.Fx_Damper, 4
    FSet FC1.Fx_Mass, 5
    Move CurPos +X(10) FC1
Fend
```

### See Also

Force Control Object FC#

## Fx\_PeakForce, Fy\_PeakForce, Fz\_PeakForce Status

### Application

Force Monitor Object FM#

### Comments

This returns the value of the peak force for the specified axis in the direction of translation.

### Usage

**FGet** *Object.XX\_PeakForce, rVar*

*Object*      Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*XX*            A character string defining the name of the property

*rVar*          A real number variable defining the value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies the X axis in the direction of translation.
Fy	Specifies the Y axis in the direction of translation.
Fz	Specifies the Z axis in the direction of translation.

### Detailed Explanation

XX\_PeakForce returns the value of the force peak for the specified axis in the direction of translation.

Before executing XX\_PeakForce, execute PeakForceClear.

### Usage Example

This example returns the value of the peak force in the Fx direction.

```
Function CheckPeakForce
  Double PF
  FSet FC1.Enabled, True, False, False, False, False, False
  FSet FC1.TargetForces, 10, 0, 0, 0, 0, 0
  FSet FS1.Reset
  FSet FM1.CoordinateSystem, FCS0
  FSet FM1.PeakForceClear, True, False, False, False, False, False, False,
False
  FCKeep FC1, 10
  FGet FM1.Fx_PeakForce, PF
  Print PF
Fend
```

### See Also

Force Monitor Object FM#

## Fx\_Polarity, Fy\_Polarity, Fz\_Polarity Property

### Application

Force Trigger Object FT#

### Comments

This returns the status of or sets whether the force trigger is triggered by either being within the thresholds or being outside of the thresholds in the specified axis in the direction of translation.

### Immediate Execution

No

### Usage

**FGet** Object.XX\_Polarity, *iVar*

**FSet** Object.XX\_Polarity, *iValue*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

**XX** A character string defining the name of the property

***iVar*** An integer variable defining the value of the property

***iValue*** An integer value or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies the X axis in the direction of translation.
Fy	Specifies the Y axis in the direction of translation.
Fz	Specifies the Z axis in the direction of translation.

*iValue*

Name of Constants	Values	Description
FG_OUT	0	Triggered when value is not within upper and lower thresholds. (default)
FG_IN	1	Triggered when value is within upper and lower thresholds.

### Detailed Explanation

XX\_Polarity returns the status of or sets whether the force trigger is triggered by either being within the thresholds or being outside of the thresholds in the specified axis in the direction of translation.

### Usage Example

This example generates an error and stops the robot when the force in the Fx direction is above the upper the upper or below the lower threshold.

```
Function SettingPolarity
    FSet FT1.Enabled, True, False, False, False, False, False, False, False
    FSet FT1.Fx_Polarity, FG_OUT
    FSet FT1.Fx_Levels, -50, 50
    Trap 1, FT1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Trigger Object FT#

## Fx\_Spring, Fy\_Spring, Fz\_Spring Property

### Application

Force Control Object FC#

### Comments

This sets or returns the value of the virtual coefficient of elasticity for force control in the specified axis for the force in the direction of translation.

### Immediate Execution

No

### Usage

**FGet** *Object.XX\_Spring, rVar*

**FSet** *Object.XX\_Spring, rValue*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Fx	Specifies the X axis in the direction of translation.
Fy	Specifies the Y axis in the direction of translation.
Fz	Specifies the Z axis in the direction of translation.

rValue (Unit: [N/mm])

	Values
Minimum	0 (default)
Maximum	100

### Detailed Explanation

This sets or returns the value of the virtual coefficient of elasticity for force control in the specified axis in the established force coordinate system.

Refer to the following manual for details on coefficients.

*EPSON RC+ 7.0 Option Force Guide 7.0*

### Usage Example

This example sets the virtual coefficients of elasticity, viscosity, and inertia, and carries about a motion with the force control function active.

```
FSet FCS1.Orientation, FG_TOOL
FSet FC1.CoordinateSystem, FCS1
FSet FC1.Enabled, True, False, False, False, False, False
FSet FC1.Fx_Spring, 0.01
FSet FC1.Fx_Damper, 4
FSet FC1.Fx_Mass, 5
Move CurPos +X(10) FC1
```

### See Also

Force Control Object FC#



## Fx\_TargetForce, Fy\_TargetForce, Fz\_TargetForce, Property

**Application**

Force Control Object FC#

**Comments**

This sets or returns the value of the target force in the specified axis in the direction of translation in the established force coordinate system.

**Immediate Execution**

No

**Usage****FGet** *Object.XX\_TargetForce, rVar***FSet** *Object.XX\_TargetForce, rValue*

**Object** Object name, or string variable defining the object name  
The object needs to be specified as either of FC (numerical value) or FC (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

**Values**

XX

Specified Axis	Description
Fx	Specifies the X axis in the direction of translation.
Fy	Specifies the Y axis in the direction of translation.
Fz	Specifies the Z axis in the direction of translation.

rValue (Unit: [N])

	Values
Minimum	The rated negative detection capability of the force sensor
Maximum	The rated positive detection capability of the force sensor

Default: 0

**Detailed Explanation**

This sets or returns the value of the target force in the specified axis in the direction of translation in the established force coordinate system.

When the force control function is executed with the target force being set to “0”, the robot can operate while following the external force since it moves so that the force becomes “0”.

When using the force control function having set the target force, there are times that the target force is not achieved even after sufficient time. In such instances, activate the TargetForcePriorityMode in order to accurately match the target force. However, when the TargetForcePriorityMode is activated, operation of the robot will not be in accordance with the established values for the virtual coefficients of elasticity, viscosity, and inertia, and the movement may be slowed at times.

### Usage Example

This example sets the Fz virtual coefficients of elasticity, viscosity, and inertia, and carries out a motion with the force control function active.

```
FSet FCS1.Orientation, FG_TOOL
FSet FC1.CoordinateSystem, FCS1
FSet FC1.Enabled, False, False, True, False, False, False
FSet FC1.Fz, 0.01, 4, 5
FSet FC1.Fz_TargetForce, 10
FCKeep FC1, 5
```

### See Also

Force Control Object FC#

## F\_CheckPos Function

### Description

Returns whether the specified position has met the trigger conditions set in the force motion restriction object.

### Usage

**F\_CheckPos**(Object [, Point1[, Point2]])

- Object**     Object name or string variable defining object name  
The object is specified as either FMR (numerical value) or FMR (label).
- Point1**     Point data/point designation to show reference position.  
Can be omitted.
- Point2**     Point data/point designation to show reference position.  
Can be omitted.

### Return Values

Number	Constant	Description
0	False	Trigger conditions not met
-1	True	Trigger conditions met

Returns whether the specified position has met the trigger conditions set in the force motion restriction object.

### Detailed Explanation

Returns whether the specified position has met the trigger conditions set in the force motion restriction object. This function determines whether trigger conditions have been met with HoldTimeThresh set to "0".

The usage of this function varies depending on the monitored object specified by the TriggerMode property.

When FG\_REL\_COORD\_SYS, FG\_REL\_TOOL, or FG\_REL\_JOINT is specified by TriggerMode.

This evaluates the achievement status for force motion restriction for the position and orientation, or joint angle of Point2 relative to Point1.

The point of reference, Point1, cannot be omitted. An error will occur if omitted.

If the point being evaluated, Point2, is omitted, the achievement status for force motion restriction for the position and orientation, or joint angle of current position (CurPos) will be evaluated relative to Point1.

When FG\_ABS\_COORD\_SYS, FG\_REL\_POINT, or FG\_ABS\_JOINT is specified by TriggerMode.

This evaluates the achievement status for force motion restriction for the position and orientation, or joint angle of Point1 in relation to the coordinate system set by the force motion restriction object. Point2 cannot be specified. An error will occur if this is specified.

Point1, the point being evaluated, may be omitted. If Point1 is omitted, this will evaluate the achievement status for force motion restriction for the position and orientation, or joint angle of current position (CurPos) in relation to the coordinate system set by the force motion restriction function.

When FG\_FRC\_CORRECTION is specified by TriggerMode.

This evaluates the achievement status for force motion restriction for the correction amount set by the force control function.

Point1 and Point2 do not need to be set. An error will occur if these are specified.

**Usage Example**

This is an example for displaying whether the Z coordinate of the robot's current position (CurPos) in the base coordinate system is within the specified range (-10 to 10). If it is within the range, True(-1) will be displayed.

```
Function F_CheckPosTest
    Print F_CheckPos(FMR1)
Fend
```

```
Function F_CheckPosTest
    FSet FMR1.TriggerMode, FG_ABS_COORD_SYS
    ' Set to evaluate the position and orientation in the specified coordinate system
    FSet FMR1.PosEnabled, False, False, True, False, False
    ' Set enable only in the Z direction
    FSet FMR1.PosZ_Levels, -10, 10
    ' Set the upper and lower thresholds of Z to -10 to 10 mm
    FSet FMR1.PosZ_Polarity, FG_IN
    ' Set the achievement condition when it is within the range of the upper and lower thresholds
    FSet FMR1.RobotTool, FG_CURRENT_TOOL
    ' Set based on the currently selected tool
    FSet FMR1.RobotLocal, 0
    ' Set with reference to the base coordinate system

    Print F_CheckPos(FMR1)
Fend
```

**See Also**

TriggerMode, Force Motion Restriction Object FMR#

## F\_DestPos Function

### Comments

Returns the final virtual destination position for position control only, without the effects of force control function.

### Usage

**F\_DestPos**

### Return Values

Returns the final virtual destination position for position control only, without the effects of force control function.

### Detailed Explanation

Returns the position control's final virtual destination position.

The position control's final virtual destination position is the virtual final destination position that the original motion command attempted to travel. When the force control function is used, corrections are made according to the force, so this destination position will not be reached. Also, be aware that this function returns the final destination position even immediately after the start of movement; therefore, the position will not be the robot's current position. If, however, the robot is stopped, it will match the current position.

### Usage Example

The following is an example to display the position control's command position.

```
Function F_DestPosTest
    Print F_DestPos
End
```

### See Also

F\_RefPos Function

## F\_FlangeOffset Statement

### Application

Robot Object Robot

### Comments

This sets or returns the force sensor position and orientation in the Tool 0 (TCP0, J6 flange) coordinate system.

### Usage

#### **F\_FlangeOffset**

**F\_FlangeOffset** *x\_rValue, y\_rValue, z\_rValue, u\_rValue, v\_rValue, w\_rValue*

*x\_rValue, ...*      A numerical value or formula defining the new value

### Detailed Explanation

This sets or returns the position and orientation of the center of the force sensor base in the Tool 0 coordinate system.

This is used when the positional relationship between Tool 0 and the force sensor has changed. Since the sensor reading cannot be acquired in the assumed coordinate system if a mistake is made in the setting operation, set it accurately and use the force function.

### Usage Example

This example sets the position of the force sensor flange (10, 10, 10, 5, 5, 10) and confirms the setting results.

```
> F_FlangeOffset 10, 10, 10, 5, 5, 10
> F_FlangeOffset
    10.000,    10.000,    10.000,    5.000,    5.000,    10.000
```

### See Also

Robot Object Robot

## F\_GravityDirection Statement

### Application

Robot Object Robot

### Comments

This returns the value of or sets, as a vector, the direction of gravity for the Robot Object.

### Usage

**F\_GravityDirection**

**F\_GravityDirection** *x\_rValue, y\_rValue, z\_rValue*

*x\_rValue, ...* A numerical value or formula defining the new value

### Detailed Explanation

This returns the value of or sets the orientation of the gravitational acceleration vector in the base coordinate system.

Since only the direction of gravity is set, it is recommended that the following be reflected in the settings:

$$rValueX^2 + rValueY^2 + rValueZ^2 = 1$$

Should the settings of (rValueX, rValueY, rValueZ) = (0, 0, 0), the direction of gravity will not be fixed, so an error will occur.

### Usage Example

This example sets the direction of gravity to (10, 10, 10), and confirms the results of the setting.

```
> F_GravityDirection 10, 10, 10
> F_GravityDirection
    10.000,    10.000,    10.000
```

### See Also

Robot Object Robot

## F\_OffsetPos Function

### Comments

Returns the position of relative movement from the reference point at a specified distance and angle.

### Usage

**F\_OffsetPos**(*Point1*, *Point2*, *iValue*, *iValueL*)

**F\_OffsetPos**(*Point1*, *Point2*, *iValue*)

**F\_OffsetPos**(*Point1*, *iValue*, *iValueL*)

**F\_OffsetPos**(*Point1*, *iValue*)

*Point1*      Point data/point designation to show amount of relative movement

*Point2*      Point data/point designation to show reference position.  
Can be omitted.

*iValue*      Integer or expression representing coordinate system to perform relative movement

*iValueL*     Integer or expression representing local coordinate system to perform relative movement.  
Specified only when local coordinate system is specified for *iValue*.

### Return Values

Returns the position of relative movement from the reference point at a specified distance and angle.

### Values

*iValue*

Constant name	Value	Description
FG_BASE	0	Causes relative movement in the base coordinate system.
FG_LOCAL	1	Causes relative movement in the local coordinate system. Must also specify <i>iValueL</i> .
FG_TOOL	2	Causes relative movement in the tool coordinate system.

*iValueL*

	Value
Minimum value	0
Maximum value	15

Default: none

### Detailed Explanation

Returns the position of relative movement from the reference point at a specified distance and angle.  
Since this command is not a movement command, the robot will not move

When FG\_BASE is specified for *iValue*, return a position that is moved the amount of relative movement specified in *Point1* based on the direction of base coordinate system.

When FG\_LOCAL is specified, return a relative position based on direction of local coordinate system specified in *iValueL*.

When FG\_TOOL is specified, return a relative position based on direction of currently selected tool coordinate system.



Point 1 indicates the amount of relative movement. Only X, Y, Z, U, V, W, S, and T values are referenced, and other flag information such as Hand is not used.

Point 2 indicates the reference position for finding a relative movement position. If Point 2 is omitted, the position control's final virtual destination position which is acquirable with F\_DestPos will be returned as the reference position.

An error will occur if the amount of movement is specified for Point 1 with respect to a value not defined for Point 2. For example, if Point 1 is specified as "XY(10,0,0,0,0,0) :ST(10, 10)" and Point 2 as "XY(10,0,0,0,0,0)", S and T values will not be defined for Point 2, but will be defined for Point 1, resulting in an error.

### Usage Example

The following is an example to display relative movement positions.

```
Function F_RefPosTest
  Print F_OffsetPostest (P0, P1, FG_BASE)
  Print F_OffsetPostest (XY(10,0,0,0,0,0), P1, FG_BASE)
  ' Position after moving 10 mm from P1 to X direction of base coordinate system
  Print F_OffsetPostest (XY(0,10,0,0,0,0), FG_LOCAL, 1)
  ' Position after moving 10 mm from position control's final virtual destination position to Y
  direction
  ' of Local 1 coordinate system
  Print F_OffsetPostest (P0, P1, FG_BASE)

Fend
```

### See Also

F\_DestPos Function

## F\_RefPos Function

### Comments

Returns the current virtual command position for position control only, without the effects of force control function.

### Usage

**F\_RefPos**

### Return Values

Returns the current virtual command position for position control only, without the effects of force control function.

### Detailed Explanation

Returns the virtual command position for position control. The position is the same as the position that can be acquired by the second variable in the RefPos status.

The position control's virtual command position indicates the virtual trajectory that the original motion command attempted to travel. When the force control function is enabled, the robot will move toward a position that is corrected according to the actual force along the virtual trajectory.

### Usage Example

The following is an example to display the position control's command position.

```
Function F_RefPosTest
    Print F_RefPos
Fend
```

### See Also

RefPos Status

## GetRobotFCOn Function

### Comments

This identifies with which robot the force control function is active.

### Usage

**GetRobotFCOn**

### Values

Bit	Results
0	Robot 1 status
1	Robot 2 status
2	Robot 3 status
3	Robot 4 status
4	Robot 5 status
5	Robot 6 status
6	Robot 7 status
7	Robot 8 status
8	Robot 9 status
9	Robot 10 status
10	Robot 11 status
11	Robot 12 status
12	Robot 13 status
13	Robot 14 status
14	Robot 15 status
15	Robot 16 status

The value of each Bit

0: Force control function inactive

1: Force control function active

### Return Values

This returns the integer value obtained by setting the bits corresponding to the robot numbers for robots with the force control function active to “1”.

Bit 0 represents robot 1, and the subsequent numbers in order represent each of the other robots.

For example, when the force control function is active on robot 1 and robot 3, bit 0 and bit 2 are “On”, so “5” is returned.

The GetRobotFCOn function returns values from 0 to 65535 (hexadecimal FFFF). Because of this, the range of integers can be exceeded. When substituting a value for a variable, use Int32 or Int64 type variables.

### Usage Example

This example identifies the robots with the force control function active.

```
Function TestGetRobotFCon
    Int32 iVar          ' Use Int32 or Int64 type
    Robot 1
    FCKeep FC1 CF, 5    ' Continues the force control function by virtue of the CF parameter
    Print GetRobotFCon ' Bit "1" is displayed when Force Control Function is active on robot
1

    iVar = GetRobotFCon ' Save status on variable

    FCKeep FC1, 5        ' Force Control Function is inactive when FCKeep stops
    Print GetRobotFCon ' Bit "0" is displayed when Force Control Function is inactive on
robot 1
Fend
```

### See Also

FCKeep, FCEnd, Force Control Object FC#

## GravityCenter Property

### Application

Mass Property Object MP#

### Comments

Sets or returns the value of the center of gravity for the overall robot hand and workpiece/payload at the leading end side from the force sensor.

### Usage

**MPGet** *Object.GravityCenter, rArray()*

**MPSet** *Object.GravityCenter, rValueX, rValueY, rValueZ*

**Object** Object name, or string variable defining the object name  
Object is specified as either of MP (numerical value) or MP (label).

**rArray()** The maximum number of elements to define the value of the property is an array of 3 or more real number variables

**rVvalueX** A real number or formula defining the new value of the property

**rValueY** A real number or formula defining the new value of the property

**rValueZ** A real number or formula defining the new value of the property

### Values

rArray()

Element number	Element number constant	Description
0	FG_X	Center of gravity in X direction
1	FG_Y	Center of gravity in Y direction
2	FG_Z	Center of gravity in Z direction

rVvalueX, rValueY, rValueZ (Unit: [mm])

	Values
Minimum	-2000
Maximum	2000

Default: 0

### Detailed Explanation

Sets or returns the value of the center of gravity for the overall robot hand and workpiece/payload at the leading end side from the force sensor (not including the force sensor).

Set the position of the center of gravity for the Tool 0 coordinate system (robot hand center datum).

Mass Property Object is used to compensate for the effects of gravity on the force control function.

### Usage Example

This example carries out a motion with the force control function active after setting the Mass Property Object.

```
> MPSet MP1.GravityCenter, 10, 10, 100
> MPSet MP1.Mass, 2
> MP 1
> Move CurPos +TLW(10) FC1 ROT
```

### See Also

Mass Property Object MP#

## GravityDirection Property

### Application

Robot Object Robot

### Comments

Sets or returns the direction of gravity for the robot.

### Usage

**FGet** **Robot.GravityDirection**, *rArray()*

**FSet** **Robot.GravityDirection**, *rValueX*, *rValueY*, *rValueZ*

*rArray()* The maximum number of elements to define the value of the property is an array of 3 or more real number variables

*rValueX* A real number or formula defining the new value of the property

*rValueY* A real number or formula defining the new value of the property

*rValueZ* A real number or formula defining the new value of the property

### Values

*rArray()*

Element number	Element number constant	Description
0	FG_X	X component of gravitational vector
1	FG_Y	Y component of gravitational vector
2	FG_Z	Z component of gravitational vector

*rValueX*, *rValueY*, *rValueZ*

	Values
Minimum	-1
Maximum	1

Default: (*rValueX*, *rValueY*, *rValueZ*) = (0, 0, -1)

NOTE: Should (*rValueX*, *rValueY*, *rValueZ*) = (0, 0, 0), an error will occur.

### Detailed Explanation

This sets or returns the orientation of the vector of gravitational acceleration in the base coordinate system.

Since only the direction of gravity is set, it is recommended that the following be reflected in the settings:

$$rValueX^2 + rValueY^2 + rValueZ^2 = 1$$

Should the settings of (*rValueX*, *rValueY*, *rValueZ*) = (0, 0, 0), the direction of gravity will not be fixed, so an error will occur.

**Usage Example**

This example sets the direction of gravity and the Mass Property Object, and carries out a motion with the force control function active.

```
> FSet Robot.GravityDirection, 0, 0, -1  
> MPSet MP1.GravityCenter, 10, 10, 100  
> MPSet MP1.Mass, 2  
> MP 1  
> Move CurPos +TLW(10) FC1 ROT
```

**See Also**

Robot Object Robot

## HoldTimeThresh Property

### Application

Force Trigger object FT#, Force Motion Restriction Object FMR#

### Comments

Sets or returns the duration used to determine that trigger conditions have been achieved for a force trigger or a force motion restriction object.

### Immediate Execution

No

### Usage

**FGet** *Object.HoldTimeThresh, rVar*

**FSet** *Object.HoldTimeThresh, rValue*

**Object**      Object name or string variable representing object name  
Object is specified as either of FT (numerical value), FMR (numerical value), FT (label) or FMR (label).

**rVar**          Real variable that shows a value of property

**rValue**       Real value or expression that shows new value of property

### Values

rValue (units: sec)

	Value
Minimum value	0
Maximum value	10


Default: 0



## Detailed Explanation

This property is used when setting or checking the duration used to determine that trigger conditions have been achieved for a force trigger or a force motion restriction.

If the conditions specified for a force trigger or a force motion restriction object continued during the time specified by HoldTimeThresh, it's judged as accomplished the trigger condition. If "0" is specified for HoldTimeThresh, it's judged as accomplished the trigger condition when the conditions specified for the force trigger or a force motion restriction object are achieved. Use this property, for instance, when you wish to detect when a force or position/orientation has stabilized or to eliminate the effects of noise and/or vibration.



## Usage Example

The following is an example of setting and acquiring HoldTimeThresh.

```
Function Test_HoldTimeThresh
    Integer rVar
    FSet FT1.HoldTimeThresh, 0.1
    FGet FT1.HoldTimeThresh, rVar
    Print rVar
End
```

## See Also

Force trigger object FT#, Force Motion Restriction Object FMR#

## J1\_Enabled, J2\_Enabled, J3\_Enabled, J4\_Enabled, J5\_Enabled, J6\_Enabled Property

### Application

Force Motion Restriction Object FMR#

### Comments

Independently activates/inactivates or returns the force motion restriction function of the axis position.

### Immediate Execution

No

### Usage

**FGet** *Object.XX\_Enabled, bVar*

**FSet** *Object.XX\_Enabled, bValue*

*Object*      Object name or string variable defining object name

*XX*            A character string defining the name of the property

*bVar*          A Boolean variable defining the value of the property

*bValue*        A Boolean value or formula defining the new value of the property

### Values

XX

Specified Axis	Description
J1	Specifies J1 as an axis position.
J2	Specifies J2 as an axis position.
J3	Specifies J3 as an axis position.
J4	Specifies J4 as an axis position.
J5	Specifies J5 as an axis position.
J6	Specifies J6 as an axis position.

bValue

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

Independently activates/inactivates, or returns the force motion restriction function for axis position.

### Usage Examples

The following is an example of activate force motion restriction function of J1 axis position for the force motion restriction object.

```
> FSet FMR1.J1_Enabled, True
```

### See Also

Force Motion Restriction Object FMR#

## J1\_Levels, J2\_Levels, J3\_Levels, J4\_Levels, J5\_Levels, J6\_Levels Property

### Application

Force Motion Restriction Object FMR#

### Comments

Sets or returns the value of the lower threshold and upper threshold in axis position.

### Immediate Execution

No

### Usage

**FGet** *Object.XX\_Levels, rArray()*

**FSet** *Object.XX\_Levels, rValueL, rValueU*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FMR (numerical value), FMR (label).

**XX** A character string defining the name of the property

**rArray()** The number of elements defining the values of the property is an array of 2 or more real numbervariables

**rValueL** A real number or formula defining the new value of the property

**rValueU** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
J1	Specifies J1 as an axis position.
J2	Specifies J2 as an axis position.
J3	Specifies J3 as an axis position.
J4	Specifies J4 as an axis position.
J5	Specifies J5 as an axis position.
J6	Specifies J6 as an axis position.

rArray()

Element number	Element number constant
0	FG_LOWERLEVEL
1	FG_UPPERLEVEL

rValueL (Unit: [Degree])

	Axis	Values
Minimum	J1, J2, J5, J6	-360
	J3, J4	-1000 (default)
Maximum	J1, J2, J3, J5, J6	360
	J4	1000

rValueU (Unit: [Degree])

	Axis	Values
Minimum	J1, J2, J5, J6	-360
	J3, J4	-1000
Maximum	J1, J2, J3, J5, J6	360
	J4	1000 (default)

### Detailed Explanation

XX\_Levels set or return the value of the lower threshold and upper threshold in axis position.

rValueL is the lower threshold. rValueU is the upper threshold. Be sure that  $rValueL < rValueU$ .

This is used for error checking and task completion conditions.

### Usage Example

This is an example of stopping the robot due to an error from being below the lower threshold or above the upper threshold in J1 axis position.

```
Function SettingLevels
    FSet FMR1.JointEnabled, True, False, False, False, False, False
    FSet FMR1.J1_Polarity, FG_OUT
    FSet FMR1.J1_Levels, -90, 90
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## J1\_Polarity, J2\_Polarity, J3\_Polarity, J4\_Polarity, J5\_Polarity, J6\_Polarity Property

### Application

Force Motion Restriction Object FMR#

### Comments

This returns the status of or sets whether the force motion restriction is triggered by either being within the thresholds

or being outside of the thresholds for the axis position.

### Immediate Execution

No

### Usage

**FGet** Object.XX\_Polarity, iVar

**FSet** Object.XX\_Polarity, iValue

**Object** Object name, or string variable defining the object name  
The object is specified as either of FMR (numerical value) or FMR (label).

**XX** A character string defining the name of the property

**iVar** An integer variable defining the value of the property

**iValue** An integer value or formula defining the new value of the property

### Values

XX

Specified Axis	Description
J1	Specifies J1 as an axis position.
J2	Specifies J2 as an axis position.
J3	Specifies J3 as an axis position.
J4	Specifies J4 as an axis position.
J5	Specifies J5 as an axis position.
J6	Specifies J6 as an axis position.

iValue

Name of Constants	Values	Description
FG_OUT	0	Triggered when value is not within upper and lower thresholds. (default)
FG_IN	1	Triggered when value is within upper and lower thresholds.

### Detailed Explanation

XX\_Polarity returns the status of or sets whether the force motion restriction is triggered by either being within the thresholds or being outside of the thresholds for the axis position.

### Usage Example

This example generates an error and stops the robot when the J1 axis position is above the upper the upper or below the lower threshold.

```
Function SettingPolarity
    FSet FMR1.JointEnabled, True, False, False, False, False, False
    FSet FMR1.J1_Polarity, FG_OUT
    FSet FMR1.J1_Levels, -90, 90
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## JointEnabled Property

### Application

Force Motion Restriction Object FMR#

### Comments

Activates/inactivates, or returns the force motion restriction function for each axis collectively.

### Immediate Execution

No

### Usage

**FGet** *Object.JointEnabled, bArray()*

**FSet** *Object.JointEnabled, bValueJ1, bValueJ2, bValueJ3, bValueJ4, bValueJ5, bValueJ6*

**Object** Object name or string variable defining object name  
The object is specified as either of FMR (numerical value) or FMR (label).

**bArray()** The number of elements, which define the property values, is an array of 6 or more real number variables

**bValueJ1** A Boolean value or formula defining the new value of the property

**bValueJ2** A Boolean value or formula defining the new value of the property

**bValueJ3** A Boolean value or formula defining the new value of the property

**bValueJ4** A Boolean value or formula defining the new value of the property

**bValueJ5** A Boolean value or formula defining the new value of the property

**bValueJ6** A Boolean value or formula defining the new value of the property

### Values

**bArray()** :

Element number	Element number constant	Description
0	FG J1	Activates/inactivates J1.
1	FG J2	Activates/inactivates J2.
2	FG J3	Activates/inactivates J3.
3	FG J4	Activates/inactivates J4.
4	FG J5	Activates/inactivates J5.
5	FG J6	Activates/inactivates J6.

**bValueJ1, bValueJ2, bValueJ3, bValueJ4, bValueJ5, bValueJ6**

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

Activates/inactivates, or returns the force motion restriction function for each axis collectively.

### See Also

Force Motion Restriction Object FMR#

## JointLowerLevels Property

### Application

Force Motion Restriction Object FMR#

### Comments

Sets or returns the value of the lower threshold for rotation angle on each axis at the same time.

### Immediate Execution

No

### Usage

**FGet** *Object.JointLowerLevels, rArray()*

**FSet** *Object.JointLowerLevels, rValueJ1, rValueJ2, rValueJ3, rValueJ4, rValueJ5, rValueJ6*

*Object*      Object name, or string variable defining the object name  
The Object needs to be specified as either of FMR (numerical value) or FMR (label).

*rArray()*      The number of elements defining the value of the property is an array of 6 or more real number variables

*rValueJ1*      A real number or formula defining the new value of the property.

*rValueJ2*      A real number or formula defining the new value of the property.

*rValueJ3*      A real number or formula defining the new value of the property.

*rValueJ4*      A real number or formula defining the new value of the property.

*rValueJ5*      A real number or formula defining the new value of the property.

*rValueJ6*      A real number or formula defining the new value of the property.

### Values

*rArray()*

Element number	Element number constant	Description
0	FG_J1	Acquires the upper threshold for rotation angle of J1.
1	FG_J2	Acquires the upper threshold for rotation angle of J2.
2	FG_J3	Acquires the upper threshold for rotation angle of J3.
3	FG_J4	Acquires the upper threshold for rotation angle of J4.
4	FG_J5	Acquires the upper threshold for rotation angle of J5.
5	FG_J6	Acquires the upper threshold for rotation angle of J6.

*rValueJ1, rValueJ2, rValueJ3, rValueJ4, rValueJ5, rValueJ6* (Unit: [Degree])

	Value
Minimum	-360 (default)
Maximum	360



### Detailed Explanation

JointLowerLevels sets or returns the value of the lower threshold for rotation angle of each axis at the same time.

Be sure that JointLowerLevels < JointUpperLevels.

Since all lower threshold values for each axis's rotation angle are set at one time, it can be done with fewer lines than setting them one axis at a time.

This is used for error checking and task completion conditions.

### Usage Example

This example generates an error and stops the robot when the rotation angle is below the lower threshold.

```
Function SettingLevels
    FSet FMR1.JointEnabled, True, True, True, True, True, True, True
    FSet FMR1.JointPolarities, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT
    FSet FMR1.JointLowerLevels, 90, 90, 90, 90, 90, 90
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## JointPolarities Property

### Application

Force Motion Restriction Object FMR#

### Comments

Sets or returns for each axis whether the force motion restriction is activated or inactivated when values correspond to or do not correspond with threshold values.

### Immediate Execution

No

### Usage

**FGet** *Object.JointPolarities, iArray()*

**FSet** *Object.JointPolarities, iValueJ1, iValueJ2, iValueJ3, iValueJ4, iValueJ5, iValueJ6*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FMR (numerical value) FMR (label).

**iArray()** The number of elements defining the value of the property is an array of 6 or more real number variables

**iValueJ1** An integer value or formula defining the new value of the property

**iValueJ2** An integer value or formula defining the new value of the property

**iValueJ3** An integer value or formula defining the new value of the property

**iValueJ4** An integer value or formula defining the new value of the property

**iValueJ5** An integer value or formula defining the new value of the property

**iValueJ6** An integer value or formula defining the new value of the property

### Values

iArray()

Element number	Element number constant	Description
0	FG_J1	Returns whether the force motion restriction is activated by values within or outside of the threshold values in J1.
1	FG_J2	Returns whether the force motion restriction is activated by values within or outside of the threshold values in J2.
2	FG_J3	Returns whether the force motion restriction is activated by values within or outside of the threshold values in J3.
3	FG_J4	Returns whether the force motion restriction is activated by values within or outside of the threshold values in J4.
4	FG_J5	Returns whether the force motion restriction is activated by values within or outside of the threshold values in J5.
5	FG_J6	Returns whether the force motion restriction is activated by values within or outside of the threshold values in J6.

iValueJ1, iValueJ2, iValueJ3, iValueJ4, iValueJ5, iValueJ6 (Unit: Number)

Name of Constants	Values	Description
FG_OUT	0	Sets to active when over or under the upper and lower threshold values, respectively. (default)
FG_IN	1	Sets to active when within the upper threshold and lower threshold values.

### Detailed Explanation

JointPolarities return the status of or set whether the force motion restriction is triggered for each axis by the value being

either within the thresholds or outside of the thresholds.

When setting the trigger for each axis at the same time, this allows one to set all of them with fewer lines than setting them 1 axis at a time.

### Usage Example

This example will generate an error and stop the robot if each axis is above the upper threshold or below the lower threshold.

```
Function SettingPolarities
  FSet FMR1.JointEnabled, True, True, True, True, True, True
  FSet FMR1.JointPolarities, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT
  FSet FMR1.JointLowerLevels, -90, -90, -90, -90, -90, -90
  FSet FMR1.JointUpperLevels, 90, 90, 90, 90, 90, 90
  Trap 1, FMR1 Call ForceError
Fend

Function ForceError
  AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## JointUpperLevels Property

### Application

Force Motion Restriction Object FMR#

### Comments

This sets or returns the value of the upper threshold for rotation angle on each axis at the same time.

### Immediate Execution

No

### Usage

**FGet** *Object.JointUpperLevels*, rArray()

**FSet** *Object.JointUpperLevels*, rValueJ1, rValueJ2, rValueJ3, rValueJ4, rValueJ5, rValueJ6

<i>Object</i>	Object name, or string variable defining the object name The object is specified as either of FMR (numerical value) FMR (label).
<i>rArray()</i>	The number of elements defining the value of the property is an array of 6 or more real number variables
<i>rValueJ1</i>	An integer value or formula defining the new value of the property
<i>rValueJ2</i>	An integer value or formula defining the new value of the property
<i>rValueJ3</i>	An integer value or formula defining the new value of the property
<i>rValueJ4</i>	An integer value or formula defining the new value of the property
<i>rValueJ5</i>	An integer value or formula defining the new value of the property

### Values

rArray()

Element number	Element number constant	Description
0	FG_J1	Acquires the upper threshold for rotation angle of J1.
1	FG_J2	Acquires the upper threshold for rotation angle of J2.
2	FG_J3	Acquires the upper threshold for rotation angle of J3.
3	FG_J4	Acquires the upper threshold for rotation angle of J4.
4	FG_J5	Acquires the upper threshold for rotation angle of J5.
5	FG_J6	Acquires the upper threshold for rotation angle of J6.

rValueJ1, rValueJ2, rValueJ3, rValueJ4, rValueJ5, rValueJ6 (Unit: [Degree])

	Values
Minimum	-360
Maximum	360 (default)

### Detailed Explanation

JointUpperLevels sets or returns the value of the upper threshold for rotation angle of each axis at the same time.

Be sure that JointLowerLevels < JointUpperLevels

Since all upper threshold values for rotation angle of each axis are set at one time, it can be done with fewer lines than setting them one axis at a time.

This is used for error checking and task completion conditions.

### Usage Example

This example generates an error and stops the robot when the rotation angle is greater than the upper threshold.

```
Function SettingLevels
  FSet FMR1.JointEnabled, True, True, True, True, True, True
  FSet FMR1.JointPolarities, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT
  FSet FMR1.JointUpperLevels, 90, 90, 90, 90, 90, 90
  Trap 1, FMR1 Call ForceError
Fend

Function ForceError
  AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## Label Property

### Application

Force Control Object FC#, Force Coordinate System Object FCS#,  
Force Trigger Object FT#, Force Monitor Object FM#,  
Force Motion Restriction Object FMR#, Mass Property Object MP#,  
Force Sensor Object FS#

### Comments

Refer to each of the ForceObjects and Force Sensor Object labels, and set each of the ForceObject labels.

### Immediate Execution

No

### Usage

**FGet** *Object1.Label, sVar\$*

**FSet** *Object2.Label, sValue\$*

**MPGet** *Object3.Label, sVar\$*

**MPSet** *Object3.Label, sValue\$*

*Object1* Object name, or string variable defining the object name  
The object is specified as FC (numerical value), FCS (numerical value), FT (numerical value),  
FM (numerical value), FMR (numerical value), or FS (numerical value).

*Object2* Object name, or string variable defining the object name  
The object is specified as FC (numerical value), FCS (numerical value), FT (numerical value),  
FM (numerical value) or FMR (numerical value).

*Object3* Object name, or string variable defining the object name  
The object is specified as MP (numerical value).

*sVar\$* A string variable defining the value of the property

*sValue\$* A character string or formula defining the new value of the property

### Values

String value

32 single-byte, 16 double-byte alphanumeric characters, Japanese, and the underscore can be used.  
However, only English letters or Japanese can be used for the first character. Not case sensitive.

### Detailed Explanation

This allows one to refer to or set the Force Object Label. The Force Sensor Object label can be referenced.  
It cannot be set.

The label value of force sensor object refers sensor name of the set force sensor.

There is a difference between this and the setting of other properties and objects. Other properties can be set  
using a number and label, but Label Property is for number specified objects only.

### See Also

Force Control Object FC#, Force Coordinate System Object FCS#,  
Force Trigger Object FT#, Force Monitor Object FM#,  
Force Motion Restriction Object FMR#, Mass Property Object MP#,  
Force Sensor Object FS#

## LastExecObject Result

### Comments

Returns the name of the force guide object that was executed at the end for force guide sequence.

### Usage

**FGGet** *Sequence.LastExecObject*, *sVar*\$

**Sequence** Force guide sequence name or string variable representing force guide sequence name

**sVar**\$ String variable defining the returned value.

### Detailed Explanation

Returns the name of the force guide object that was executed at the end for force guide sequence. When the force guide sequence fails, you can acquire that the program had proceeded to which force guide object.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function LastExecObjectTest
    String sVar$
    Motor On

    FGRun Sequence1
    FGGet Sequence1.LastExecObject, sVar$      ' Acquire LastExecObject
    Print sVar$

Fend
```

### See Also

FGGet, GeneralPurpose sequence, Paste sequence, ScrewTighten sequence, HeightInspect sequence, Insert sequence

## LimitAccelJ Property

### Application

Force Control Object FC#

### Comments

Sets or returns the maximum value for joint acceleration during force control.

### Immediate Execution

No

### Usage

**FGet** *Object.LimitAccelJ, rVar*

**FSet** *Object.LimitAccelJ, rValue*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

*rVar*        A real number variable defining the value of the property

*rValue*      A real number or formula defining the new value of the property.

### Values

*rValue* (Unit: [%])

	Values
Minimum	0.1
Maximum	100 (default)

### Detailed Explanation

This sets or returns the maximum value for joint acceleration during force control.

The value established for the LimitAccelJ property expresses a ratio with respect to the maximum acceleration.

When the robot, during force control, attempts to accelerate at a rate in excess of the established property value, the acceleration is automatically limited. The limitation is always active during force control.

In LowPower mode during force control, the motion is automatically corrected to the default Accel value when a value in excess of the default Accel value is established in the LimitAccelJ property.



## Usage Example

This is an example of a simple motion program using LimitAccelJ.

The Move motion is carried out at an acceleration of 2[mm/sec<sup>2</sup>]; when in the course of the motion, a movement accelerating under force control attempts a motion exceeding 5% of the joint velocity, the acceleration is automatically limited by LimitAccelJ, and the motion is carried out at 5% of the established value of acceleration.

```
Function LimitAccelJTest

    FSet FCS1.Orientation, FG_TOOL    ' Specifies the force coordinate data

    FSet FC1.CoordinateSystem, FCS1   ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0              ' Sets the virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1              ' Sets the virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10               ' Sets the virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True          ' Sets the Fx force control to active

    FSet FC1.LimitAccelJ, 5            ' Sets the maximum joint acceleration to 5%
    AccelS 2                           ' Sets the CP motion acceleration to 2[mm/sec2]

    Move P0 FC1                        ' A Move motion with force control

Fend
```

## See Also

Force Control Object FC#, Accel

## LimitAccelR Property

### Application

Force Control Object FC#

### Comments

Sets or returns the maximum velocity limit for tool orientation change acceleration during force control.

### Immediate Execution

No

### Usage

**FGet** *Object.LimitAccelR, rVar*

**FSet** *Object.LimitAccelR, rValue*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

*rVar*        A real number variable defining the value of the property

*rValue*      A real number or formula defining the value of the new property

### Values

rValue (Unit: [deg/sec<sup>2</sup>])

	Values
Minimum	0.1
Maximum	5000

Default: 100

### Detailed Explanation

This sets or returns the value of the maximum tool orientation acceleration with force control active.

When the robot attempts to accelerate, with force control active, at a rate in excess of the value established in the LimitAccelR properties, the acceleration is automatically limited. The limitation is always active during force control.

When executing force control in combination with motion commands that is added a qualified ROT parameter, the value must be greater than the acceleration value established for the robot via AccelR.

In LowPower mode, the motion is automatically corrected to the AccelR default value when force control is active and the value set in AccelR is greater than the AccelR default value.

## Usage Example

This is a simple example of a motion program using LimitAccelR.

The Move motion is carried out at an acceleration of 2[deg/sec<sup>2</sup>], and when in movement, the robot attempts a motion via force control with an acceleration in excess of 5[deg/sec<sup>2</sup>], the acceleration is automatically limited to 5[deg/sec<sup>2</sup>] via LimitAccelR.

```
Function LimitAccelRTest
    FSet FCS1.Orientation, FG_TOOL      ' Specifies the force coordinate data

    FSet FC1.CoordinateSystem, FCS1     ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0               ' Sets the virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1               ' Sets the virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10                ' Sets the virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True           ' Sets the Fx force control to active

    FSet FC1.LimitAccelR, 5             ' Sets the maximum tool orientation modification acceleration to
                                         ' 5[deg/sec2]
    AccelR 2                            ' Sets the CP motion acceleration to 2[deg/sec2]

    Move P0 FC1 ROT                     ' A Move motion with force control

Fend
```

## See Also

Force Control Object FC#, AccelR

## LimitAccelS Property

### Application

Force Control Object FC#

### Comments

This sets or returns the value of the maximum of the tool position modification acceleration during force control

### Immediate Execution

No

### Usage

**FGet** *Object.LimitAccelS, rVar*

**FSet** *Object.LimitAccelS, rValue*

**Object** An object or a string variable defining the name of the object  
The object is specified as either of FC (numerical value) or FC (label).

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the value of the new property

### Values

rValue (Unit: [mm/sec<sup>2</sup>])

Model of Robot	Maximum	Minimum	Default
N2-A450**	5,000	0.1	200
C4-A901**	15,000		
G3, G6, G10, G20, GX series, RS series, C4-A601**, C8, C12, N6	25,000		

### Detailed Explanation

This sets or returns the value of the maximum of the tool position modification acceleration during force control.

When the robot attempts to accelerate, with force control active, at a rate in excess of the value established in the LimitAccelS properties, the acceleration is automatically limited. The limitation is always active during force control.

When executing force control in combination with motion commands that are not added a qualified ROT parameter except FCKeep, the value must be greater than the acceleration value established for the robot via AccelS.

In LowPower mode, the motion is automatically corrected to the AccelS default value when force control is active and the value set in the LimitAccelS property is greater than the AccelS default value.

## Usage Example

This is a simple example of a motion program using LimitAccelS.

The Move motion is carried out at an acceleration of 2[mm/sec<sup>2</sup>], and when in movement, the robot attempts a motion via force control with an acceleration in excess of 5[mm/sec<sup>2</sup>], the acceleration is automatically limited to 5[mm/sec<sup>2</sup>] via LimitAccelS.

```
Function LimitAccelSTest
    FSet FCS1.Orientation, FG_TOOL      ' Specifies the force coordinate data

    FSet FC1.CoordinateSystem, FCS1     ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0               ' Sets the virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1              ' Sets the virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10               ' Sets the virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True          ' Sets the Fx force control to active

    FSet FC1.LimitAccelS, 5            ' Sets the maximum tool position modification acceleration to 5[mm/sec2]
    AccelS 2                          ' Sets the CP motion acceleration to 2[mm/sec2]

    Move P0 FC1                        ' A Move motion with force control

End
```

## See Also

Force Control Object FC#, AccelS

## LimitAccelSRJ Property

### Application

Force Control Object FC#

### Comments

This sets or returns the maximum values of acceleration for joint acceleration, tool position modification, and tool orientation modification during force control.

### Immediate Execution

No

### Usage

**FGet** *Object.LimitAccelSRJ, rArray()*

**FSet** *Object.LimitAccelSRJ, rValueS, rValueR, rValueJ*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**array()** The maximum element number defining the value of the property is an array of 3 or more real number variables

**rValueS** A real number or formula defining the new value of the property

**rValueR** A real number or formula defining the new value of the property

**rValueJ** A real number or formula defining the value of the new property

### Values

rArray()

Element number	Element number constant	Description
0	FG_LIMIT_S	Maximum tool position modification acceleration
1	FG_LIMIT_R	Maximum tool orientation modification acceleration
2	FG_LIMIT_J	Maximum joint acceleration

rValueS (Unit: [mm/sec<sup>2</sup>])

Model of Robot	Maximum	Minimum	Default
N2-A450**	5,000	0.1	200
C4-A901**	15,000		
G3, G6, G10, G20, GX series, RS series, C4-A601**, C8, C12, N6	25,000		

rValueR (Unit: [deg/sec<sup>2</sup>])

	Values
Minimum	0.1
Maximum	5000

Default: 100

rValueJ (Unit: [%])

	Values
Minimum	0.1
Maximum	100 (default)

### Detailed Explanation

This sets or returns the maximum values of acceleration for joint acceleration, tool position modification, and tool orientation modification during force control.

For details on each value, refer to *LimitAccelJ Property*, *LimitAccelR Property*, and *LimitAccelS Property*.

### See Also

Force Control Object FC#, LimitAccelJ Property, LimitAccelR Property, LimitAccelS Property

## LimitedStatus Result

### Description

Returns the limit result for the limit condition of dedicated object.

### Usage

**FGGet** *Sequence.Object.LimitedStatus, iVar*

*Sequence* Force guide sequence name or string variable representing force guide sequence name

*Object* Force guide object name or string variable representing force guide object name

*iVar* Integer variable that shows a returned value

### Values

*iVar*

Bit	Result
0	Achievement status of the force limit condition
1	Achievement status of the position limit condition

The value of each Bit

0: Not met

1: Met

### Detailed Explanation

Returns the limit result for the limit condition of dedicated object.

Each dedicated object can use some of force limit conditions and position limit conditions. The LimitedStatus result sets the corresponding bit to “1” if a condition is achieved, or “0” if a condition is not achieved. If either bit becomes “1”, the robot will immediately cease operation, and executed objects will be terminated. This result is used for branch processing according to which conditions are achieved.

### Usage Example

This is an example of a simple program used to acquire results with FGGet.

```
Function LimitedStatusTest
    Integer iVar

    Motor On
    FGRun Sequence1

    FGGet Sequence1.Paste01.LimitedStatus, iVar      ' Acquire LimitedStatus
    ElseIf (iVar And &H02) <> 0 Then
        ' Process when position limit conditions are met
        —
        —
        —
    EndIf

Fend
```

### See Also

FGGet, paste object, screw tightening object, retightening screw object, HeightInspect object, insertion object, tensile test object



## LimitSpeedJ Property

### Application

Force Control Object FC#

### Comments

Sets or returns the maximum velocity limit for joint movement during force control.

### Immediate Execution

No

### Usage

**FGet** *Object.LimitSpeedJ, rVar*

**FSet** *Object.LimitSpeedJ, rValue*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

*rValue* (Unit: [%])

	Values
Minimum	0.1
Maximum	100

Default: 50

### Detailed Explanation

This sets or returns the maximum joint velocity during force control.

The value established in LimitSpeedJ Property expresses a ratio with respect to the maximum velocity.

When, during force control, the robot attempts to move at a velocity in excess of the value established in LimitSpeedJ Property, the velocity is automatically limited. The limitation is always active during force control.

In LowPower mode, with force control active, when the value established in LimitSpeedJ Property is in excess of the Speed Default value, the Speed is automatically adjusted to the Speed default value.

### Usage Example

This is an example of a simple motion program using LimitSpeedJ.

The Move motion is carried out at a velocity of 2[mm/sec], and when in motion, when the robot attempts via force control to move in excess of 5% of the joint velocity, the velocity is automatically limited to 5% via LimitSpeedJ.

```
Function LimitSpeedJTest
    FSet FCS1.Orientation, FG_TOOL      ' Sets the force coordinate data

    FSet FC1.CoordinateSystem, FCS1     ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0                ' Sets the virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1                ' Sets the virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10                 ' Sets the virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True            ' Sets the Fx force control to active

    FSet FC1.LimitSpeedJ, 5              ' Maximum joint velocity is set to 5%
    SpeedS 2                             ' Sets the CP motion velocity to 2[mm/sec]

    Move P0 FC1                          ' A Move motion with force control

Fend
```

### See Also

Force Control Object FC#, Speed

## LimitSpeedR Property

### Application

Force Control Object FC#

### Comments

Sets or returns the maximum velocity limit for tool orientation change during force control.

### Immediate Execution

No

### Usage

**FGet** *Object.LimitSpeedR, rVar*

**FSet** *Object.LimitSpeedR, rValue*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

rValue (Unit: [deg/sec])

	Values
Minimum	0.1
Maximum	1000

Default: 25

### Detailed Explanation

Sets or returns the maximum tool orientation modification velocity during force control.

When the robot, during force control, attempts to move at a velocity in excess of the value established in LimitSpeedR properties, the velocity is automatically limited. The limitation is always active during force control.

When executing force control in combination with motion commands that is added a qualified ROT parameter, the value must be greater than the robot speed set by SpeedR.

In LowPower mode, when the value set in LimitSpeedR is greater than the SpeedR default value the motion is automatically adjusted to the SpeedR default value when force control is active.

### Usage Example

This is an example of a simple movement program using LimitSpeedR.

The Move motion is carried out at a velocity of 2[deg/sec], and when in motion, the robot attempts to move via force control at a rate in excess of 5[deg/sec], the velocity is automatically limited via LimitSpeedR and carried out at 5[deg/sec].

```
Function LimitSpeedRTest
    FSet FCS1.Orientation, FG_TOOL    ' Sets the force coordinate data

    FSet FC1.CoordinateSystem, FCS1   ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0              ' Sets the virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1              ' Sets the virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10               ' Sets the virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True          ' Sets the Fx force control to active
    FSet FC1.LimitSpeedR, 5           ' Sets the maximum tool orientation modification velocity to
                                      5[deg/sec]
    SpeedR 2                           ' Sets the CP motion velocity to 2[deg/sec]

    Move P0 FC1 ROT                    ' A Move motion with force control

Fend
```

### See Also

Force Control Object FC#, SpeedR

## LimitSpeedS Property

### Application

Force Control Object FC#

### Comments

This sets or returns the maximum tool position modification velocity during force control.

### Immediate Execution

No

### Usage

**FGet** *Object.LimitSpeedS, rVar*

**FSet** *Object.LimitSpeedS, rValue*

**Object** Object name, or string variable defining the object name  
The object needs to be specified as either of FC (numerical value) or FC (label).

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

*rValue* (Unit: [mm/sec])

	Values
Minimum	0.1
Maximum	2000

Default: 50

### Detailed Explanation

This sets or returns the maximum tool position modification velocity during force control.

During force control, when the robot attempts to move at a velocity in excess of that set in LimitSpeedS property, the velocity is automatically limited. The limitation is always active during force control.

When executing force control in combination with motion commands that are not added a qualified ROT parameter except FCKeep, the value must be greater than the robot speed set by SpeedS.

In LowPower mode, when the value set in LimitSpeedS is greater than the SpeedS default value the movement is automatically adjusted to the SpeedS default value when force control is active.

### Usage Example

This is a simple example of a motion program using LimitSpeedS.

The Move motion is carried out at a velocity of 2[mm/sec], and when in motion, when the robot attempts via force control to move in excess of 5[mm/sec], the velocity is automatically limited to 5[mm/sec] via LimitSpeedS.

```
Function LimitSpeedSTest
    FSet FCS1.Orientation, FG_TOOL      ' Sets force coordinate data

    FSet FC1.CoordinateSystem, FCS1     ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0               ' Sets the virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1              ' Sets the virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10               ' Sets the virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True          ' Sets the Fx force control to active
    FSet FC1.LimitSpeedS, 5           ' Sets the maximum tool position modification velocity to
5[mm/sec]
    SpeedS 2                          ' Sets the CP motion velocity to 2[mm/sec]

    Move P0 FC1                       ' A Move motion with force control

End
```

### See Also

Force Control Object FC#, SpeedS

## LimitSpeedSRJ Property

### Application

Force Control Object FC#

### Comments

Sets or returns the maximum values of joint velocity, tool position modification velocity, and tool orientation modification velocity with force control active.

### Immediate Execution

No

### Usage

**FGet** *Object.LimitSpeedSRJ, rArray()*

**FSet** *Object.LimitSpeedSRJ, rValueS, rValueR, rValueJ*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**rArray()** The maximum element number defining the value of the property is an array of 3 or more real number variables

**rValueS** A real number or formula defining the new value of the property

**rValueR** A real number or formula defining the new value of the property

**rValueJ** A real number or formula defining the new value of the property

### Values

rArray()

Element number	Element number constant	Description
0	FG_LIMIT_S	Maximum tool position modification velocity
1	FG_LIMIT_R	Maximum tool orientation modification velocity
2	FG_LIMIT_J	Maximum joint velocity

rValueS (Unit: [mm/sec])

	Values
Minimum	0.1
Maximum	2000

Default: 50

rValueR (Unit: [deg/sec])

	Values
Minimum	0.1
Maximum	1000

Default: 25

rValueJ (Unit: [%])

	Values
Minimum	0.1
Maximum	100

Default: 50

### Detailed Explanation

Sets or returns the maximum values of joint velocity, tool position modification velocity, and tool orientation modification velocity with force control active.

For details on each value, refer to *LimitSpeedJ Property*, *LimitSpeedR Property*, and *LimitSpeedS Property*.

### See Also

Force Control Object FC#, LimitSpeedJ Property, LimitSpeedR Property, LimitSpeedS Property



## LogEnd Property

### Application

Force Monitor Object FM#

### Comments

Ends recording of sensor values, robot position/orientation, step data, and the time of data acquisition.

This property is a function for previous version which is before RC+7.4.0 (F/W 7.4.0.0). We recommend using RecordStart property and RecordEnd property.

### Immediate Execution

Yes

### Usage

**FSet** *Object.LogEnd*

*Object*     Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

### Detailed Explanation

This property is used to stop logging the sensor values, robot position and orientation, step data, and acquisition timing.

### Usage Example

This is an example of starting the logging of data for sensor 1 (at a frequency of 100 msec for 1 minute) and then ending the logging thereof.

```
Function Test_Log
    Integer iFileNum
    iFileNum = FreeFile
    WOpen "Forcelog.csv" As #iFileNum
    FSet FM1.ForceSensor, 1
    FSet FM1.LogStart, 60, 0.1, #iFileNum
    ...
    FSet FM1.LogEnd
    Close #iFileNum
Fend
```

### See Also

Force Monitor Object FM#

## LogStart Property

### Application

Force Monitor Object FM#

### Comments

Begins recording of sensor values, robot position/orientation, step data, and the time of data acquisition.

This property is a function for previous version which is before RC+7.4.0 (F/W 7.4.0.0). We recommend using RecordStart property and RecordEnd property.

### Immediate Execution

Yes

### Usage

**FSet** *Object.LogStart, rValueD, rValueI, #iValueF*

**Object**            Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

**rValueD**           A real number or formula defining the new value of the property

**rValueI**           A real number or formula defining the new value of the property

**#iValueF**          An integer or formula defining the new value of the property

### Values

rValueD (Measurement time unit: [sec])

	Values
Minimum	0.01
Maximum	60

Default: None

rValueI (Measurement interval unit: [sec])

	Values
Minimum	0.006
Maximum	10

Default: None

#iValueF (File no.)

	Values
Minimum	30
Maximum	63

Default: None

## Detailed Explanation

This property is used to start the logging of sensor values, robot position and orientation, StepID, and measurement timing.

File format:

SequentPeriodic, measurement start time, duration of the measurement, measurement interval, serial code of the Force Sensor, Force Sensor label, Force Monitor object number, Force coordinate object number

ElapsedTime[sec], Force(Fx), Force(Fy), Force(Fz), Torque(Tx), Torque(Ty), Torque(Tz), CurPos(X), CurPos(Y), CurPos(Z), CurPos(U), CurPos(V), CurPos(W), RefPos(X), RefPos(Y), RefPos(Z), DiffAngle(X), DiffAngle(Y), DiffAngle(Z), StepID, Time

(After displaying the above, the actual values will be displayed subsequently.)

Item	Unit	Description
Measurement start time	-	Time when the measurement is started. Displayed in a format of “yyyy/mm/dd hh:mm:ss:ms”
Duration of measurement	sec	Measurement time specified to the LogStart property.
Measurement interval	sec	Measurement interval specified to the LogStart property.
Serial code of the Force Sensor	-	Serial code of the Force Sensor.
Force Sensor label	-	Label set to the Force Sensor.
Force monitor object number	-	Number for the specified Force Monitor object.
Force coordinate object number	-	Number for the specified Force coordinate object.
Force(Fx) to (Fz) Torque(Tx) to (Tz)	N N·mm	Sensor value of each axis in the Force coordinates.
CurPos(X) to (Z)	mm	Command position reflecting the position control-command position and the effects of force control.
RefPos(X) to (Z)	mm	Command-position which reflects only the position control.
DiffAngle(X) to (Z)	deg	Difference between a direction of command reflecting the position control-command position and the effects of force control, and a direction of command which reflects only the position control. The difference is calculated from angle between the axes.
StepID	-	Value specified to the StepID property.
Time	-	Time when the data is measured. Displayed in a format of “yyyy/mm/dd hh:mm:ss: ms”.

## Usage Example

This is an example of starting the logging of data for sensor 1 (at a frequency of 100 msec for 1 minute) and then ending the logging thereof.

```
Function Test_Log
    Integer iFileNum
    iFileNum = FreeFile
    WOpen "Forcelog.csv" As #iFileNum
    FSet FM1.ForceSensor, 1
    FSet FM1.LogStart, 60, 0.1, #iFileNum
    ...
    FSet FM1.LogEnd
    Close #iFileNum
Fend
```

Following is an example of acquired data.

SequentPeriodic, 2000/01/01 01:02:03:004, 60.000000, 0.100000, AAAAAA00001, Sensor1Label, FM0, FCS0

ElapsedTime[sec], Force(Fx), Force(Fy), Force(Fz), Torque(Tx), Torque(Ty), Torque(Tz),CurPos(X), CurPos(Y), CurPos(Z),CurPos(U), CurPos(V), CurPos(W), RefPos(X), RefPos(Y), RefPos(Z), DiffAngle(X), DiffAngle(Y), DiffAngle(Z), StepID,Time

0.100, 0.000, 0.000, 0.000, 0.000, 0.000, 0.000, 0.000, 565.000, 720.000, 0.000, -90.000, -90.000, 0.000, 565.000, 720.000, 0.000, 0.000, 0.000, 0, 2000/01/01 01:02:03:004

(After displaying the above, the actual values will be displayed subsequently.)

### See Also

Force Monitor Object FM#

## LowerLevels Property

### Application

Force Trigger Object FT#

### Comments

This sets or returns the lower threshold value of force and torque in each axis at the same time.

### Immediate Execution

No

### Usage

**FGet** *Object.LowerLevels, rArray()*

**FSet** *Object.LowerLevels, rValueFx, rValueFy, rValueFz, rValueTx, rValueTy, rValueTz [, rValueFmag, rValueTmag]*

*Object* Object name, or string variable defining the object name  
The Object needs to be specified as either of FT (numerical value) or FT (label).

*rArray()* The maximum number of elements defining the value of the property is an array of 8 or more real number variable

*rValueFx* A real number or formula defining the new value of the property.

*rValueFy* A real number or formula defining the new value of the property.

*rValueFz* A real number or formula defining the new value of the property.

*rValueTx* A real number or formula defining the new value of the property.

*rValueTy* A real number or formula defining the new value of the property.

*rValueTz* A real number or formula defining the new value of the property.

*rValueFmag* A real number or formula defining the new value of the property.

*rValueTmag* A real number or formula defining the new value of the property.

### Values

*rArray()*

Element number	Element number constant	Description
0	FG_FX	Acquires the lower threshold value for Fx force.
1	FG_FY	Acquires the lower threshold value for Fy force.
2	FG_FZ	Acquires the lower threshold value for Fz force.
3	FG_TX	Acquires the lower threshold value for Tx torque.
4	FG_TY	Acquires the lower threshold value for Ty torque.
5	FG_TZ	Acquires the lower threshold value for Tz torque.
6	FG_FMAG	Acquires the lower threshold value for Fmag resultant force.
7	FG_TMAG	Acquires the lower threshold value for Tmag resultant torque.

Note: When the number of elements is an array of 6 or 7, this will acquire element numbers 0 to 5.

*rValueFx, rValueFy, rValueFz* (Unit: [N])

	Values
Minimum	-1000 (default)
Maximum	1000

rValueTx, rValueTy, rValueTz (Unit: [N·mm])

	Values
Minimum	-100000 (default)
Maximum	100000

rValueFmag (Unit: [N])

	Values
Minimum	0 (default)
Maximum	1000

rValueTmag (Unit: [N·mm])

	Values
Minimum	0 (default)
Maximum	100000

### Detailed Explanation

LowerLevels sets or returns the lower threshold value for force and torque in each axis.

Be sure that LowerLevels < UpperLevels.

Since all force and torque lower threshold values for each axis are set at one time, it can be done with fewer lines than setting them one axis at a time.

This is used for error checking and task completion conditions.

### Usage Example

This example generates an error and stops the robot if force is less than the lower threshold value.

```
Function SettingLevels
    FSet FT1.Enabled, True, True, True, True, True, True, True, True
    FSet FT1.Polarities, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT,
FG_OUT, FG_OUT, FG_OUT
    FSet FT1.LowerLevels, -50, -50, -50, -3000, -3000, -3000, 0, 0
    Trap 1, FT1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Trigger Object FT#

## LPF\_Enabled Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

This activates/inactivates or returns the status of the low-pass filter in each axis of the force coordinate system.

### Immediate Execution

No

### Usage

**FGet** *Object.LPF\_Enabled, bArray()*

**FSet** *Object.LPF\_Enabled, bValueFx, bValueFy, bValueFz, bValueTx, bValueTy, bValueTz [,bValueFmag, bValueTmag]*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FT (label), FM (numerical value), or FM (label).

**bArray()** The maximum number of elements defining the value of the property is an array of 6 or more Boolean variables

**bValueFx** A Boolean value or formula defining the new value of the property

**bValueFy** A Boolean value or formula defining the new value of the property

**bValueFz** A Boolean value or formula defining the new value of the property

**bValueTx** A Boolean value or formula defining the new value of the property

**bValueTy** A Boolean value or formula defining the new value of the property

**bValueTz** A Boolean value or formula defining the new value of the property

**bValueFmag** A Boolean value or formula defining the new value of the property

**bValueTmag** A Boolean value or formula defining the new value of the property

### Values

bArray():

Element number	Element number constant	Description
0	FG FX	Activates/inactivates the Fx low-pass filter.
1	FG FY	Activates/inactivates the Fy low-pass filter.
2	FG FZ	Activates/inactivates the Fz low-pass filter.
3	FG TX	Activates/inactivates the Tx low-pass filter.
4	FG TY	Activates/inactivates the Ty low-pass filter.
5	FG TZ	Activates/inactivates the Tz low-pass filter.
6	FG FMAG	Activates/inactivates the Fmag resultant force low-pass filter.
7	FG TMAG	Activates/inactivates the Tmag resultant torque low-pass filter.

Note: When the number of elements is an array of 6 or 7 variables, only the element number settings 0 to 5 are acquired.

bValueFx, bValueFy, bValueFz, bValueTx, bValueTy, bValueTz, bValueFmag, bValueTmag

Name of Constants	Values	Description
False	0	Sets the low-pass filter to inactive. (default)
True	-1	Sets the low-pass filter to active.

### Detailed Explanation

This activates/inactivates or returns the status of the low-pass filter in the specified axes of the force coordinate system.

It activate/inactivate the following settings.

bValueFx: Fx    bValueFy: Fy    bValueFz: Fz

bValueTx: Tx    bValueTy: Ty    bValueTz: Tz

bValueFmag: Fmag    bValueTmag: Tmag

The signal noise reduction can be enhanced when the low-pass filter is activated, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces Status, PeakForces Status, the Force Trigger Function, Force Monitor, and Force Control Monitor Function, but is not used with Forces Status.

### Usage Example

This example sets the low-pass filter and acquires the value where the absolute value of the torque is greatest.

```
Function GetPeakForces
  Real myPeakForces(6)
  FSet FCS1.Orientation, FG_TOOL
  FSet FM1.CoordinateSystem, FCS1
  FSet FM1.LPF_Enabled, True, True, True, True, True, True
  FSet FM1.LPF_TimeConstants, 0.02, 0.02, 0.02, 0.02, 0.02, 0.02
  FSet FM1.PeakForceClear, True, True, True, True, True, True
  Wait 10
  FGet FM1.PeakForces, myPeakForces()
  Print myPeakForces (FG_TX), myPeakForces (FG_TY), myPeakForces
(FG_TZ)
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#



## LPF\_TimeConstants Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

This sets or returns the value of the low-pass filter time constants applied to each axis in the force coordinate system at the same time.

### Immediate Execution

No

### Usage

**FGet** *Object.LPF\_TimeConstants, rArray()*

**FSet** *Object.LPF\_TimeConstants, rValueFx, rValueFy, rValueFz, rValueTx, rValueTy, rValueTz [,rValueFmag, rValueTmag]*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FT (label), FM (numerical value), or FM (label).

**rArray()** The element numbers defining the value of the property is and array of 6 or more real number variable

**rValueFx** A real number or formula defining the new value of the property

**rValueFy** A real number or formula defining the new value of the property

**rValueFz** A real number or formula defining the new value of the property

**rValueTx** A real number or formula defining the new value of the property

**rValueTy** A real number or formula defining the new value of the property

**rValueTz** A real number or formula defining the new value of the property

**rValueFmag** A real number or formula defining the new value of the property

**rValueTmag** A real number or formula defining the new value of the property

### Values

rArray():

Element number	Element number constant	Description
0	FG_FX	This is the Fx low-pass filter time constant.
1	FG_FY	This is the Fy low-pass filter time constant.
2	FG_FZ	This is the Fz low-pass filter time constant.
3	FG_TX	This is the Tx low-pass filter time constant.
4	FG_TY	This is the Ty low-pass filter time constant.
5	FG_TZ	This is the Tz low-pass filter time constant.
6	FG_FMAG	This is the Fmag resultant force low-pass filter time constant.
7	FG_TMAG	This is the Tmag resultant torque low-pass filter time constant.

Note: When the number of elements is an array of 6 or 7 variables, only the element number settings 0 to 5 are acquired.

*rValueFx*, *rValueFy*, *rValueFz*, *rValueTx*, *rValueTy*, *rValueTz*, *rValueFmag*, *rValueTmag* (Unit: [sec])

	Values
Minimum	0.002
Maximum	5

Default: 0.01

### Detailed Explanation

This sets or returns the value of the low-pass filter time constants applied to each axis in the force coordinate system at the same time.

It sets the following time constant settings.

*rValueFx*: Fx              *rValueFy*: Fy              *rValueFz*: Fz  
*rValueTx*: Tx              *rValueTy*: Ty              *rValueTz*: Tz  
*rValueFmag*: Fmag      *rValueTmag*: Tmag

The low-pass filter time constant is the time it takes to arrive at an input value of  $1-e^{-1}$  (approximately 63.2%) when giving step input.

The signal noise reduction can be enhanced when increasing the time constant, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces Status, PeakForces Status, the Force Trigger Function, and Force Monitor, and Force Control Monitor Function, but is not used with Forces Status.

### Usage Example

This example sets the low-pass filter and acquires the value when the maximum absolute value is attained for torque.

```

Function GetPeakForces
    Real myPeakForces(6)
    FSet FCS1.Orientation, FG_TOOL
    FSet FM1.CoordinateSystem, FCS1
    FSet FM1.LPF_Enabled, True, True, True, True, True, True
    FSet FM1.LPF_TimeConstants, 0.02, 0.02, 0.02, 0.02, 0.02, 0.02
    FSet FM1.PeakForceClear, True, True, True, True, True, True
    Wait 10
    FGet FM1.PeakForces, myPeakForces()
    Print myPeakForces (FG_TX), myPeakForces (FG_TY), myPeakForces
(FG_TZ)
End

```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#

## Mass Property

### Application

Mass Property Object MP#

### Comments

This sets or returns the value for the robot hand and workpiece/payload.

### Immediate Execution

No

### Usage

**MPGet** *Object.Mass, rVar*

**MPSet** *Object.Mass, rValue*

**Object** Object name, or string variable defining the object name  
The object is specified as either of MP (numerical value) or MP (Label).

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

rValue (Unit: [kg])

	Values
Minimum	0
Maximum	Robot's maximum load capacity×1.5

Default: 0

### Detailed Explanation

Sets or returns the value of the overall weight of the robot hand and workpiece/payload at the leading end side from the force sensor (not including the force sensor).

Mass Property Object is used to compensate for the effects of gravity on the force function.

### Usage Example

This example carries out a motion using the force control function after setting the Mass Property Object.

```
Function GetPeakForces
  MPSet MP1.GravityCenter, 10, 10, 100
  MPSet MP1.Mass, 2
  MP 1
  Move CurPos +TLW(10) FC1 ROT
Fend
```

### See Also

Mass Property Object MP#

## MeasuredHeight Result

### Description

Returns the distance traveled or the end point when executing the height detection sequence.

### Usage

**FGGet** *Sequence.Object.EndPos*, *rVar*

*Sequence*      Force guide sequence name or string variable representing force guide sequence name

*Object*          Force guide object name or string variable representing force guide object name

*rVar*            Real variable that shows a returned value

### Detailed Explanation

Returns the distance traveled or the end point when executing the height detection sequence.

If the ForceOrient property is set to “Tool” for the height detection sequence, this returns the distance traveled in the direction of detection from the motion start position to the motion end position for the height detection object.

If the ForceOrient property is set to “Base” or “Local” for the height detection sequence, this is the position in the direction of detection set by the ContactOrient property for the height detection object as viewed from the coordinate system set by the ForceOrient property.

### Usage Example

This is an example of a simple program used to acquire results with FGGet.

```
Function MeasuredHeightTest

    Real rVar
    Motor On

    FGRun Sequence1
    FGGet Sequence1.MeasuredHeight, rVar   ' Acquire EndPos
    Print rVar

End
```

### See Also

FGGet, height detection sequence

## Model Property

### Application

Force Sensor Object FS#

### Comments

Returns the model name of the force sensor.

### Immediate Execution

No

### Usage

**FGet** *Object.Model*, *sVar*\$

*Object*      Object name, or string variable defining the object name  
                 The object is specified as FS (numerical value).

*sVar*\$        String variable defining the property value

### Detailed Explanation

This property is used when confirming the model name of the force sensor.

### Usage Example

This example confirms the model name for force sensor 1.

```
Function Test_Model
    String model$
    FGet FS1.Model, model$
    Print model$
End
```

### See Also

Force Sensor Object FS#

## MotionLimited Status

### Application

Force Control Object FC#

### Comments

This returns which of the following velocity or acceleration limits limited the velocity or acceleration of the motion which was just carried out with force control active.

- Maximum joint velocity
- Maximum joint acceleration
- Maximum tool position modification velocity
- Maximum tool position modification acceleration
- Maximum tool orientation modification velocity
- Maximum tool orientation modification acceleration

### Usage

**FGet** *Object.MotionLimited, iVar*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

*iVar*          A variable defining the value of the property of the Int32 or Int64 type

### Values

Bit	Results
0	Maximum tool position modification velocity
1	Maximum tool position modification acceleration
2	Maximum tool orientation modification velocity
3	Maximum tool orientation modification acceleration
4	J1 Maximum joint velocity
5	J1 Maximum joint acceleration
6	J2 Maximum joint velocity
7	J2 Maximum joint acceleration
8	J3 Maximum joint velocity
9	J3 Maximum joint acceleration
10	J4 Maximum joint velocity
11	J4 Maximum joint acceleration
12	J5 Maximum joint velocity
13	J5 Maximum joint acceleration
14	J6 Maximum joint velocity
15	J6 Maximum joint acceleration

The value of each Bit

0: No limitation

1: With limitation

## Detailed Explanation

This returns which of the following velocity or acceleration limits limited the velocity or acceleration of the motion which was just carried out with force control active.

- Maximum joint velocity
- Maximum joint acceleration
- Maximum tool position modification velocity
- Maximum tool position modification acceleration
- Maximum tool orientation modification velocity
- Maximum tool orientation modification acceleration

Any item which limited the motion while force control was active even once will become a “1.”

This is used for processing or branching based on whether a motion was limited.

MotionLimited status returns a value of 0 to 65535 (hexadecimal FFFF). Because of this, the range that can be handled with an Integer type can be exceeded. Use Int32 or Int64 type variables.

## Usage Example

This is an example of branch-processing depending on whether the Move motion was limited or not.

```
Function motionLimitedTest
  Int64 Result
  FSet FCS1.Orientation, FG_TOOL      ' Sets the force coordinate data

  FSet FC1.CoordinateSystem, FCS1     ' Specifies the force coordinate data
  FSet FC1.Fx_Spring, 0                ' Sets the virtual Fx coefficient of elasticity
  FSet FC1.Fx_Damper, 1               ' Sets the virtual Fx coefficient of viscosity
  FSet FC1.Fx_Mass, 10                 ' Sets the virtual Fx coefficient of inertia
  FSet FC1.Fx_Enabled, True            ' Sets the Fx force control to active
  FSet FC1.LimitAccelS, 5              ' Sets the maximum joint acceleration to 5[mm/sec²]
  AccelS 2                            ' Sets the maximum CP motion acceleration to 2[mm/sec²]

  Move P0 FC1                         ' A Move motion with force control active
  FGet FC1.MotionLimited, Result      ' Acquires limit result

  If Result <> 0 Then                  ' When the motion is limited
    -
    -
    -
  EndIf
  -
  -
  -

Fend
```

## See Also

Force Control Object FC#, LimitSpeedSRJ Property, LimitAccelSRJ Property

## Move Statement

### Comments

Carries out a linear interpolation motion with the force control function active.

### Usage

**Move** *P#* [*FC#*] [*ROT*] [*CF*] [*CP*] [*Till* | *Find*] [*!parallel processing!*] [*SYNC*]

*P#* Specifies the point data defining the target position of the motion.

*FC#* Specifies the force control object.

*CF* Continues the force control function. Can be omitted.

### Detailed Explanation

By adding, as a parameter, a force control object to an ordinary Move command, a Move motion is carried out with force control active. There are instances wherein the same path is not necessarily traced as a result of the exact same command due to the path changing according to the force during the motion, and the motion may stop at a position different than the target position.

The Force Control Function operates in accordance with each of the properties for the Force Control Object. Execute after confirming each of the properties for the Force Control Object.

The velocity and acceleration of the Force Control Object is limited by the LimitSpeed and LimitAccel during the operation of the force control function. Refer to the appropriate item for the all property details.

By adding CF parameter, it is possible to continue the force control function up to the next motion. By doing this, the robot proceeds to the next statement at the point the Move motion is completed, as it would ordinarily do, but the robot continues with the force control function still active. In addition, when adding a CP parameter, you then must add a CF parameter. When a CP parameter is added, continued force control function accompanies the normal path motion.

Also, the continuation of the force control by virtue of the CF parameter brings with it the following limitations on the modification of the Force Control Object.

Property name	Pre-motion parameter	Post-motion parameter	Modification advisable?
Enabled	False	True	OK
	True	False	NG
LimitAccel	Low	High	OK
	High	Low	NG
LimitSpeed	Low	High	OK
	High	Low	NG
TargetForcePriorityMode	False	True	NG
	True	False	NG
CoordinateSystem	FCSX	FCSX	OK
	FCSX	FCSY	NG

Moreover, when a CF parameter is added, a normal motion cannot be executed immediately thereafter. When desiring to execute a normal motion command after the force control function has been activated, either do not add a CF parameter or execute an FCEnd statement to inactivate the force control function.

In the same manner as an ordinary motion, when adding a Till qualifier, the movement can be terminated by certain conditions. For details on a Till qualifier, refer to the following manual and Force Trigger Object sections.

*EPSON RC+ 7.0 SPEL+ Language Reference*

*Till*



While force control is operating, Till will cause the force control function to decrease the velocity after the normal motion has been stopped. In addition, when a CF parameter is added, the motion command can be stopped, but the force control function continues. When desiring to stop the force control function as well, either do not add a CF parameter or execute an FCEnd statement.

When the motion is paused while force control is operating, the force control function cannot be re-started. Execute the next motion after the current motion has been completed.

The following commands cannot be used while the force command function is operating. Execute the following commands after executing an FCEnd statement and the force command function has ended.

Arm	Calib	Elbow	J1Angle	Local	Power	TLClr	WaitPos
ArmClr	CP	Encreset	J1Flag	LocalClr	PTPTime	TLSet	Where
ArmSet	ECP	Hand	J2Flag	Mcal	SFree	Tool	Wrist
Base	ECPClr	Here	J4Flag	Motor			
Brake	ECPSet	Home	J6Flag				

For SCARA robots (including RS series), the force control function cannot be executed in the following cases regardless of the FCS object settings referred by the FC object.

- When the V or W parameter for the base coordinate system or the selected tool coordinate system is other than 0.
- When Tx\_Enabled or Ty\_Enabled property for the FC object is True.

The force control function cannot be executed in the following cases when the Local coordinate system is specified for the Orientation property of the FCS object which is referred by the FC object.

- When the V or W parameter for the local coordinate system with the number which is referred by the FCS object is other than 0.

The force control function cannot be executed in the following cases when the Custom coordinate system is specified for the Orientation property of the FCS object which is referred by the FC object.

- When the V or W parameter for the Orientation property is other than 0.

The force control function cannot be executed for other than SCARA (including RS series) and 6-axis robots (including N series).


## Force Control and trajectories

### Use Move with FC

When a CF parameter and a CP parameter are not added, the robot is positioned each time the motion command is completed. In the subsequent command, a trajectory from the current position to the target position will be planned.

The figure below shows the motion trajectories when the following program is executed.

```
Move P1 FC1
Move P2 FC1
```



In the first Move, a trajectory from the initial position P0 to the target position P1 is planned (dotted line), and then the robot starts motion.

At this point, the robot moves to P1' because the path is corrected by the force control. (Solid line)

The robot is positioned at P1' and then stops.


In the second Move, a trajectory from P1' (where the robot is positioned) to P2 is planned (dotted line), but the robot moves to P2' because the path is corrected by the force control like the first Move. (Solid line)

### Use Move with FC and Till

The figure below shows the motion trajectories when the following program which uses Till is executed.

```
Move P1 FC1 Till
```

```
Move P2 FC1
```



In the first Move, a trajectory from the initial position P0 to the target position P1 is planned (dotted line), and then the robot starts motion.

At this point, the robot moves toward P1' because the path is corrected by the force control. (Solid line)

If the Till conditions are met during the motion, the robot will be stopped and positioned at P1' instead of P1'' on the planned trajectory because of correction by the force control.

In the second Move, a trajectory from P1' (where the robot is positioned) to P2 is planned (dotted line), but the robot moves to P2' because the path is corrected by the force control like the first Move. (Solid line)

If the Till conditions are not met during the first Move motion, the robot moves in the same way as described in "Use Move with FC".

### Use Move with FC and CF


When a CF parameter is added, the force control continues and the robot is not positioned even when a motion command is completed.

In the subsequent command, a trajectory is planned based on the initially planned target position and the subsequent target position.

The figure below shows the motion trajectories when the following program is executed.

```
Move P1 FC1 CF
```

```
Move P2 FC1
```



In the first Move, a trajectory from the initial position P0 to the target position P1 is planned (dotted line), and then the robot starts motion.

At this point, the robot moves to P1' because the path is corrected by the force control. (Solid line)

Since the CF parameter is added, the robot is not positioned and the force control continues.


In the second Move, a trajectory from the target position of the first Move, P1, to P2 is planned. (Dotted line)  
Then, the robot moves toward the position which considers the relative displacement amount from the current position P1'. (Dotted line)

At this point, the robot moves to P2' because the path is corrected by the force control function like the first Move. (Solid line)

### Use Move with FC, CF, and Till

The figure below shows the motion trajectories when the following program is executed.

```
Move P1 FC1 CF Till
Move P2 FC1
```



In the first Move, a trajectory from the initial position P0 to the target position P1 is planned (dashed line), and then the robot start motion.

At this point, the robot moves to P1' because the path is corrected by the force control. (Solid line)

If the Till conditions are met during the motion, the robot stops motion toward the planned trajectory. (P1'')

Since the CF parameter is added, the robot is not positioned and the force control continues.


In the second Move, a trajectory from P1'' (stop position on the trajectory planned for the first Move) to P2 is planned (dashed line). Then, the robot moves toward the position which considers the relative displacement amount from the current position P1'. (Dashed line)

At this point, the robot moves to P2' because the path is corrected by the force control like the first Move. (Solid line)

By using the RefPos property, the current position on the planned trajectory and actual current position can be acquired. However, if the force control is continued by the CF parameter, the actual position keeps changing. By using this, the amount of relative displacement can be specified after motion stops by Till.

The figure below shows the motion trajectories when the following program is executed.

```
Move P1 FC1 CF Till
FGet Robot.RefPos, P2, P3
Move P3 +X(100) FC1
```



The stop position P1'' on the planned trajectory at the time of motion stop by Till will be P3.

The amount of relative displacement as position control can be specified based on P3.


### Use Move with FC, CF, and CP

When a CF parameter is added, the force control continues and the robot is not positioned even when a motion command is completed.

In the subsequent command, a trajectory is planned based on the initially planned target position and the subsequent target position. Also, when a CP parameter is added, the control goes to next statement at the same time as deceleration for the motion command starts. By using this, several consecutive motions can be connected.

The figure below shows the motion trajectories when the following program is executed.

```
Move P1 FC1 CF CP
Move P2 FC1
```



In the first Move, a trajectory from the initial position P0 to the target position P1 is planned (dashed line), and then the robot starts motion.

At this point, the robot moves to P1' because the path is corrected by the force control. (Solid line)

When deceleration starts in the planned trajectory (P1''), the second Move plans a trajectory between P1 (the target position of the first Move) and P2, and then combine it to the planned trajectory of the first Move. (Curved dashed line)

The robot starts motion toward the position which considers the relative displacement amount from the current position P1'. (Dashed line)

At this time, the robot moves to P2' because the path is corrected continuously by the force control. (Solid line)

### Use Move with FC, CF, CP, and Till

When the force control objects, CF parameter, CP parameter and Till qualifier are used together, the robot moves as below.

```
Move P1 FC1 CF CP Till
Move P2 FC1
```

If the Till conditions are met before the first Move starts deceleration, the robot moves in the same way as described in "Use Move with FC, CF, and Till".

If the Till conditions are not met before the first Move starts deceleration, the robot moves in the same way as described in "Use Move with FC, CF, and CP". Since the next motion command is executed at the same time as the start of deceleration, conditional judgement for Till is also completed simultaneously.

## Usage Example

This is a simple programming example of a executing a Move motion with force control active.

This example executes a Move motion with force control active in the X axis direction of the tool's coordinate system.

```
Function ForceMoveTest
    FSet FCS1.Orientation, FG_TOOL          ' Sets the force coordinate data

    FSet FC1.CoordinateSystem, FCS1        ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0                  ' Sets virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1                  ' Sets virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10                   ' Sets virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True              ' Activates Fx force control function

    Move P0 FC1                            ' Move motion with force control active
Fend
```

Next is an example of a program using a CF parameter.

In this example, Force Control Object FC1 is used to execute the force control function while moving from the current position to P0 and then to P1. The force control function will be terminated at the completion of the movement. After that, the movement will proceed to P2 and then to P3 using Force Control Object FC2 to execute the force control function. When the movement to P3 has been completed, the force control function will remain active due to the CF parameter, but the force control function will be terminated via that FCEnd statement. Following that, Force Control Object FC3 is used to continue the force control until 5 seconds have passed after arriving at P4. In order to maintain the active state of the force control function for a certain amount of time following a movement, use the FCKeep statement.

For details on FCKeep and FCend, please refer to the details for each statement.

```
Function ForceMoveCFTest
    Move P0 FC1 CF
    Move P1 FC1

    Move P2 FC2 CF
    Move P3 FC2 CF
    FCend

    Move P4 FC3 CF
    FCKeep FC3, 5
Fend
```

Next is an example of a program using a Till qualifier.

Establish Force Trigger Object FT1 for Till, and add a Till qualifier to the Move motion command with force control active. When Till becomes active during the movement to P1, the Move motion and the force control function are terminated and the robot stops. The same thing happens during the movement to P2. When Till becomes active on the way to P3, the Move motion is terminated due to the addition of the CF parameter, but the force control function remains active. For that reason the robot does not stop. After that, the movement progresses to P4 with the force control function remaining active.

```
Function ForceMoveTillTest
  Till FT1
  Move P1 FC1 Till      ' Both the motion and the force control function are terminated
  Move P2 FC2 Till      ' Both the motion and the force control function are terminated

  Move P3 FC3 CF Till    ' The motion is terminated, but the force control function
continues
  Move P4 FC3
Fend
```

### See Also

Move, Force Control Object FC#, Force Trigger Object FT#, Till, FCKeep, FCEnd

## MP Statement

### Application

Mass Property Object MP#

### Comments

This sets or returns the value of the Mass Property used with gravity compensation.

### Immediate Execution

Yes

### Usage

**MP** [*iValue*]

*iValue*            A number defining the new Mass Property

### Detailed Explanation

This sets or returns the value of the Mass Property used with gravity compensation. With no argument, the current number will be displayed in the command window or run window. The argument can be set to 0 to 15. 0 is the setting to stop gravity compensation.

When the Mass Property is changed, execute the Reset Property.

### See Also

Mass Property Object MP#

## MPDef Function

### Application

Mass Property Object MP#

### Comments

This returns whether the Mass Property Object is defined or not.

### Usage

**MPDef**(*Object*)

*Object*            Mass Property Object name or string variable defining the Mass Property Object name  
Mass Property Object is specified as either of MP (numerical value) or MP (label).

### Return Values

“True” if the specified force object is defined, “False” if undefined.

### Detailed Explanation

This returns whether the specified Mass Property Object is defined or not.

### Usage Example

This is an example of displaying that the Mass Property Object is defined.

```
Function main
  If MPDef(MP9) Then
    Print "MP9 is defined"
  EndIf
Fend
```

### See Also

Mass Property Object MP#



## MPDel Statement

### Application

Mass Property Object MP#

### Comments

This deletes the specified Mass Property Object.

### Immediate Execution

Yes

### Usage

**MPDel** *Object1* [, *Object2*]

*Object1*     The Mass Property Object starting the object data range to be deleted or a string variable defining the Mass Property Object.

*Object2*     The Mass Property Object ending the object data range to be deleted or a string variable defining the Mass Property Object.

### Detailed Explanation

This is used to delete the specified Mass Property Object while the program is being executed. The object data from the start object parameter to the end object parameter is deleted. The start object and the end object must be a Mass Property Object. Moreover, make the number of the start object smaller than the number of the end object. No error occurs when the object is not defined.

### Usage Example

This is an example of deleting the Mass Property Object.

```
> MPDel MP1           ' Deletes Mass Property Object 1
> MPDel MP2, MP10      ' Deletes Mass Property Object 2 through 10
```

### See Also

Mass Property Object MP#

## MPGet Statement

### Application

Mass Property Object MP#

### Comments

This is used when obtaining the value of the properties of the Mass Property Object.

### Usage

**MPGet** *Object.Property, Var*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of MP (numerical value) or MP (Label).

*Property*    The name of the property for which the value is to be acquired

*Var*          The variable which expresses the returned value  
The numbers and format differ according to the property.

### Detailed Explanation

This is used when obtaining the value of the properties of the Mass Property Object.

### Usage Example

This example sets the values of the Mass Property Object, acquires those values, and then displays them.

```
Function MPTest

    Integer iVar
    String sVar$

    ' The setting of each property
    MPSet MP1.Label, "MP1_Label"
    MPSet MP1.Description, "MP1_Description"
    MPSet MP1.Mass, 1
    MPSet MP1.GravityCenter, 0, 0, 100

    ' Acquiring the numbers
    MPGet MP(MP1_Label).Number, iVar
    Print iVar
    ' Acquiring the labels
    MPGet MP((iVar)).Label, sVar$
    Print sVar$
End
```

### See Also

FSet

## MPLabel\$ Function

### Application

Mass Property Object MP#

### Comments

Returns the Mass Property Object label.

### Usage

**MPLabel\$(Object)**

*Object*     The Mass Property Object name or a string variable defining the Mass Property Object name  
Mass Property Object is specified as either of MP (numerical value) or MP (label).

### Return Values

Detailed Explanation

### Detailed Explanation

Returns the Mass Property Object label.

### Usage Example

This example sets the Mass Property Object label and displays it.

```
> MPSet MP1.Label, "Label1"  
> Print MPLabel$(MP1)  
Label1
```

### See Also

Label Property, Mass Property Object MP#

## MPList Statement

### Application

Mass Property Object MP#

### Comments

Displays a list of Mass Property Objects.

### Immediate Execution

Yes

### Usage

**MPList** *Object1* [, [*Object2*]]

*Object1*     The Mass Property Object name starting the object data range to be listed, or a string variable defining the Mass Property Object name.

*Object2*     The Mass Property Object name ending the object data range to be listed, or a string variable defining the Mass Property Object name.

### Detailed Explanation

The defined object data from the specified start object to the specified end object is displayed in the Command window or Run window.

When “,” and the end object are omitted, only the start object is displayed, and when “,” is used and the end object is omitted, all objects from the start object on are displayed.

The output format for each line is the same format as the parameter for the MPSet Statement.

#### *Object.Property, Values*

*Object*       Object name

*Property*     Property name

*Values*       The number or format expressing the value depends on the property

### Usage Example

This example lists the Mass Property Object data.

```
> MPList MP1
MP1.Label, "Label1"
MP1.Mass, 0
MP1.GravityCenter, 0, 0, 0
MP1.Inertia, 0
MP1.Description, ""
```

### See Also

Mass Property Object MP#

## MPNumber Function

### Application

Mass Property Object MP#

### Comments

Returns the Mass Property Object number matching the specified Mass Property Object label.

### Usage

#### **MPNumber(Object)**

*Object*     The Mass Property Object name or string variable defining the Mass Property Object name  
Mass Property Object is specified as MP (label).

### Return Values

Integers

### Detailed Explanation

Returns the Mass Property Object number matching the specified Mass Property Object label.  
An error occurs when there is not matching object.

### Usage Example

This example specifies the label for the Mass Property Object, then acquires the number from the label.

```
> MPSet MP1.Label, "Label1"  
> Print MPNumber (MP (Label1) )  
1
```

### See Also

Mass Property Object MP#

## MPSet Statement

### Application

Mass Property Object MP#

### Comments

Used when setting the Mass Property Object value.

### Usage

**MPSet** *Object.Property, Values*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of MP (numerical value) or MP (Label).

*Property*    Property name defining the new value

*Values*      Parameter  
The numbers and format differ according to the property.

### Detailed Explanation

This is used for setting the properties of Mass Property Objects.

### Usage Example

This example sets the value of the Mass Property Object, then acquires that value and displays it.

```
Function MPTest

    Integer iVar
    String sVar$

    'Set each property
    MPSet MP1.Label, "MP1_Label"
    MPSet MP1.Description, "MP1_Description"
    MPSet MP1.Mass, 1
    MPSet MP1.GravityCenter, 0, 0, 100

    'Acquires the number
    MPGet MP(MP1_Label).Number, iVar
    Print iVar

    'Acquires the label
    MPGet MP((iVar)).Label, sVar$
    Print sVar$

End
```

### See Also

FGet, FSave, ForceObject

## Number Property

### Application

Force Control Object FC#, Force Coordinate System Object FCS#,  
Force Trigger Object FT#, Force Monitor Object FM#,  
Force Motion Restriction Object FMR#, Mass Property Object MP#

### Comments

This references the number of the object by type.

### Immediate Execution

No

### Usage

**FGet** *Object.Number, Var*

**MPGet** *MPObject.Number, Var*

**Object** The force object name, or string variable defining the name of the object  
The force object is specified as FC (label), FCS (label) FT (label), FM (label) or FMR (label).

**MPObject** Mass Property Object name, or string variable defining the name of the Mass Property Object.  
The Mass Property Object is specified as MP (label).

**Var** A real number variable defining the value of the property

### Detailed Explanation

This references the number of the object by type. This cannot be set.

This differs from the specifying of other properties and objects. Other properties can be specified by number and label. For Number Property, objects are specified by label only.

### See Also

Force Control Object FC#, Force Coordinate System Object FCS#,  
Force Trigger Object FT#, Force Monitor Object FM#,  
Force Motion Restriction Object FMR#, Mass Property Object MP#

## Operator Property

### Application

Force Trigger Object FT#, Force Motion Restriction Object FMR#

### Comments

This sets or returns the trigger conditions for Force Trigger Objects or Force Motion Restriction objects.

### Immediate Execution

No

### Usage

**FGet** *Object.Operator, iVar*

**FSet** *Object.Operator, iValue*

**Object** An object or a string variable defining the name of the object  
The object is specified as either of FT (numerical value), FMR (numerical value), FT (label) or FMR (label).

**iVar** An integer variable defining the value of the property

**iValue** An integer value or formula defining the new value of the property.

### Values

*iValue*

Name of Constants	Values	Description
FG_OR	0	OR condition (default)
FG_AND	1	AND condition

### Detailed Explanation

When OR conditions are selected, the trigger is pulled when any one of the conditions active in the XX\_Enabled Property is met.

When AND conditions are selected, the trigger is pulled when all of the conditions active in the XX\_Enabled Property are met.

### Usage Example

This is an example of a program where the force trigger is pulled when the X axis and Y axis conditions are met.

```
Function Test_Operator
  Integer iVar
  FSet FT1.Fx_Enabled, True      ' Activates X axis
  FSet FT1.Fy_Enabled, True      ' Activates Y axis
  FSet FT1.Operator, FG_AND      ' Sets the trigger condition to an AND condition
  FGet FT1.Operator, iVar        ' Confirms the current trigger conditions
  Print iVar
Fend
```

### See Also

Force Trigger Object FT#, Force Motion Restriction Object FMR#



## Orientation Property

### Application

Force Coordinate System Object FCS#

### Comments

This sets or returns the orientation of the coordinate axis in the force coordinate system.

The local coordinate system number is only set when Local is selected for the coordinate axis.

u, v, and w can be set only when “Custom” is selected for the coordinate axis.

### Immediate Execution

No

### Usage

**FGet** *Object.Orientation*, rArray()

**FSet** *Object.Orientation*, iValue

**FSet** *Object.Orientation*, iValue, iValueL

**FSet** *Object.Orientation*, iValue, rValueU, rValueV, rValueW

**Object** Object name, or string variable defining the object name  
The object is specified as either of FCS (numerical value) or FCS (label).

**rArray()** The maximum number of elements to define the value of the property is an array of 6 or more real number variables

**iValue** A real number or formula defining the new value of the property

**iValueL** A real number or formula defining the new value of the property

**rValueU** A real number or formula defining the new value of the property

**rValueV** A real number or formula defining the new value of the property

**rValueW** A real number or formula defining the new value of the property

### Values

rArray

Element number	Element number constant	Description
0	FG_CRD_SYS	Coordinate system
1	FG_LOCAL_NO	Local coordinate number
2	-	-
3	FG_U	The relative FG_CUSTOM orientation for the U axis rotation amount
4	FG_V	The relative FG_CUSTOM orientation for the V axis rotation amount
5	FG_W	The relative FG_CUSTOM orientation for the W axis rotation amount

iValue

Name of Constants	Values	Description
FG_BASE	0	Defines the direction of the base coordinate system
FG_LOCAL	1	Defines the direction of the local coordinate system
FG_TOOL	2 (default)	Defines the direction of the tool coordinate system
FG_CUSTOM	3	Defines the direction of the custom coordinate system

iValueL

	Values
Minimum	0
Maximum	15

Default: 0

rValueU, rValueV, rValueW

	Values
Minimum	-360
Maximum	360

Default: 0

### Detailed Explanation

Sets or returns the orientation of the force coordinate coordinate-axis.

The first argument, “iValue”, sets the coordinate system.

- FG\_BASE : The direction of the axis for the base coordinate system is set in the force coordinate system.
- FG\_LOCAL : The direction of the axis for the local coordinate system is set in the force coordinate system.  
In this case, the number for the local coordinate system is set as the second argument.
- FG\_TOOL : The direction of the axis for the tool coordinate system is set in the force coordinate system.
- FG\_CUSTOM : The direction of the axis for the coordinate system set off of the tool coordinate system as the datum is set in the force coordinate system.  
The relative orientation modification amount for U, V, and W axes from the tool coordinate system are set for the 2nd to 4th arguments.

FG\_BASE and FG\_LOCAL become the stationary coordinate systems for the direction of the axes during motions.

FG\_TOOL and FG\_CUSTOM become dynamic coordinate systems for robot orientation modification as well as for the direction of the axes during motion.

The datum for all coordinate system is the coordinate system used when using the force control function, the force trigger function, or force monitor function.

After setting the Orientation property, should the coordinate system serving as the datum for the Base, Local, and Tool statements be changed, the coordinate system established when setting the Orientation property is not used, but the coordinate system used when using the force function is applied.

### Usage Example

This example sets the origin and coordinate axes for force coordinate 1, then sets force coordinate 1 as the Force Monitor Object, and acquires the force data.

```
Function GetForces
  Real myForces(8)
  FSet FCS1.Position, 0, 0, 100
  FSet FCS1.Orientation, FG_TOOL
  FSet FM1.CoordinateSystem, FCS1
  FGet FM1.Forces, myForces()
  Print myForces(FG_TX), myForces(FG_TY), myForces(FG_TZ)
Fend
```

### See Also

Force Coordinate System Object FCS#

## PeakForceClear Property

### Application

Force Monitor Object FM#

### Comments

This activates/inactivates the force and torque peak value calculations at the same time.

### Immediate Execution

Yes

### Usage

**FSet** *Object*.**PeakForceClear**, *bValueFx*, *bValueFy*, *bValueFz*, *bValueTx*, *bValueTy*, *bValueTz*  
[, *bValueFmag*, *bValueTmag*]

*Object*            Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*bValueFx*        A Boolean value or formula defining the new value of the property

*bValueFy*        A Boolean value or formula defining the new value of the property

*bValueFz*        A Boolean value or formula defining the new value of the property

*bValueTx*        A Boolean value or formula defining the new value of the property

*bValueTy*        A Boolean value or formula defining the new value of the property

*bValueTz*        A Boolean value or formula defining the new value of the property

*bValueFmag*    A Boolean value or formula defining the new value of the property

*bValueTmag*    A Boolean value or formula defining the new value of the property

### Values

*bValueFx*, *bValueFy*, *bValueFz*, *bValueTx*, *bValueTy*, *bValueTz*, *bValueFmag*, *bValueTmag*

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

PeakForces activates/inactivates the force and torque peak value calculations at the same time.

Be sure to execute PeakForceClear before executing PeakForces.

### Usage Example

This example returns the value of the peak force in the Fx direction.

```
Function CheckPeakForces
    Double PF(7)
    FSet FC1.Enabled, True, False, False, False, False, False
    FSet FC1.TargetForces, 10, 0, 0, 0, 0, 0
    FSet FS1.Reset
    FSet FM1.CoordinateSystem, FCS0
    FSet FM1.PeakForceClear, True, False, False, False, False,
                                False, False, False
    FCKeep FC1, 10
    FGet FM1.PeakForces, PF()
    Print PF(FG_FX)
Fend
```

### See Also

Force Monitor Object FM#

## PeakForces Status

### Application

Force Monitor Object FM#

### Comments

Returns the values of peak / minimum / maximum force and torque simultaneously. The minimum values and the maximum values can be omitted.

### Usage

**FGet** *Object*.PeakForces, rArrayPeak()

**FGet** *Object*.PeakForces, rArrayPeak(), rArrayMin(), rArrayMax()

*Object* Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*rArrayPeak()* The number of elements defining the value of the property is an array of 6 or more real number variables

*rArrayMin()* The number of elements defining the value of the property is an array of 6 or more real number variables

*rArrayMax()* The number of elements defining the value of the property is an array of 6 or more real number variables

### Values

rArrayPeak()

Element number	Element number constant	Description
0	FG_FX	Acquires the value of peak Fx force.
1	FG_FY	Acquires the value of peak Fy force.
2	FG_FZ	Acquires the value of peak Fz force.
3	FG_TX	Acquires the value of peak Tx torque.
4	FG_TY	Acquires the value of peak Ty torque.
5	FG_TZ	Acquires the value of peak Tz torque.
6	FG_FMAG	Acquires the value of peak Fmag resultant force.
7	FG_TMAG	Acquires the value of peak Tmag resultant torque.

rArrayMin()

Element number	Element number constant	Description
0	FG_FX	Acquires the value of minimum Fx force.
1	FG_FY	Acquires the value of minimum Fy force.
2	FG_FZ	Acquires the value of minimum Fz force.
3	FG_TX	Acquires the value of minimum Tx torque.
4	FG_TY	Acquires the value of minimum Ty torque.
5	FG_TZ	Acquires the value of minimum Tz torque.
6	FG_FMAG	Acquires the value of minimum Fmag resultant force.
7	FG_TMAG	Acquires the value of minimum Tmag resultant torque.

**rArrayMax()**

Element number	Element number constant	Description
0	FG_FX	Acquires the value of maximum Fx force.
1	FG_FY	Acquires the value of maximum Fy force.
2	FG_FZ	Acquires the value of maximum Fz force.
3	FG_TX	Acquires the value of maximum Tx torque.
4	FG_TY	Acquires the value of maximum Ty torque.
5	FG_TZ	Acquires the value of maximum Tz torque.
6	FG_FMAG	Acquires the value of maximum Fmag resultant force.
7	FG_TMAG	Acquires the value of maximum Tmag resultant torque.

Note: When the number of elements is an array of 6 or 7, the element numbers acquired are 0 to 5.

**Detailed Explanation**

PeakForces returns values of peak / minimum / maximum force and torque simultaneously while executing PeakForceClear and then PeakForces. The peak values are the maximum absolute value with a sign. The minimum and the maximum values include a sign.

Be sure to execute PeakForceClear before executing PeakForces.

**Usage Example**

This example returns the value of the peak force in the Fx direction.

```
Function CheckPeakForces
    Double PF(7)
    FSet FC1.Enabled, True, False, False, False, False, False
    FSet FC1.TargetForces, 10, 0, 0, 0, 0, 0
    FSet FS1.Reset
    FSet FM1.CoordinateSystem, FCS0
    FSet FM1.PeakForceClear, True, False, False, False, False,
                                False, False, False
    FCKeep FC1, 10
    FGet FM1.PeakForces, PF()
    Print PF(FG_FX)
Fend
```

**See Also**

Force Monitor Object FM#

## PeakForces Result

### Comments

Returns the peak values of force and torque during execution of a force guide object or force guide sequence.

### Usage

**FGGet Sequence.PeakForces**, *rArray()*

**FGGet Sequence.Object.PeakForces**, *rArray()*

**Sequence** Force guide sequence name or string variable representing force guide sequence name

**Object** Force guide object name or string variable representing force guide object name.  
Omitted when a result of a force guide sequence is acquired.

**rArray** Real array variable with six or more elements showing returned values

### Values

*rArray()*

Element number	Element number constant	Description
0	FG_FX	Acquires the peak value of force in Fx direction during execution of a force guide sequence or force guide object.
1	FG_FY	Acquires the peak value of force in Fy direction during execution of a force guide sequence or force guide object.
2	FG_FZ	Acquires the peak value of force in Fz direction during execution of a force guide sequence or force guide object.
3	FG_TX	Acquires the peak value of torque in Tx direction during execution of a force guide sequence or force guide object.
4	FG_TY	Acquires the peak value of torque in Ty direction during execution of a force guide sequence or force guide object.
5	FG_TZ	Acquires the peak value of torque in Tz direction during execution of a force guide sequence or force guide object.

### Detailed Explanation

Returns the peak values of force and torque during execution of a force guide object or force guide sequence.

Peak value is the largest absolute value of the force and torque during execution of a force guide object or a force guide sequence.

If the number of elements in a specified array variable is less than six, returns force and torque in each direction for the defined element numbers. Also, if the number of elements in the array variable exceeds six, returns force and torque in each direction from element number 0 to 5, while making no change to element number 6 and above.



## Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function PeakForceTest
    Double dArray(6)

    Motor On

    FGRun Sequence1
    FGGet Sequence1.Contact01.PeakForces, dArray()    ' Acquisition of
PeakForces
    Print dArray(FG_FX)

End
```

## See Also

FGGet, GeneralPurpose sequence, Contact object, Relax object, FollowMove object, SurfaceAlign object, PressProbe object, ContactProbe object, Press object, PressMove object, Paste sequence, Paste object, ScrewTighten sequence, ScrewTighten object, Retighten object, HeightInspect sequence, HeightInspect object, Insert sequence, Insert object, TensileTest object

## Polarities Property

### Application

Force Trigger Object FT#

### Comments

This returns the status of or sets whether the force trigger is triggered for each axis by the value being either within the thresholds or outside of the thresholds.

### Immediate Execution

No

### Usage

**FGet** *Object.Polarities*, *iArray()*

**FSet** *Object.Polarities*, *iValueFx*, *iValueFy*, *iValueFz*, *iValueTx*, *iValueTy*, *iValueTz* [, *iValueFmag*, *iValueTmag*]

*Object* Object name, or string variable defining the object name  
The Object needs to be specified as either of FT (numerical value) or FT (label).

*iArray()* The number of elements defining the value of the property is an array of 6 or more real number variables

*iValueFy* An integer value or formula defining the new value of the property

*iValueFz* An integer value or formula defining the new value of the property

*iValueTx* An integer value or formula defining the new value of the property

*iValueTy* An integer value or formula defining the new value of the property

*iValueTz* An integer value or formula defining the new value of the property

*iValueFmag* An integer value or formula defining the new value of the property

*iValueTmag* An integer value or formula defining the new value of the property

### Values

*iArray()*

Element number	Element number constant	Description
0	FG_FX	Returns whether the Fx force trigger is triggered by values within or outside of the threshold values.
1	FG_FY	Returns whether the Fy force trigger is triggered by values within or outside of the threshold values.
2	FG_FZ	Returns whether the Fz force trigger is triggered by values within or outside of the threshold values.
3	FG_TX	Returns whether the Tx force trigger is triggered by values within or outside of the threshold values.
4	FG_TY	Returns whether the Ty force trigger is triggered by values within or outside of the threshold values.
5	FG_TZ	Returns whether the Tz force trigger is triggered by values within or outside of the threshold values.
6	FG_FMAG	Returns whether the Fmag resultant force trigger is triggered by values within or outside of the threshold values.

7	FG_TMAG	Returns whether the Tmag resultant torque trigger is triggered by values within or outside of the threshold values.
---	---------	---

Note: When the number of elements is an array of 6 or 7, the element numbers acquired are 0 to 5

iValueFx, iValueFy, iValueFz, iValueTx, iValueTy, iValueTz, iValueFmag, iValueTmag (Unit: Number)

Name of Constants	Values	Description
FG_OUT	0	Sets to active when over or under the upper and lower threshold values, respectively. (default)
FG_IN	1	Sets to active when within the upper threshold and lower threshold values.

### Detailed Explanation

Polarities returns the status of or sets whether the force trigger is triggered for each axis by the value being either within the thresholds or outside of the thresholds.

When setting the trigger for each axis at the same time, this allows one to set all of them with fewer lines than setting them 1 axis at a time.

### Usage Example

This example will generate an error and stop the robot if force, torque, resultant force or resultant torque is above the upper threshold or below the lower threshold.

```
Function SettingPolarities
    FSet FT1.Enabled, True, True, True, True, True, True, True, True
    FSet FT1.Polarities, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT,
        FG_OUT,FG_OUT, FG_OUT
    FSet FT1.LowerLevels, -50, -50, -50, -3000, -3000, -3000, 0, 0
    FSet FT1.UpperLevels, 50, 50, 50, 3000, 3000, 3000, 50, 3000
    Trap 1, FT1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Trigger Object FT#

## PosEnabled Property

### Application

Force Motion Restriction Object FMR#

### Comments

Activates/inactivates, or returns the force motion restriction function for each axis, movement distance and rotation angle collectively.

### Immediate Execution

No

### Usage

**FGet** *Object.PosEnabled, bArray()*

**FSet** *Object.PosEnabled, bValuePosX, bValuePosY, bValuePosZ, bValueDist, bValueRot*

*Object*      Object name or string variable defining object name  
The object is specified as either of FMR (numerical value) or FMR (label).

*bArray()*    The number of elements, which define the property values, is an array of 5 or more real numbers.

*bValuePosX*   A Boolean value or formula defining the new value of the property

*bValuePosY*   A Boolean value or formula defining the new value of the property

*bValuePosZ*   A Boolean value or formula defining the new value of the property

*bValueDist*    A Boolean value or formula defining the new value of the property

*bValueRot*     A Boolean value or formula defining the new value of the property

### Values

*bArray()* :

Element number	Element number constant	Description
0	FG_X	Set activates/inactivates X axis.
1	FG_Y	Set activates/inactivates Y axis.
2	FG_Z	Set activates/inactivates Z axis.
3	FG_Dist	Set activates/inactivates distance.
4	FG_Rot	Set activates/inactivates rotation angle.

*bValuePosX, bValuePosY, bValuePosZ, bValueDist, bValueRot*

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

Activates/inactivates, or returns the force motion restriction function for each axis, movement distance and rotation angle collectively.

### See Also

Force Motion Restriction Object FMR#

## Position Property

### Application

Force Coordinate System Object FCS#

### Comments

This sets the position of the origin in the force coordinate system for the selected tool coordinate system.

### Immediate Execution

No

### Usage

**FGet** *Object.Position*, *rArray()*

**FSet** *Object.Position*, *rValueX*, *rValueY*, *rValueZ*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FCS (numerical value) or FCS (label).

**rArray()** The number of elements defining the value of the property is an array of 3 or more real numbers

**rValueX** A real number or formula defining the new value of the property.

**rValueY** A real number or formula defining the new value of the property.

**rValueZ** A real number or formula defining the new value of the property.

### Values

*rArray()*

Element number	Element number constant	Description
0	FG_X	Acquires the position in the X direction of the force coordinate system for the selected tool coordinate system.
1	FG_Y	Acquires the position in the Y direction of the force coordinate system for the selected tool coordinate system.
2	FG_Z	Acquires the position in the Z direction of the force coordinate system for the selected tool coordinate system.

*rValueX*, *rValueY*, *rValueZ* (Unit: [mm])

	Values
Minimum	-2000
Maximum	2000

Default: 0

### Detailed Explanation

This sets the position of the force coordinate system in the tool coordinate system being used using the tool center point as the datum.

When the datum coordinate system is changed via the Tool or TLSet statements after the Position property are set, the coordinate system established when setting the Position property is not used, but the coordinate system used when using the force function is applied.

## Usage Example

This is an example of a simple motion program using Position.

```
Function PositonTest
    Double ForceValue(8)
    FSet FCS1.Position, 100, 0, 0      ' Sets the position
    FSet FCS1.Orientation, FG_TOOL      ' Sets the direction

    FSet FM1.CoordinateSystem, FCS1     ' Specifies the force coordinate data
    FSet FM1.ForceSensor, FS1           ' Sets the number of the force sensor to be
used

    Tool 1                              ' Selects Tool1
    FGet FM1.Forces, ForceValue()       ' Acquires sensor reading for the X:100
position                                of Tool1

    Tool 2                              ' Selects Tool2
    FGet FM1.Forces, ForceValue()       ' Acquires sensor reading for the X:100
position                                of Tool2

Fend
```

## See Also

Force Coordinate System Object FCS#

## PosLowerLevels Property

### Application

Force Motion Restriction Object FMR#

### Comments

This sets or returns the lower threshold value of position of each axis, movement distance and rotation angle at the same time.

### Immediate Execution

No

### Usage

**FGet** *Object.PosLowerLevels, rArray()*

**FSet** *Object.PosLowerLevels, rValuePosX, rValuePosY, rValuePosZ, rValueDist, rValueRot*

**Object** Object name, or string variable defining the object name  
The Object needs to be specified as either of FMR (numerical value) or FMR (label).

**rArray()** The number of elements defining the value of the property is an array of 5 or more real number variables

**rValuePosX** A real number or formula defining the new value of the property.

**rValuePosY** A real number or formula defining the new value of the property.

**rValuePosZ** A real number or formula defining the new value of the property.

**rValueDist** A real number or formula defining the new value of the property.

**rValueRot** A real number or formula defining the new value of the property.

### Values

*rArray()*

Element number	Element number constant	Description
0	FG_X	Acquires the lower threshold value for position of X axis.
1	FG_Y	Acquires the lower threshold value for position of Y axis.
2	FG_Z	Acquires the lower threshold value for position of Z axis.
3	FG_Dist	Acquires the lower threshold value for position of movement distance.
4	FG_Rot	Acquires the lower threshold value for position of rotation angle.

*rValuePosX, rValuePosY, rValuePosZ* (Unit: [mm])

	Values
Minimum	-20000 (default)
Maximum	20000

*rValueDist* (Unit: [mm])

	Values
Minimum	0 (default)
Maximum	20000

rValueRot (Unit: [Degree])

	Values
Minimum	0 (default)
Maximum	180

### Detailed Explanation

PosLowerLevels set or return the lower threshold value of position of each axis, movement distance and rotation angle at the same time.

Be sure that PosLowerLevels < PosUpperLevels.

Since lower threshold values for position of each axis, movement distance and rotation angle are set at one time, it can be done with fewer lines than setting them one axis at a time.

This is used for error checking and task completion conditions.

### Usage Example

This example generates an error and stops the robot if position, movement distance and rotation angle is less than the lower threshold value.

```
Function SettingLevels
    FSet FMR1.PosEnabled, True, True, True, True, True
    FSet FMR1.PosPolarities, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT
    FSet FMR1.PosLowerLevels, -100, -100, -100, 0, 0
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#



## PosPolarities Property

### Application

Force Motion Restriction Object FMR#

### Comments

This returns the status of or sets whether the force motion restriction is activated for position of each axis, movement distance and rotation angle by the value being either within the thresholds or outside of the thresholds.

### Immediate Execution

No

### Usage

**FGet** *Object.PosPolarities, iArray()*

**FSet** *Object.PosPolarities, iValuePosX, iValuePosY, iValuePosZ, iValueDist, iValueRot*

*Object*            Object name, or string variable defining the object name  
The Object needs to be specified as either of FMR (numerical value) or FMR (label).

*iArray()*            The number of elements defining the value of the property is an array of 5 or more real number variables

*iValuePosX*        An integer value or formula defining the new value of the property

*iValuePosY*        An integer value or formula defining the new value of the property

*iValueposZ*        An integer value or formula defining the new value of the property

*iValueDist*        An integer value or formula defining the new value of the property

*iValueRot*         An integer value or formula defining the new value of the property

### Values

*iArray()*

Element number	Element number constant	Description
0	FG_X	This returns the status of or sets whether the force motion restriction is activated for position of X axis by the value being either within the thresholds or outside of the thresholds.
1	FG_Y	This returns the status of or sets whether the force motion restriction is activated for position of Y axis by the value being either within the thresholds or outside of the thresholds.
2	FG_X	This returns the status of or sets whether the force motion restriction is activated for position of Z axis by the value being either within the thresholds or outside of the thresholds.
3	FG_Dist	This returns the status of or sets whether the force motion restriction is activated for position of movement distance by the value being either within the thresholds or outside of the thresholds.
4	FG_Rot	This returns the status of or sets whether the force motion restriction is activated for position of rotation angel by the value being either within the thresholds or outside of the thresholds.

iValuePosX, iValuePosY, iValuePosZ, iValueDist, iValueRot (Unit: Number)

Name of Constants	Values	Description
FG_OUT	0	Sets to active when over or under the upper and lower threshold values, respectively. (default)
FG_IN	1	Sets to active when within the upper threshold and lower threshold values.

### Detailed Explanation

PosPolarities return the status of or set whether the force motion restriction is activated for position of each axis, movement distance and rotation angle by the value being either within the thresholds or outside of the thresholds.

Since all force and torque lower threshold values for position of each axis, movement distance and rotation angel are set at one time, it can be done with fewer lines than setting them one axis at a time.

### Usage Example

This example generates an error and stops the robot if position, movement distance and rotation angle is more than the upper threshold value or less than the lower threshold value.

```
Function SettingPolarities
  FSet FMR1.PosEnabled, True, True, True, True, True
  FSet FMR1.PosPolarities, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT
  FSet FMR1.PosLowerLevels, -100, -100, -100, 0, 0
  FSet FMR1.PosUpperLevels, 100, 100, 100, 100, 100
  Trap 1, FMR1 Call ForceError
Fend

Function ForceError
  AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## PosUpperLevels Property

### Application

Force Motion Restriction Object FMR#

### Comments

This sets or returns the upper threshold value of position of each axis, movement distance and rotation angle at the same time.

### Immediate Execution

No

### Usage

**FGet** *Object.PosUpperLevels*, rArray()

**FSet** *Object.PosUpperLevels*, rValuePosX, rValuePosY, rValuePosZ, rValueDist, rValueRot

**Object** Object name, or string variable defining the object name  
The Object needs to be specified as either of FMR (numerical value) or FMR (label).

**rArray()** The number of elements defining the value of the property is an array of 5 or more real number variables

**rValuePosX** A real number or formula defining the new value of the property.

**rValuePosY** A real number or formula defining the new value of the property.

**rValuePosZ** A real number or formula defining the new value of the property.

**rValueDist** A real number or formula defining the new value of the property.

**rValueRot** A real number or formula defining the new value of the property.

### Values

rArray(

Element number	Element number constant	Description
0	FG_X	Acquires the upper threshold value for position of X axis.
1	FG_Y	Acquires the upper threshold value for position of Y axis.
2	FG_Z	Acquires the upper threshold value for position of Z axis.
3	FG_Dist	Acquires the upper threshold value for movement distance.
4	FG_Rot	Acquires the upper threshold value for rotation angel.

rValuePosX, rValuePosY, rValuePosZ (Unit: [mm])

	Values
Minimum	-2000
Maximum	2000 (default)

rValueDist (Unit: [mm])

	Values
Minimum	0
Maximum	2000 (default)

rValueRot (Unit: [Degree])

	Values
Minimum	0
Maximum	180 (default)

### Detailed Explanation

PosUpperLevels set or return the upper threshold value of position of each axis, movement distance and rotation angle at the same time.

Be sure that PosLowerLevels < PosUpperLevels.

Since all force and torque upper threshold values for position of each axis, movement distance and rotation angle are set at one time, it can be done with fewer lines than setting them one axis at a time.

This is used for error checking and task completion conditions.

### Usage Example

This example generates an error and stops the robot if position, movement distance and rotation angle is more than the upper threshold value.

```
Function SettingLevels
    FSet FMR1.PosEnabled, True, True, True, True, True
    FSet FMR1.PosPolarities, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT
    FSet FMR1.PosUpperLevels, 100, 100, 100, 100, 100
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## PosX\_Enabled, PosY\_Enabled, PosZ\_Enabled Property

### Application

Force Motion Restriction Object FMR#

### Comments

Independently activates/inactivates, or returns the force motion restriction function for position.

### Immediate Execution

No

### Usage

**FGet** *Object.XX\_Enabled, bVar*

**FSet** *Object.XX\_Enabled, bValue*

*Object* Object name, or string variable defining the object name

*XX* A character string defining the name of the property

*bVar* A Boolean variable defining the value of the property

*bValue* A Boolean value or formula defining the new value of the property

### Values

XX

Specified Axis	Description
PosX	Specifies X axis.
PosY	Specifies Y axis.
PosZ	Specifies Z axis.

bValue

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

Independently activates/inactivates, or returns the force motion restriction function for position of specified axis.

### Usage Example

This example activates the force motion restriction function of X axis for the force motion restriction object.

```
> FSet FMR1.PosX_Enabled, True
```

### See Also

Force Motion Restriction Object FMR#

## PosX\_Levels, PosY\_Levels, PosZ\_Levels Property

### Application

Force Motion Restriction Object FMR#

### Comments

This sets or returns the lower threshold value and upper threshold value for position of specified axis.

### Immediate Execution

No

### Usage

**FGet** *Object.XX\_Levels, rArray()*

**FSet** *Object.XX\_Levels, rValueL, rValueU*

**Object** Object name, or string variable defining the object name  
The Object needs to be specified as either of FMR (numerical value) or FMR (label).

**XX** A character string defining the name of the property

**rArray()** The number of elements defining the value of the property is an array of 2 or more real number variables

**rValueL** A real number or formula defining the new value of the property.

**rValueU** A real number or formula defining the new value of the property.

### Values

XX

Specified Axis	Description
PosX	Specifies X axis.
PosY	Specifies Y axis.
PosZ	Specifies Z axis.

rArray()

Element number	Element number constant
0	FG_LOWERLEVEL
1	FG_UPPERLEVEL

rValueL (Unit: [mm])

	Values
Minimum	-20000 (default)
Maximum	20000

rValueU (Unit: [mm])

	Values
Minimum	-20000
Maximum	20000 (default)

**Detailed Explanation**

XX\_Level set or return the lower threshold value and upper threshold value for position of specified axis.

rValueL is the lower threshold. rValueU is the upper threshold. Be sure that  $rValueL < rValueU$ .

This is used for error checking and task completion conditions.

**Usage Example**

This example generates an error and stops the robot if the position of X axis orientation is less than the lower threshold value or more than the upper threshold value.

```
Function SettingLevels
    FSet FMR1.PosEnabled, True, False, False, False, False
    FSet FMR1.PosX_Polarity, FG_OUT
    FSet FMR1.PosX_Levels, -500, 500
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

**See Also**

Force Motion Restriction Object FMR#

## PosX\_Polarity, PosY\_Polarity, PosZ\_Polarity Property

### Application

Force Motion Restriction Object FMR#

### Comments

This returns the status of or sets whether the force motion restriction is activated for position of specified axis by the value being either within the thresholds or outside of the thresholds.

### Immediate Execution

No

### Usage

**FGet** Object.XX\_Polarity, *iVar*

**FSet** Object.XX\_Polarity, *iValue*

**Object** Object name, or string variable defining the object name  
The Object needs to be specified as either of FMR (numerical value) or FMR (label).

**XX** A character string defining the name of the property

**iVar** An integer variable defining the value of the property

**iValue** An integer value or formula defining the new value of the property

### Values

XX

Specified Axis	Description
PosX	Specifies X axis.
PosY	Specifies Y axis.
PosZ	Specifies Z axis.

iValue

Name of Constants	Values	Description
FG_OUT	0	Sets to active when over or under the upper and lower threshold values, respectively. (default)
FG_IN	1	Sets to active when within the upper threshold and lower threshold values.

### Detailed Explanation

XX\_Polarity return the status of or set whether the force motion restriction is activated for position of specified axis by the value being either within the thresholds or outside of the thresholds.



### Usage Example

This example generates an error and stops the robot if the position of X axis orientation is less than the lower threshold value or more than the upper threshold value.

```
Function SettingPolarity
    FSet FMR1.PosEnabled, True, False, False, False, False
    FSet FMR1.PosX_Polarity, FG_OUT
    FSet FMR1.PosX_Levels, -500, 500
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## Reboot Property

### Application

Force Sensor Object FS#

### Comments

This reboots the force sensor.

### Immediate Execution

Yes

### Usage

**FSet** *Object.Reboot*

*Object*      Object name, or string variable defining the object name  
The object is specified as FS (numerical value).

### Detailed Explanation

This reboots the force sensor when Reboot Property is executed. It takes about 10 seconds to reboot the force sensor.



- Be sure to reset the Force Sensor with no external force applied to it. If it is reset with an external force applied to it, the state in which an external force applied is "0". Therefore, if the force applied is removed, the Force Sensor detects a force even if no force is applied. If the force control function is performed in this state, the robot may move unintentionally. Caution is required in this regard.

### Usage Example

This example reboots the force sensor.

```
> FSet FS1.Reboot
```

### See Also

Force Sensor Object FS#

## RecordEnd Property

### Application

Force Monitor Object FM#

### Comments

Ends recording of sensor values, robot position/orientation, and StepID that starts by RecordStart property.

### Immediate Execution

Yes

### Usage

**FSet** *Object*.**RecordEnd**

*Object*     Object name or string variable defining object name  
               The object is specified as either of FM (numerical value) or FM (label).

### Detailed Explanation

Recording of the data is started by RecordStart property. This property is used to stop recording the data before the measurement time specified by RecordStart property elapses.

### Usage Example

This is an example to start and stop the data recording using RecordStart. The recording starts to acquire the data with intervals of 0.1 seconds for 60 seconds, and then stops after 10 seconds by the RecordEnd property. In this example, the Wait statement is used to halt the data recording, but it can be replaced by motion commands to record the force and robot position during the motion.

```
Function RecordEndTest
    FSet FM1.ForceSensor, 1
    FSet FM1.RecordStart, 60, 0.1
    Wait 10
    FSet FM1.RecordEnd
Fend
```

### See Also

Force Monitor Object FM#

## RecordStart Property

### Application

Force Monitor Object FM#

### Comments

Begins recording of sensor values, robot position/orientation, StepID, and the time of data acquisition.

### Immediate Execution

Yes

### Usage

**FSet** *Object*.**RecordStart**, *rValueD*, *rValueI*

**FSet** *Object*.**RecordStart**, *rValueD*, *rValueI* ,*sValue\$*

*Object*            Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*rValueD*           A real number or formula defining the new value of the property

*rValueI*           A real number or formula defining the new value of the property

*sValue\$*           An string or formula defining the new value

### Values

*rValueD* (measurement time unit: [sec])

	Values
Minimum	1*
Maximum	600*

Default: None

*rValueI* (measurement interval unit: [sec])

	Values
Minimum	0.002*
Maximum	10*

Default: None

\* However, “measurement time / measurement interval” should be 30,000 or less.

*sValue\$*

32 single-byte, 16 double-byte alphanumeric characters, Japanese, and the underscore can be used.

## Detailed Explanation

This property is used to start recording the sensor values, robot position and orientation, StepID, and measurement timing.

This property is available when the Controller is connected to RC+. If this property starts without connecting to RC+, any error will not be caused and the program proceeds to next statement. However, a file is not created.

The product of specified measurement time and interval “measurement time / measurement interval” cannot exceed 30,000.

This property can start the two data recording at the maximum in parallel. When starting the two data recording in parallel, stop the execution of the force monitor or the force guide sequence.

Also, it is not possible to start the data recording by using the same robot and force monitor object in parallel. To start the two data recording in parallel, use different force monitor objects.

In addition, this property cannot be used together with the LogStart property or force control monitor.

This property stops recording when the task ends, the measurement time ends, or the RecordEnd property is executed.

You can specify a saving file by sValue\$. Extension is added automatically. If omitting sValue\$, file name is automatically set by the label of specified FM object and the start time.

Format:

Label of FM object\_time(yyyy/mm/dd)\_time(hh:mm:ss:ms).csv

Example : Label of FM object: MyFMLLabel

Start time: January 2nd, 2017 3 (h) 4(m) 5 (s) 006 (ms)

MyFMLLabel \_170102\_030405006.csv

File format:

Save file is CSV format. The following information is recorded.

1<sup>st</sup> row: Item name of file's header information

2<sup>nd</sup> row: File's header information

3<sup>rd</sup> row: Item name of data

After 4<sup>th</sup> row: Actual values

A row before final row: Item name of footer information

Final row: File's footer information

File used for saving the force monitor or executing force guide sequence is the same file format.

Header information of file:

Start Time, File Type, File Version, Channel, Mode, Duration[sec], Interval[sec], Robot No, Robot Name, Sensor No, Sensor Serial, Sensor Label, FM No, FM Label, FCS No, FCS Label, Seq No, Seq Name, RobotLocal

Data:

ElapsedTime[msec], Fx Force[N], Fy Force[N], Fz Force[N], Tx Force[N·mm], Ty Force[N·mm], Tz Force[N·mm], Fmag Force[N], Tmag Force[N·mm], CurPos(X)[mm], CurPos(Y)[mm], CurPos(Z)[mm], CurPos(U)[deg], CurPos(V)[deg], CurPos(W)[deg], RefPos(X)[mm], RefPos(Y)[mm], RefPos(Z)[mm], RefPos(U)[deg], RefPos(V)[deg], RefPos(W)[deg], Diff(X)[mm], Diff(Y)[mm], Diff(Z)[mm], TCPSpeed[mm/sec], TCPSpeed(X)[mm/sec], TCPSpeed(Y)[mm/sec], TCPSpeed(Z)[mm/sec], Joint(J1)[deg], Joint(J2)[deg], Joint(J3)[deg], Joint(J4)[deg], Joint(J5)[deg], Joint(J6)[deg], OLRate(J1), OLRate(J2), OLRate(J3), OLRate(J4), OLRate(J5), OLRate(J6), FCO, StepID, Seq No, Object No, Time

Footer information of file

EndTime, EndCondition, ErrorNo, ErrorMessage

Item	Unit	Description
Start Time	–	Time when the measurement is started. Displayed in a format of “yyyy/mm/dd hh:mm:ss:ms”
File Type	–	File types. Described with Motion.
File Version	–	File version.
Channel	–	Channel number used for data output. It is record in either “1” or “2”.
Mode	–	It is a mode of recording The following information is recorded: 0: Show force monitor records 1: Show records of RecordStart property 2: Show records of force guide sequence execution
Duration	sec	Measurement time specified at the measurement.
Interval	sec	Measurement interval specified at the measurement.
Robot No	–	Robot number to be measured.
Robot Name	–	Robot name to be measured.
Sensor No	–	Force sensor number to be measured.
Sensor Serial	–	Serial number of force sensor
Sensor Label	–	Label set to force sensor
FM No	–	Number of the specified force monitor object.
FM Label	–	Label of the specified force monitor object.
FCS No	–	Number of the specified force coordinate system object
FCS Label	–	Label of the specified force coordinate object.
Seq No	–	Number of the sequence executed by force guide sequence.
Seq Name	–	Name of the sequence executed by force guide sequence.
RobotLocal	–	RobotLocal property value of the specified force monitor object.
ElapsedTime	msec	Elapsed time from the start of the measurement.
Fx Force to Fz Force Tx Force to Tz Force	N Nmm	Sensor values of each axis in force coordinate system.
Fmag Force	N	Resultant force in force coordinate system.
Tmag Force	Nmm	Resultant torque in force coordinate system.
CurPos(X) to CurPos(Z) CurPos(U) to CurPos(W)	mm deg	Command position reflecting the position control-command position and the effects of force control.
RefPos(X) to RefPos(Z) RefPos(U) to RefPos(W)	mm deg	Command-position which reflects only the position control.
Diff(X) to Diff(Z)	Mm	Difference between a direction of command reflecting the position control-command position and the effects of force control, and a direction of command which reflects only the position control. Express correction amount by force control function.
TCPSpeed	mm/sec	Tool tip speed in base coordinate system of the robot. For details, refer to the following manual. <i>EPSON RC+ 7.0 SPEL+ Language Reference</i> <i>TCPSpeed Function</i> Note: Differ from TCPSpeed function, it is measured during PTP motion.
TCPSpeed(X) to TCPSpeed(Z)	mm/sec	Each axis component of tool tip speed in base coordinate system of the robot.
Joint(J1) to Joint(J6)	deg	Each joint angle of robot. For SCARA robot, Joint # 5 and Joint # 6 are always “0”.

Item	Unit	Description
OLRate(J1) to OLRate(J6)	–	Overload rate of each joint of robot. For details, refer to the following manual <i>EPSON RC+ 7.0 SPEL+ Language Reference</i> <i>OLRate</i> For SCARA robot, Joint # 5 and Joint # 6 are always “0”.
FCOn	–	Execution state of force control function of robot. The following information is recorded: 1: When executing force control function 0: When the force control function is not executed
StepID	–	Value specified to the StepID property.
Seq No	–	Number of a sequence executed by force guide sequence.
Object No	–	Number of an object executed by force guide sequence.
Time	–	Time when the data is measured. Displayed in a format of “yyyy/mm/dd hh:mm:ss:ms”.
EndTime	–	Time when the measurement ends. Displayed in a format of “yyyy/mm/dd hh:mm:ss:ms”
EndCondition	–	Reason for ending measurement. Display as follows depending on each state:
		Specified measurement time is elapsed (In force monitor, when 600 seconds are elapsing.)
		Duration elapsed
		Stop command for recording was executed before the measurement time is elapsed.
		End executed property
		Stop force monitor before the measurement time is elapsed.
		Stop requested
		Build or rebuild the SPEL program during recording.
		Build executed
		Project ends without executing stop command for recording.
		Task ended
		An error occurs during recording.
		Error occurred
ErrorNo	–	Error number. It is recorded when an error occurs and measurement ends.
ErrorMessage	–	Error message. It is recorded when an error occurs and measurement ends.

### Usage Example

This is an example of starting the logging of data for sensor 1 (at a frequency of 100 msec for 1 minute) and then ending the logging thereof.

```
Function Test_Record
  FSet FM1.ForceSensor, 1
  FSet FM1.RecordStart, 60, 0.1
  ...
  FSet FM1.RecordEnd
Fend
```

Acquisition examples are as follows:

Start Time, File Type, File Version, Channel, Mode, Duration[sec], Interval[sec], Robot No, Robot Name, Sensor No, Sensor Serial, Sensor Label, FM No., FM Label, FCS No., FCS Label, Seq No, Seq Name, RobotLocal

2018/03/15 13:42:54:261, Motion, 1, 1, 1, 60, 0.1, 1, rb001, 1, AAAAA00001, VirtualSensor1, 1, fm001, 1, fcs001, 0, (empty), 0

ElapsedTime[msec], Fx\_Force[N], Fy\_Force[N], Fz\_Force[N], Tx\_Force[N·mm], Ty\_Force[N·mm], Tz\_Force[N·mm], Fmag\_Force[N], Tmag\_Force[N·mm], CurPos(X)[mm], CurPos(Y)[mm], CurPos(Z)[mm], CurPos(U)[deg], CurPos(V)[deg], CurPos(W)[deg], RefPos(X)[mm], RefPos(Y)[mm], RefPos(Z)[mm], RefPos(U)[deg], RefPos(V)[deg], RefPos(W)[deg], Diff(X)[mm], Diff(Y)[mm], Diff(Z)[mm], TCPSpeed[mm/sec], TCPSpeed(X)[mm/sec], TCPSpeed(Y)[mm/sec], TCPSpeed(Z)[mm/sec], Joint(J1)[deg], Joint(J2)[deg], Joint(J3)[deg], Joint(J4)[deg], Joint(J5)[deg], Joint(J6)[deg], OLRate(J1), OLRate(J2), OLRate(J3), OLRate(J4), OLRate(J5), OLRate(J6), FCon, StepID, Seq No, Object No, Time

0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 565, 720, 0, -90, -90, 0, 565, 720, 0, -90, -90, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,  
0, 0, 0, 0, 0, 0, 0, 2018/03/15 13:42:54:261

100, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 565, 720, 0, -90, -90, 0, 565, 720, 0, -90, -90, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,  
0, 0, 0, 0, 0, 0, 0, 0, 2018/03/15 13:42:54:361

(After displaying the above, the actual values will be displayed subsequently.)

## See Also

## Force Monitor Object FM#



## RefPos Status

### Application

Robot Object Robot

### Comments

This returns the command-position, with force control, for the first variable. For the second variable, the command-position, which reflects only the position control without the effects of force control, is returned.

### Usage

**FGet** Robot.**RefPos**, *Point1*, *Point2*

*Point1*      A variable defining the point data

*Point2*      A variable defining the point data

### Detailed Explanation

This returns the command position reflecting the position control-command position and the effects of force control.

The position control command-position defines the virtual path that the original motion command tries to follow.

The force control command-position defines the actual robot path of movement, which is the calculated path reflecting the effect of force control on the position control command-position.

By looking at the amount of difference between the two command values, you see how much the movement is veered from the original path. This is effective when checking to see if the path differs from the original path more than was expected, or to analyze movement tendencies.

**Usage Example**

This detects if, by force control, the movement has veered beyond a certain amount from the original path, and stops the robot.

```
Function RefPosTest

    FSet FCS1.Orientation, FG_TOOL      ' Sets force coordinate data

    FSet FC1.CoordinateSystem, FCS1     ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0               ' Sets the virtual Fx coefficient of
elasticity                             '
    FSet FC1.Fx_Damper, 1               ' Sets the virtual Fx coefficient of
viscosity                             '
    FSet FC1.Fx_Mass, 10                ' Sets the virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True           ' Sets the Fx force control to active
    Xqt RefPosCheck                     ' Launches a separate task to monitor
    Move P0 FC1                         ' A Move motion with force control
    Quit RefPosCheck                   ' Ends the separate monitored task

Fend

Function RefPosCheck
    Do
        FGet Robot.RefPos, P1, P2      ' Acquires RefPos
        If Abs(CX(P1) - CX(P2)) > 50 Then ' Checks to see if the difference is 50 or
greater
            Print "Err"                ' An error occurs if the difference is too large
            AbortMotion All              ' Stops motion
        EndIf
        Wait 0.1
    Loop
Fend
```

**See Also**

Robot Object Robot

## Reset Property

### Application

Force Sensor Object FS#

### Comments

Resets the force sensor.

### Immediate Execution

Yes

### Usage

**FSet** Object.**Reset**

**FSet** Object.**Reset**, *iValue*

**FSet** Object.**Reset**, *iValue*, *rValueTime*, *rValueThreshF*, *rValueThreshT*

*Object* Object name, or string variable defining the object name  
The object is specified as FS (numerical value).

*iValue* An integer value or formula defining the new value of the property

*rValueTime* A real number or formula defining the new value of the property

*rValueThreshF* A real number or formula defining the new value of the property

*rValueThreshT* A real number or formula defining the new value of the property

### Values

*iValue*

Name of Constants	Values	Description
FG_RESET_FINE	0 (default)	Wait until the robot which the force sensor is connected satisfies Fine condition, and then reset the force sensor.
FG_RESET_WAIT_VIBRATION	1	Wait until the external vibration stops, and then reset the force sensor.

*rValueTime*

	Value
Minimum	3
Maximum	20

Default: 2.5

(Only when *rValueTime* is omitted. When specifying the value, be sure to specify the value greater than 3)

*rValueThreshF*

	Value
Minimum	5
Maximum	20

Default: 5

**rValueThreshT**

	Value
Minimum	50
Maximum	200

Default: 50

**Detailed Explanation**

When the Reset Property is executed, the force sensor is reset. Epson's force sensors have a drift characteristic. Reset the force sensor each time right before using the force function.

When iValue is omitted or FG\_RESET\_FINE is specified, the program waits up to 1.5 seconds until the robot which the force sensor is connected satisfies Fine condition, and then reset the force sensor. When an error occurs since FG\_RESET\_FINE is specified, specify FG\_RESET\_WAIT\_VIBRATION for iValue. The error may be avoided.

Fine condition is a positioning condition for each joint when the motion ends. In this property, always use a robot's specific number. The value specified by the Fine statement or FineDist statement is not be used for the determination.

When FG\_RESET\_WAIT\_VIBRATION is specified for iValue, the program waits until the external vibration stops, and then reset the force sensor. It may take time to reset the force sensor depending on the state of external vibration.

Maximum wait time until the vibration stops is normally 2.5 seconds, however, it can be specified with rValueTime. You can specify the threshold used to determine that the vibrations have been stopped : the force (Fx,Fy,Fz) can be specified by rValueThreshF and the torque (Tx,Ty,Tz) by rValueThreshT.

rValueThreshF and rValueThreshT are peak to peak value. However, if making the threshold larger, zero point of the sensor changes and the accuracy may decrease. Adjust the threshold within the range which is allowable for your task.

rValueTime, rValueThreshF, and rValueThreshT are available only when FG\_RESET\_WAIT\_VIBRATION is specified for iValue.

**CAUTION**

- Be sure to reset the Force Sensor with no external force applied to it. If it is reset with an external force applied to it, the state in which an external force applied is "0". Therefore, if the force applied is removed, the Force Sensor detects a force even if no force is applied. If the force control function is performed in this state, the robot may move unintentionally. Caution is required in this regard.

**Usage Example**

This is an example of resetting the sensor.

```
> FSet FS1.Reset  
> FSet FS1.Reset, FG_RESET_FINE  
> FSet FS1.Reset, FG_RESET_WAIT_VIBRATION
```

**See Also**

Force Sensor Object FS#

## RobotLocal Property

### Application

Force monitor object FM#, Force motion restriction object FMR#

### Comments

Sets or returns the local coordinate system that will serve as the basis for robot position / orientation used for trigger accomplished condition of force motion restriction function recorded by the force monitor function.

### Immediate Execution

No

### Usage

**FGet** Object.**RobotLocal**, *iVar*

**FSet** Object.**RobotLocal**, *iValue*

**Object** Object name or string variable representing object name  
Object is specified as either of FM (numerical value), FMR (numerical value), FM (label) or FMR (label).

**iVar** An integer variable defining the value of the property

**iValue** An integer value or formula defining the new value of the property

### Values

*iValue*

	Value
Minimum	0
Maximum	15

Default: 0

### Detailed Explanation

When using this property for force monitor function:

This property is used when setting or checking the local coordinate system that will serve as the basis for robot position / orientation to be recorded.

This property changes the basis used to find robot positions/orientations that will be recorded by the RecordStart property or FCMStart property. When “0” is specified, the position/orientation in the Base coordinate system will be recorded.

The position/orientation of the robot recorded by the RecordStart property or FCMStart property is recorded by the position/orientation of the tool specified by the RobotTool property in the local coordinate system specified by this property.

It is effective when, for instance, you wish to record positions/orientations based on a workpiece, or when the work reference plane is tilted.

If the coordinate system is changed by the Base, Local, or other statement after this property is set, the coordinate system used with the force function will apply rather than the coordinate system used when this property was set.

When using this property for force motion restriction function:

This property is used when setting or checking the local coordinate system that will serve as the basis for robot positions/orientations that judge the accomplishment condition of set trigger.

The position/orientation of the robot that judge the accomplishment condition of trigger is judged with tool positions/orientations specified by the RobotTool property in the local coordinate system specified by this property. When “0” is specified, the position/orientation in the Base coordinate system will be recorded.

It is effective when, for instance, you want to judge the accomplishment condition of trigger with positions/orientations based on a workpiece, or when the work reference plane is tilted.

If the coordinate system is changed by the Base, Local, or other statement after this property is set, the coordinate system used with the force function will apply rather than the coordinate system used when this property was set.

### Usage Example

The following is an example of recording positions with Local 1 as the basis.

```
Function RobotLocalTest
    FSet FM1.ForceSensor, 1
    FSet FM1.RobotLocal, 1      ' Set Local 1 for RobotLocal.
    FSet FM1.FCMEnd
    FSet FM1.RecordStart, 60, 0.01
    Wait 60
    FSet FM1.FCMEnd
Fend
```

### See Also

Force Monitor object FM#, Force Motion Restriction object FMR#, RecordStart Property, FCMStart Property

## RobotTool Property

### Application

Force Monitor object FM#, Force Motion Restriction Object FMR#

### Comments

Sets or returns the tool that will serve as the basis for robot position posture or position posture used for trigger accomplished condition of force motion restriction function recorded by the force monitor function.

### Immediate Execution

No

### Usage

**FGet** Object.**RobotTool**, *iVar*

**FSet** Object.**RobotTool**, *iValue*

**Object** Object name or string variable representing object name  
Object is specified as either of FM (numerical value), FMR (numerical value), FM (label) or FMR (label).

**iVar** An integer variable defining the value of the property

**iValue** An integer value or formula defining the new value of the property

### Values

iValue

	Value
Minimum	-1 (Constant name: FG_CURRENT_TOOL)
Maximum	15

Default: -1

### Detailed Explanation

When using this property for force monitor function:

This property is used when setting or checking the tool that will serve as the basis for robot positions/orientations to be recorded.

This property changes the basis used to find robot positions/orientations that will be recorded by the RecordStart property or FCMStart property. When “-1” is specified, the position/orientation is recorded with reference to the current tool. Therefore, when the tool number is changed by the Tool statement during recording, the position/orientation to be recorded will correspond to the changed tool. When a number from “0” to “15” is specified, the position/orientation will continue as per the tool specified.

The position/orientation of the robot recorded by the RecordStart property or FCMStart property is recorded by the position/orientation of the tool specified by this property in the local coordinate system specified by the RobotLocal property.

This property is effective when you want to set the recording position as the specified tool position. When setting “-1”, position seems like shifting if changing the tool. Therefore, use each tool number to check continuity.

If the tool setting is changed by the TLSet statement after this property is set, the tool setting used with the force function will apply rather than the tool setting used when this property was set.

When using this property for force motion restriction function:

This property is used when setting or checking the local coordinate system that will serve as the basis for robot positions/orientations that judge the accomplishment condition of set trigger.

This property changes the basis used to judge robot positions/orientations that will judge the accomplishment condition of trigger. When “-1” is specified, the position/orientation is judged accomplishment condition of robot positions/orientations with reference to the current tool. Therefore, when the tool number is changed by the Tool statement during force controlling, the position/orientation to be judged will correspond to the changed tool. When “0” to “15” is specified, positions / orientations will correspond to the specified tool.

This property is effective when you want to set the position of judging accomplishment condition of trigger as the specified tool position. When setting “-1”, position seems like shifting if changing the tool. Therefore, use each tool number to be sure continuity.

If the tool setting is changed by the TLSet statement after this property is set, the tool setting used with the force function will apply rather than the tool setting used when this property was set.

### Usage Example

The following is an example of recording positions/posture with Tool 1 as the basis.

```
Function RobotLocalTest
    FSet FM1.ForceSensor, 1
    FSet FM1.RobotTool, 1      ' Set Tool 1 for RobotTool.
    FSet FM1.FCMEnd
    FSet FM1.RecordStart, 60, 0.01
    Wait 60
    FSet FM1.FCMEnd
Fend
```

### See Also

Force Monitor object FM#, Force Motion Restriction Object FMR#, RecordStart Property, FCMStart Property



## Rot\_Axes Property

### Application

Force Motion Restriction Object FMR#

### Comments

Sets or returns the subject axis for calculating the force motion restriction range for rotation angle.

### Immediate Execution

No

### Usage

**FGet** *Object.Rot\_Axes, iVar*

**FSet** *Object.Rot\_Axes, iValue*

*Object* Object name, or string variable defining the object name  
The Object needs to be specified as either of FMR (numerical value) or FMR (label).

*iVar* An integer variable defining the value of the property

*iValue* An integer value or formula defining the new value of the property

### Values

iValue

Name of Constants	Values	Description
FG_ROT_X	0	Specify the angle formed by the X-axis for the rotation angle (default)
FG_ROT_Y	1	Specify the angle formed by the Y-axis for the rotation angle
FG_ROT_Z	2	Specify the angle formed by the Z-axis for the rotation angle
FG_ROT_ALL	3	Specify the rotation amount with arbitrary axis rotation for the rotation angle

### Detailed Explanation

Rot is X, Y, Z axis of when started force motion restriction and angle made by X, Y, Z axis in current or, rotation amount with arbitrary axis rotation.

Arbitrary axis rotation is an axis that movable with 1 rotation in around a virtual axis (one straight line) when there are two postures (U, V, W). This is used when set the condition of overall rotation angle with no limit for each axis.

This property is used to sets or confirm the subject axis to calculate the rotation angle.

### Usage Example

This is an example sets and acquires the subject axis to calculate the rotation angle for force motion restriction object.

```
Function Test_Rot_Axes
    Integer iVar
    FSet FMR1.Rot_Axes, FG_ROT_X
    FGet FMR1.Rot_Axes, iVar
    Print iVar
End
```

### See Also

Force Motion Restriction Object FMR#

## Rot\_Enabled Property

### Application

Force Motion Restriction Object FMR#

### Comments

Activates/inactivates, or returns the force motion restriction function for rotation angle.

### Immediate Execution

No

### Usage

**FGet** *Object.Rot\_Enabled, bVar*

**FSet** *Object.Rot\_Enabled, bValue*

*Object*      Object name, or string variable defining the object name

*bVar*        A Boolean variable defining the value of the property

*bValue*      A Boolean value or formula defining the new value of the property

### Values

bValue

Name of Constants	Values	Description
False	0	Inactivate the subject axis (default)
True	-1	Activate the subject axis

### Detailed Explanation

This is example to activate the force motion restriction of rotation angle to force motion restriction object.

```
> FSet FMR1.Rot_Enabled, True
```

### See Also

Force Motion Restriction Object FMR#

## Rot\_Levels Property

### Application

Force Motion Restriction Object FMR#

### Comments

Set or return the lower threshold value and upper threshold value for rotation angle.

### Immediate Execution

No

### Usage

**FGet** *Object.Rot\_Levels, rArray()*

**FSet** *Object.Rot\_Levels, rValueL, rValueU*

*Object*     Object name, or string variable defining the object name  
The Object needs to be specified as either of FMR (numerical value) or FMR (label).

*XX*         A character string defining the name of the property

*rArray()*     The number of elements defining the value of the property is an array of 2 or more real number variables

*rValueL*     A real number or formula defining the new value of the property.

*rValueU*     A real number or formula defining the new value of the property.

### Values

*rArray()*

Element number	Element number constant
0	FG_LOWERLEVEL
1	FG_UPPERLEVEL

*rValueL* (Unit: [Degree])

	Value
Minimum	0 (default)
Maximum	180

*rValueU* (Unit: [Degree])

	Value
Minimum	0
Maximum	180 (default)

### Detailed Explanation

Rot\_Levels set or return the lower threshold value and upper threshold value for rotation angle. rValueL is the lower threshold. rValueU is the upper threshold. Be sure that  $rValueL < rValueU$ . This is used for error checking and task completion conditions.

### Usage Example

This example generates an error and stops the robot if the rotation angle is less than the lower threshold value or more than the upper threshold value.

```
Function SettingLevels
    FSet FMR1.Rot_Enabled, True
    FSet FMR1.Rot_Polarity, FG_OUT
    FSet FMR1.Rot_Levels, 0, 10
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## Rot\_Polarity Property

### Application

Force Motion Restriction Object FMR#

### Comments

This returns the status of or sets whether the force motion restriction is activated for rotation angle by the value being either within the thresholds or outside of the thresholds.

### Immediate Execution

No

### Usage

**FGet** Object.**Rot\_Polarity**, *iVar*

**FSet** Object.**Rot\_Polarity**, *iValue*

*Object* Object name, or string variable defining the object name  
The Object needs to be specified as either of FMR (numerical value) or FMR (label).

*iVar* An integer variable defining the value of the property

*iValue* An integer value or formula defining the new value of the property

### Values

*iValue*

Name of Constants	Values	Description
FG_OUT	0	Activates when the value is outside of the thresholds. (default)
FG_IN	1	Activates when the value is within the thresholds.

### Detailed Explanation

This returns the status of or sets whether the force motion restriction is activated for rotation angle by the value being either within the thresholds or outside of the thresholds.

### Usage Example

This example generates an error and stops the robot if the rotation angle is less than the lower threshold value or more than the upper threshold value.

```
Function SettingPolarity
    FSet FMR1.Rot_Enabled, True
    FSet FMR1.Rot_Polarity, FG_OUT
    FSet FMR1.Rot_Levels, 0, 10
    Trap 1, FMR1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Motion Restriction Object FMR#

## SerialCode Property

### Application

Force Sensor Object FS#

### Comments

Returns the serial code for the force sensor.

### Immediate Execution

No

### Usage

**FGet** Object.**SerialCode**, *sVar*\$

*Object*      Object name, or string variable defining the object name  
The object is specified as FS (numerical value).

*sVar*\$      A string variable defining the value of the property

### Detailed Explanation

This property is used to confirm the sensor's serial code

### Usage Example

This is an example of confirming the Force Sensor Object's serial code.

```
Function Test_SerialCode
    String serialcode$
    FGet FS1.SerialCode, serialcode$
    Print serialcode$
Fend
```

### See Also

Force Sensor Object FS#

## StepID Property

### Application

Robot Object Robot

### Comments

This sets or returns the step number and step label so the user understands the task or job progression situation.

The step label can be omitted and it is possible to set and return only the step number.

### Immediate Execution

No

### Usage

**FGet** *Object.StepID, iVar*

**FGet** *Object.StepID, iVar, sVar\$*

**FSet** *Object.StepID, iValue*

**FSet** *Object.StepID, iValue, sValue\$*

*Object*      Object name, or string variable defining the object name

*iVar*          An integer variable

*iValue*        An integer or formula defining the new value

*sVar\$*         A string variable

*sValue\$*      An string or formula defining the new value

### Values

*iValue*

	Values
Minimum	0 (default)
Maximum	32767

*sValue\$*

Up to 32 one-byte or 16 two-byte alphanumeric characters, Japanese characters, and the underscores can be used.

### Detailed Explanation

This property is used to set or confirm the StepID and step label the task or job progression situation is understood.

**Usage Example**

This example sets and confirms the StepID in order to confirm the progress of the main process.

(Step label is omitted.)

```
Function Test_SetStepID(iStepID As Integer) ' Process to set StepID
    FSet Robot.StepID, iStepID
Fend

Function Test_GetStepID ' Process to acquire the StepID
    Integer iStepID
    FGet Robot.StepID, iStepID
    Print iStepID
Fend

Function Test_Main ' Main process executing the force control function
    ...
    Move P0 FC1 CF
    Test_SetStepID(1) ' Setting StepID=1
    ...
    Move P1 FC2 CF
    Test_SetStepID(2) ' Setting StepID=2
    ...
    FSet FS1.Reset
    Test_SetStepID(3) ' Setting StepID=3
    ...
    Move P3 FC3 CF
    Test_SetStepID(4) ' Setting StepID=4
    ...
Fend

Function Test_Sub ' Sub-process which monitors at 5 second intervals
    Do
        Test_GetStepID
        Wait(5)
    Loop
Fend
```

**See Also**

Robot Object Robot



## TargetForcePriorityMode Property

### Application

Force Control Object FC#

### Comments

Activates/inactivates or returns the status thereof the target force priority mode.

### Immediate Execution

No

### Usage

**FGet** *Object.TargetForcePriorityMode, bVar*

**FSet** *Object.TargetForcePriorityMode, bValue*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

*bVar*          A Boolean variable defining the value of the property

*bValue*       A Boolean value or formula defining the new value of the property

### Values

bValue

Name of Constants	Values	Description
False	0	Inactivates the target force priority mode. (default)
True	-1	Activates the target force priority mode.

### Detailed Explanation

There are times when the target force or target torque is set and the force control function is used that the target force is not achieved even after sufficient time. In such instances, activate the TargetForcePriorityMode when wanting to accurately match the target force. However, when the TargetForcePriorityMode is activated, operation of the robot will not be in accordance with the established values for the following coefficients, and the motion may be slowed at times.

Virtual coefficients of elasticity (Spring)  
Virtual coefficients of viscosity (Damper)  
Virtual coefficients of inertia (Mass)

### Usage Example

This example activates the target priority mode and uses the force control function.

```
Function ForceControlTest
  FSet FCS1.Orientation, FG_TOOL
  FSet FC1.CoordinateSystem, FCS1
  FSet FC1.Enabled, False, False, True, False, False, False
  FSet FC1.Fz, 0.01, 4, 5
  FSet FC1.Fz_TargetForce, 10
  FSet FC1.TargetForcePriorityMode, True
  FCKeep FC1, 5
End
```

### See Also

Force Control Object FC#

## TargetForces Property

### Application

Force Control Object FC#

### Comments

This sets or returns the value of target force and torque for each of the 6 axes in the force coordinate system at the same time.

### Immediate Execution

No

### Usage

**FGet** **Object.TargetForces**, *rArray()*

**FSet** **Object.TargetForces**, *rValueFx*, *rValueFy*, *rValueFz*, *rValueTx*, *rValueTy*, *rValueTz*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**rArray()** The number of elements defining the value of the property is an array of 6 or more real numbers

**rValueFx** A real number or formula defining the new value of the property

**rValueFy** A real number or formula defining the new value of the property

**rValueFz** A real number or formula defining the new value of the property

**rValueTx** A real number or formula defining the new value of the property

**rValueTy** A real number or formula defining the new value of the property

**rValueTz** A real number or formula defining the new value of the property

### Values

*rArray()*

Element number	Element number constant	Description
0	FG_FX	Fx target force
1	FG_FY	Fy target force
2	FG_FZ	Fz target force
3	FG_TX	Tx target torque
4	FG_TY	Ty target torque
5	FG_TZ	Tz target torque

*rValueFx*, *rValueFy*, *rValueFz* (Unit: [N])

	Values
Minimum	The rated negative detection capability of the force sensor
Maximum	The rated positive detection capability of the force sensor

Default: 0

*rValueTx*, *rValueTy*, *rValueTz* (Unit: [N·mm])

	Values
Minimum	The negative rated torque detection capability of the force sensor
Maximum	The positive rated torque detection capability of the force sensor

Default: 0

## Detailed Explanation

This returns the value of or sets the target force and torque for the force control function for the 6 axes at the same time.

It sets the following target forces and torques.

rValueFx: Fx      rValueFy: Fy      rValueFz: Fz  
rValueTx: Tx      rValueTy: Ty      rValueTz: Tz

When the force control function is executed with the target force or torque being set to “0”, the robot moves so that the force becomes “0” and operates while following the external force. Since the axes are independent each other, the robot can follow the force in Fx and Fy directions while pressing in the Fz direction.

When using the force control function having set the target force and torque, there are times that the target force is not achieved even after sufficient time. In such instances, activate the TargetForcePriorityMode when wanting to accurately match the target force.

However, when the TargetForcePriorityMode is activated, operation of the robot will not be in accordance with the established values for the virtual coefficients of elasticity, viscosity, and inertia, and the motion may be slowed at times.

## Usage Example

This example sets the target force and uses the force control function.

```
Function ForceControlTest
  FSet FCS1.Orientation, FG_TOOL
  FSet FC1.CoordinateSystem, FCS1
  FSet FC1.Enabled, False, True, True, False, False, False
  FSet FC1.Fy, 0.01, 4, 5
  FSet FC1.Fz, 0.01, 4, 5
  FSet FC1.TargetForces, 0, 10, -10, 0, 0, 0
  FCKeep FC1, 5
Fend
```

## See Also

Force Control Object FC#,  
Fx\_TargetForce, Fy\_TargetForce, Fz\_TargetForce,  
Tx\_TargetForce, Ty\_TargetForce, Tz\_TargetForce Property

## TillStopMode Property

### Application

Force Trigger Object FT#

### Description

Sets or returns the stop method when trigger conditions are met when the force trigger is used for Till.

### Immediate Execution

No

### Usage

**FGet** Object.*TillStopMode*, *iVar*

**FSet** Object.*TillStopMode*, *iValue*

**Object** Object name or string variable defining object name  
The object is specified as either FT (numerical value) or FT (label).

**iVar** An integer variable defining the value of the property

**iValue** An integer value or expression defining the new value of the property

### Values

iValue

Name of Constants	Values	Description
FG_STANDARD_STOP	0	The standard stopping method. (Default)
FG_SOFT_STOP	1	Stops the robot to reduce force overshoot upon contact.

### Detailed Explanation

Sets or returns the stop method when trigger conditions are met when the force trigger is used for Till.  
When using the force trigger to stop the robot upon detecting contact with an object, use FG\_SOFT\_STOP.  
FG\_SOFT\_STOP is more suited to reducing force overshoot upon contact compared to FG\_STANDARD\_STOP. Compared to FG\_STANDARD\_STOP, this makes it easier to stay within the tolerable range even when increasing the contact speed assuming that a tolerable contact force is applied.  
Use FG\_STANDARD\_STOP when detecting the absence of force, such as when probing for holes.

**Usage Example**

This is an example of detecting contact using FG\_SOFT\_STOP. Contact is detected and the robot is stopped when a force of -5 [N] or less, or 5 [N] or more is detected in the Fz direction when moving from the current position 100 mm in the -Z direction.

```
Function TillStopModeTest
  FSet FT1.Fz_Enabled, True
  FSet FT1.Fz_Levels, -5, 5
  FSet FT1.TillStopMode, FG_SOFT_STOP

  FSet FS1.Reset
  Till FT1
  Move Here -Z(100) Till
Fend
```

**See Also**

Force Trigger Object FT#

## Time Result

### Comments

Returns execution time for a force guide sequence or force guide object.

### Usage

**FGGet** *Sequence.Time, rVar*

**FGGet** *Sequence.Object.Time, rVar*

*Sequence*     Force guide sequence name or string variable representing force guide sequence name

*Object*       Force guide object name or string variable representing force guide object name.  
                 Omitted when a result of a force guide sequence is acquired.

*rVar*           Real variable that shows a returned value

### Detailed Explanation

Returns execution time for a force guide sequence or force guide object.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function TimeTest
    Real rVar
    Motor On

    FGRun Sequence1
    FGGet Sequence1.Contact01.Time, rVar     ' Acquisition of Time
    Print rVar

Fend
```

### See Also

FGGet, GeneralPurpose sequence, Contact object, Relax object, FollowMove object, SurfaceAlign object, PressProbe object, ContactProbe object, Press object, PressMove object, SPELfunc object, Paste sequence, Paste object, ScrewTighten sequence, ScrewTighten object, ScrewRetighten object, HeightInspect sequence, HeightInspect object, Insert sequence, Insert object, TensileTest object

## Tmag\_AvgForce Status

### Application

Force Monitor Object FM#

### Comments

This returns the average value of the resultant torque.

### Usage

**FGet** Object.Tmag\_AvgForce, rVar

*Object*      Object name, or string variable defining the object name  
The object is specified as FM (numerical value) or FM (label).

*rVar*          A real number variable defining the value of the property

### Detailed Explanation

Tmag\_AvgForce returns the average value of the resultant torque.

Before executing Tmag\_AvgForce, be sure to execute AvgForceClear. If AvgForceClear is not executed, "0" is returned.

When the time from executing AvgForceClear to executing Tmag\_AvgForce is short, a deviation in the average force and torque is generated. When LowPassFilter is used, set the time about 5 times the LowPassFilter time constant between AvgForceClear and Tmag\_AvgForce execution.

There is a time limit on Tmag\_AvgForce. Execute Tmag\_AvgForce within 600 seconds of executing AvgForceClear. When Tmag\_AvgForce is executed after 600 seconds has passed, an error is generated.

### Usage Example

This example measures the average value of the resultant torque.

```
Function CheckAverageForce
    Double AF
    FSet FC1.Enabled, False, False, False, True, False, False
    FSet FC1.TargetForces, 0, 0, 0, 200, 0, 0
    FSet FS1.Reset
    FSet FM1.CoordinateSystem, FCS0
    FSet FM1.AvgForceClear, False, False, False, False, False, False, False,
True
    FCKeep FC1, 10
    FGet FM1.Tmag_AvgForce, AF
    Print AF
Fend
```

### See Also

Force Monitor Object FM#

## Tmag\_Axes Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

Sets or returns the subject axis for calculating the resultant torque.

### Immediate Execution

No

### Usage

**FGet** Object.**Tmag\_Axes**, *iVar*

**FSet** Object.**Tmag\_Axes**, *iValue*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FT (label), FM (numerical value), or FM (label).

**iVar** An integer variable defining the value of the property

**iValue** An integer value or formula defining the new value of the property

### Values

iValue (Unit: Number)

Name of Constants	Values	Description
FG_XYZ	0	Defines as resultant torque for XYZ axes (default) ( $T_{mag} = \sqrt{T_x^2 + T_y^2 + T_z^2}$ )
FG_XY	1	Defines as resultant torque for XY axes. ( $T_{mag} = \sqrt{T_x^2 + T_y^2}$ )
FG_YZ	2	Defines as resultant torque for YZ axes. ( $T_{mag} = \sqrt{T_y^2 + T_z^2}$ )
FG_ZX	3	Defines as resultant torque for ZX axes. ( $T_{mag} = \sqrt{T_x^2 + T_z^2}$ )

### Detailed Explanation

Tmag is the resultant force from the subject axes selected from X, Y, and Z axes.

This property is used when setting or checking the subject axes to obtain the resultant torque with respect to the Force Trigger Object and Force Monitor Object.

### Usage Example

This example sets and acquires the axes wherein the resultant force will be applied for the Force Monitor Object.

```
Function Test_Tmag_Axes
    Integer iVar
    FSet FM1.Tmag_Axes, FG_ZX
    FGet FM1.Tmag_Axes, iVar
    Print iVar
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#



## Tmag\_Enabled Property

### Application

Force Trigger Object FT#

### Comments

Activates/inactivates the trigger based on Tmag resultant torque.

### Immediate Execution

No

### Usage

**FGet** **Object.Tmag\_Enabled**, *bVar*

**FSet** **Object.Tmag\_Enabled**, *bValue*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

**bVar** A Boolean variable defining the value of the property

**bValue** A Boolean value or formula defining the new value of the property

### Values

*bValue*

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

### Detailed Explanation

Activates/inactivates the trigger based on Tmag resultant torque.

### Usage Example

This example activates the Tmag resultant torque trigger for the Force Trigger Object.

```
> FSet FT1.Tmag_Enabled, True
```

### See Also

Force Trigger Object FT#

## Tmag\_Force Status

### Application

Force Monitor Object FM#

### Comments

This returns the resultant torque.

### Usage

**FGet** Object.**Tmag\_Force**, *rVar*

*Object*      Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*rVar*          A real number variable defining the value of the property

### Detailed Explanation

Tmag\_Force returns the resultant torque for the subject axes specified in Tmag\_Axes in the force coordinate system specified by the CoordinateSystem.

### Usage Example

This example acquires the resultant torque in the X and Y axes within the specified force coordinate system.

```
Function Test_Tmag_Force
  Real rVar
  FSet FCS1.Position, 0, 0, 100
  FCS1.Orientation, FG_TOOL
  FSet FM1.ForceSensor, 1
  FSet FM1.CoordinateSystem, FCS1
  FSet FM1.Tmag_Axes, FG_XY
  FGet FM1.Tmag_Force, rVar
  Print rVar
Fend
```

### See Also

Force Monitor Object FM#

## Tmag\_Levels Property

### Application

Force Trigger Object FT#

### Comments

Sets or returns the upper and lower threshold values for resultant torque.

### Immediate Execution

No

### Usage

**FGet** Object.Tmag\_Levels, rArray()

**FSet** Object.Tmag\_Levels, rValueL, rValueU

**Object** Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

**rArray** The number of elements defining the values of the property is an array of 2 or more real number variables

**rValueL** A real number or formula defining the new value of the property.

**rValueU** A real number or formula defining the new value of the property.

### Values

rArray()

Element number	Element number constant
0	FG_LOWERLEVEL
1	FG_UPPERLEVEL

rValueL (Unit: [N·mm])

	Values
Minimum	0 (default)
Maximum	100000

rValueU (Unit: [N·mm])

	Values
Minimum	0
Maximum	100000 (default)

### Detailed Explanation

Tmag\_Levels sets or returns the value of the lower and upper thresholds for resultant torque.

rValueL is the lower threshold. rValueU is the upper threshold. Be sure that rValueL < rValueU.

This is used for error checking and task completion conditions.

### Usage Example

This example generates an error and stops the robot if the resultant torque is lower than the lower threshold or higher than the upper threshold.

```
Function SettingLevels
    FSet FT1.Enabled, False, False, False, False, False, False, False,
    True
    FSet FT1.Tmag_Polarity, FG_OUT
    FSet FT1.Tmag_Levels, 0, 3000
    Trap 1, FT1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Trigger Object FT#

## Tmag\_LPF\_Enabled Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

Activates/inactivates or returns the resultant torque low-pass filter.

### Immediate Execution

No

### Usage

**FGet** Object.Tmag\_LPF\_Enabled, bVar

**FSet** Object. Tmag\_LPF\_Enabled, bValue

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FT (label), FM (numerical value), or FM (label).

**bVar** A Boolean variable defining the value of the property

**bValue** A Boolean value or formula defining the new value of the property

### Values

bValue

Name of Constants	Values	Description
False	0	Sets the low-pass filter to inactive. (default)
True	-1	Sets the low-pass filter to active.

### Detailed Explanation

This activates/inactivates or returns the status of the resultant torque low-pass filter.

When the low-pass filter is active, signal noise can be reduced, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces Status, PeakForces Status, the Force Trigger Function, and Force Monitor, but is not used with Forces Status.

### Usage Example

This example sets the resultant torque low-pass filter, and acquires the absolute value of the peak resultant torque.

```
Function GetPeakForceTest
    Real myPeakForce
    FSet FCS1.Orientation, FG_TOOL
    FSet FM1.CoordinateSystem, FCS1
    FSet FM1.Tmag_Axes, FG_XYZ
    FSet FM1.Tmag_LPF_Enabled, True
    FSet FM1.Tmag_LPF_TimeConstant, 0.02
    FSet FM1.PeakForceClear, True, True, True, True, True, True, True,
True
    Wait 10
    FGet FM1.Tmag_PeakForce, myPeakForce
    Print myPeakForce
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#

## Tmag\_LPF\_TimeConstant Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

This sets or returns the value of the time constant for the low-pass filter applied to resultant torque.

### Immediate Execution

No

### Usage

**FGet** Object.Tmag\_LPF\_TimeConstant, *rVar*

**FSet** Object.Tmag\_LPF\_TimeConstant, *rValue*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FT (label), FM (numerical value), or FM (label).

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

rValue (Unit: [sec])

	Values
Minimum	0.002
Maximum	5

Default: 0.01

### Detailed Explanation

This sets the time constant for the resultant torque low-pass filter.

The low-pass filter time constant is the time it takes to arrive at an input value of  $1-e^{-1}$  (approximately 63.2%) when giving step input.

The signal noise reduction can be enhanced when increasing the time constant, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces Status, PeakForces Status, the Force Trigger Function, and Force Monitor, but is not used with Forces Status.

### Usage Example

This example sets the resultant torque low-pass filter, and acquires the absolute value of the peak resultant torque.

```
Function GetPeakForceTest
    Real myPeakForce
    FSet FCS1.Orientation, FG_TOOL
    FSet FM1.CoordinateSystem, FCS1
    FSet FM1.Tmag_Axes, FG_XYZ
    FSet FM1.Tmag_LPF_Enabled, True
    FSet FM1.Tmag_LPF_TimeConstant, 0.02
    FSet FM1.PeakForceClear, True, True, True, True, True, True, True,
True
    Wait 10
    FGet FM1.Tmag_PeakForce, myPeakForce
    Print myPeakForce
End
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#



## Tmag\_PeakForce Status

### Application

Force Monitor Object FM#

### Comments

Returns the resultant torque peak.

### Usage

**FGet** *Object.Tmag\_PeakForce, rVar*

*Object*     Object name or string variable defining object name  
               The object is specified as either of FM (numerical value) or FM (label).

*rVar*        A real number variable defining the value of the property

### Detailed Explanation

Tmag\_PeakForce returns the value of peak resultant torque.

Before executing Tmag\_PeakForce, execute PeakForceClear.

### Usage Example

This example measures the value of the peak resultant torque.

```
Function CheckPeakForce
  Double PF
  FSet FC1.Enabled, False, False, False, True, False, False
  FSet FC1.TargetForces, 0, 0, 0, 200, 0, 0
  FSet FS1.Reset
  FSet FM1.CoordinateSystem, FCS0
  FSet FM1.PeakForceClear, False, False, False, False, False, False,
True
  FCKeep FC1, 10
  FGet FM1.Tmag_PeakForce, PF
  Print PF
End
```

### See Also

Force Monitor Object FM#

## Tmag\_Polarity Property

### Application

Force Trigger Object FT#

### Comments

Sets or returns for resultant torque whether the force trigger is activated or inactivated when values correspond to or do not correspond with threshold values.

### Immediate Execution

No

### Usage

**FGet** Object.*Tmag\_Polarity*, *iVar*

**FSet** Object.*Tmag\_Polarity*, *iValue*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

*iVar*        An integer variable defining the value of the property

*iValue*      An integer value or formula defining the new value of the property

### Values

iValue

Name of Constants	Values	Description
FG_OUT	0	Activates when the value is outside of the thresholds. (default)
FG_IN	1	Activates when the value is within the thresholds.

### Detailed Explanation

Tmag\_Polarity returns the status of or sets whether the force trigger is triggered by the value of the resultant torque being either within the thresholds or outside of the thresholds.

### Usage Example

This example generates an error and stops the robot when the resultant torque is greater than the upper threshold or lower than the lower threshold.

```
Function SettingPolarity
  FSet FT1.Enabled, False, False, False, False, False, False, False,
True
  FSet FT1.Tmag_Polarity, FG_OUT
  FSet FT1.Tmag_Levels, 0, 3000
  Trap 1, FT1 Call ForceError
Fend

Function ForceError
  AbortMotion All
Fend
```

### See Also

Force Trigger Object FT#

## TMove Statement

### Comments

Executes an offset linear interpolation motion in the current tool coordinate system with the force control function active.

### Usage

**TMove** *P#* [*FC#*] [ROT] [CP] [CF] [Till | Find ] [! parallel processing!] [SYNC]

*P#* Specifies the point data defining the target position of the motion.

*FC#* Specifies the force control object.

*CF* Continues the force control function. Can be omitted.

### Detailed Explanation

By adding a force control object as a parameter to an ordinary TMove command, a TMove motion is executed with the control force function active.

For TMove motion details, refer to the following manual.

*EPSON RC+ 7.0 SPEL+ Language Reference*

*TMove*

For details on the force control function refer to *Move Statement*.

### Usage Example

This is a simple program example to execute a TMove motion with the force control active.

In this example, a TMove motion is executed with the force control function active in the X axis direction of the tool coordinate system.

```
Function ForceTMoveTest
    FSet FCS1.Orientation, FG_TOOL          ' Sets the force coordinate data

    FSet FC1.CoordinateSystem, FCS1         ' Specifies the force coordinate data
    FSet FC1.Fx_Spring, 0                   ' Sets virtual Fx coefficient of elasticity
    FSet FC1.Fx_Damper, 1                   ' Sets virtual Fx coefficient of viscosity
    FSet FC1.Fx_Mass, 10                    ' Sets virtual Fx coefficient of inertia
    FSet FC1.Fx_Enabled, True               ' Sets the Fx force control function to active

    TMove XY(100,0,0,0) FC1                ' Executes a TMove motion with the force
                                           ' control function active

End
```

### See Also

TMove, Move, Force Control Object FC#

## Triggered Status

### Application

Force Trigger Object FT#, Force Motion Restriction Object FMR#

### Comments

This returns the status/condition of the force trigger or force motion restriction.

### Immediate Execution

No

### Usage

**FGet** Object.*Triggered*, *bVar*

*Object*      Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value), FMR (numerical value), FT (label) or FMR (label).

*bVar*        A Boolean variable defining the value of the property

### Detailed Explanation

This returns the status/condition just prior to the triggering of the force trigger or force motion restriction. When the force trigger or force motion restriction conditions are met, “True” is returned. “False” is returned when not met.

Force trigger is used for branch processing when force is used as a condition.

Force motion restriction is used for branch processing when position is used as a condition.

### Usage Example

This example branches the process due to meeting the force trigger conditions.

```
Function TriggeredTest
    Boolean bVar
    FCKeep FC1 Till FT1, 10
    FGet FT1.Triggered, bVar
    If bVar = True Then
        ' The process when the trigger conditions are met
        -
    Else
        ' The process when the trigger conditions are not met
        -
    EndIf
Fend
```

### See Also

Force Trigger Object FT#, Force Motion Restriction Object FMR#

## TriggeredAxes Status

### Application

Force Trigger Object FT#, Force Motion Restriction Object FMR#

### Comments

This returns the met/not met status of the force trigger or force motion restriction when position is subject by axis.

### Immediate Execution

No

### Usage

**FGet** Object. **TriggeredAxes**, *iVar*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) FMR (numerical value), FT (label) or FMR (label).

**iVar** An integer variable defining the value of the property

### Values

When using for force trigger object:

Bit	Results
0	Met Fx LowerLevel conditions
1	Met Fy LowerLevel conditions
2	Met Fz LowerLevel conditions
3	Met Tx LowerLevel conditions
4	Met Ty LowerLevel conditions
5	Met Tz LowerLevel conditions
6	Met Fmag LowerLevel conditions
7	Met Tmag LowerLevel conditions
8	Met Fx UpperLevel conditions
9	Met Fy UpperLevel conditions
10	Met Fz UpperLevel conditions
11	Met Tx UpperLevel conditions
12	Met Ty UpperLevel conditions
13	Met Tz UpperLevel conditions
14	Met Fmag UpperLevel conditions
15	Met Tmag UpperLevel conditions

The value of each Bit

0: Not met

1: Met

When using for force motion restriction object:

Bit	Results
0	Met PosX LowerLevel conditions
1	Met PosY LowerLevel conditions
2	Met PosZ LowerLevel conditions
3	Met Dist LowerLevel conditions
4	Met Rot LowerLevel conditions
5	Met PosX UpperLevel conditions
6	Met PosY UpperLevel conditions
7	Met PosZ UpperLevel conditions
8	Met Dist UpperLevel conditions
9	Met Rot UpperLevel conditions

The value of each Bit

0: Not met

1: Met

### Detailed Explanation

This returns the met/not met status by axis for the force trigger or force motion restriction just before triggering.

For each axis of the force trigger or force motion restriction the corresponding bit is “1” when the conditions are met. The bit is “0” when not met.

However, when under the Polarity Property FG\_OUT is set, the UpperLevel and LowerLevel are set to “1” or “0”.

When FG\_IN is set, both the UpperLevel and LowerLevel are set to “1” when the conditions are met.

Force trigger function is used to accomplish branch processing based on the met/not met status of force in each axis.

Force motion restriction is used to accomplish branch processing based on the met/not met status of position in each axis.

When a value is acquired for an Integer variable, depending on the met/not met status, there are times when the value is negative. Int32 or Int64 type variables are recommended.

### Usage Example

This is an example of branch processing based on the met/not met status of each axis for the force trigger.

```
Function TriggeredAxesTest
    Int64 iVar
    FCKeep FC1 Till FT1, 10
    FGet FT1.TriggeredAxes, iVar
    If (iVar And &H01) <> 0 Then
        ' The process when Fx LowerLevel conditions are met
        -
        -
        -
    ElseIf (iVar And &H100) <> 0 Then
        ' The process when Fx UpperLevel conditions are met
        -
        -
        -
    EndIf
Fend
```

### See Also

Force Trigger Object FT#, Force Motion Restriction Object FMR#

## TriggeredForces Status

### Application

Force trigger object FT#, Force Motion Restriction Object FMR#

### Comments

Returns force and torque applied when force trigger or force motion restriction conditions are achieved.

### Usage

**FGet** *Object.TriggeredForces*, rArray()

**Object** Object name or string variable representing object name  
The object is specified as either of FT (numerical value) FMR (numerical value), FT (label) or FMR (label).

**rArray()** Real array variable with six or more elements showing values of property

### Values

rArray()

Element number	Element number constant	Description
0	FG_FX	Acquires force in Fx direction when force trigger conditions of force and position are achieved.
1	FG_FY	Acquires force in Fy direction when force trigger conditions of force and position are achieved.
2	FG_FZ	Acquires force in Fz direction when force trigger conditions of force and position are achieved.
3	FG_TX	Acquires torque in Tx direction when force trigger conditions of force and position are achieved.
4	FG_TY	Acquires torque in Ty direction when force trigger conditions of force and position are achieved.
5	FG_TZ	Acquires torque in Tz direction when force trigger conditions of force and position are achieved.
6	FG_FMAG	Acquires resultant force Fmag when force trigger conditions of force and position are achieved.
7	FG_TMAG	Acquires resultant torque Tmag when force trigger conditions of force and position are achieved.

Note: Element numbers of 0 to 5 are acquired when an array variable has six or seven elements.

### Detailed Explanation

Returns the force and torque applied when the force trigger or force motion restriction conditions are achieved. Returns "0" for all values when the force trigger or force motion restriction conditions are not achieved. When multiple force triggers or force motion restriction are combined as described below, each force trigger object or force motion restriction object will retain the force and torque that applied when the given force trigger object conditions were first achieved.

Till FT1 And FMR2

Therefore, when force trigger or force motion restriction objects having different conditions are combined and used, the TriggeredForces status of each object will differ.

### Usage Example

The following is an example of acquiring and displaying the force applied when the force trigger is achieved.

```
Function TriggeredForceTest
  Real rArray(7)
  FCKeep FC1 Till FT1, 10
  FGet FT1.TriggeredForces, rArray()
  Print rArray(FG_FX)
Fend
```

### See Also

Force Trigger object FT#, Force Motion Restriction Object FMR#



## TriggeredForces Result

### Comments

Returns force and torque for a force guide object when force-related end conditions are achieved.

### Usage

**FGGet** *Sequence.Object.TriggeredForces*, *rArray()*

**Sequence** Force guide sequence name or string variable representing force guide sequence name

**Object** Force guide object name or string variable representing force guide object name.

**rArray** Real array variable with six or more elements showing returned values

### Values

*rArray()*

Element number	Element number constant	Description
0	FG_FX	Acquires force in Fx direction when force-related end conditions are achieved.
1	FG_FY	Acquires force in Fy direction when force-related end conditions are achieved.
2	FG_FZ	Acquires force in Fz direction when force-related end conditions are achieved.
3	FG_TX	Acquires torque in Tx direction when force-related end conditions are achieved.
4	FG_TY	Acquires torque in Ty direction when force-related end conditions are achieved.
5	FG_TZ	Acquires torque in Tz direction when force-related end conditions are achieved.

### Detailed Explanation

Returns force and torque for a force guide object when force-related end conditions are achieved.

Returns “0” for all values when force-related end conditions are not achieved or end conditions are invalid.

If the number of elements in a specified array variable is less than six, returns force and torque in each direction for the defined element numbers. Also, if the number of elements in the array variable exceeds six, returns force and torque in each direction from element number 0 to 5, while making no change to element number 6 and above.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function TriggeredForcesTest
    Double dArray(6)

    Motor On

    FGRun Sequence1
    FGGet Sequence1.Contact01.TriggeredForces, dArray()
        ' Acquisition of TriggeredForces
    Print dArray(FG_FX)

Fend
```

### See Also

FGGet, Contact object, Relax object, SurfaceAlign object, PressProbe object, ContactProbe object, Press object, PressMove object, Paste object, ScrewTighten object, HeightInspect object, Insert object, TensileTest object

## TriggeredJoints Status

### Application

Force Motion Restriction Object FMR#

### Description

Returns the achievement status for force motion restriction by axis when the object monitored is in the joint position.

### Immediate Execution

No

### Usage

**FGet** Object. *TriggeredAxes*, *iVar*

*Object*      Object name or string variable defining object name  
The object is specified as either FMR (numerical value) or FMR (label).

*iVar*          An integer variable defining the value of the property

### Values

Bit	Result
0	Met J1 LowerLevel conditions
1	Met J2 LowerLevel conditions
2	Met J3 LowerLevel conditions
3	Met J4 LowerLevel conditions
4	Met J5 LowerLevel conditions
5	Met J6 LowerLevel conditions
6	Met J7 LowerLevel conditions
7	Met J8 LowerLevel conditions
8	Met J9 LowerLevel conditions
9	Met J1 UpperLevel conditions
10	Met J2 UpperLevel conditions
11	Met J3 UpperLevel conditions
12	Met J4 UpperLevel conditions
13	Met J5 UpperLevel conditions
14	Met J6 UpperLevel conditions
15	Met J7 UpperLevel conditions
16	Met J8 UpperLevel conditions
17	Met J9 UpperLevel conditions

The value of each Bit

0: Not met

1: Met

**Detailed Explanation**

Returns the achievement status for each axis when force motion restriction was last used when the object monitored was in the joint position.

This sets the corresponding bit for each force motion restriction axis to “1” when conditions are met. If conditions are not met, the corresponding bit is set to “0”.

However, when under the Polarity Property FG\_OUT is set, the UpperLevel and LowerLevel are set to “1” or “0”.

When FG\_IN is set, both the UpperLevel and LowerLevel are set to “1” when the conditions are met.

This is used to accomplish branch processing based on the met/not met status of position and orientation in each axis.

When a value is acquired for an Integer variable, depending on the met/not met status, there are times when the value is negative. Int32 or Int64 type variables are recommended.

**Usage Example**

This is an example of branch processing based on the met/not met status of each axis for force motion restriction.

```
Function TriggeredAxesTest
  Int64 iVar
  FSet FMR1.TriggereMode, FG_ABS_JOINT
  FCKeep FC1 Till FMR1, 10
  FGet FMR1.TriggeredJoint, iVar
  If (iVar And &H01) <> 0 Then
    ' The process when J1 LowerLevel conditions are met
    -
    -
    -
  ElseIf (iVar And &H200) <> 0 Then
    ' The process when J1 UpperLevel conditions are met
    -
    -
    -
  EndIf
Fend
```

**See Also**

Force Motion Restriction Object FMR#

## TriggeredPos Status

### Application

Force Trigger Object FT#, Force Motion Restriction Object FMR#

### Comments

This returns the position when the force trigger or force motion restriction conditions are met.

### Immediate Execution

No

### Usage

**FGet** Object. *TriggeredPos*, *P#*

*Object*     Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value), FMR (numerical), FT (label) or FMR (label).

*P#*           A variable defining the point data

### Detailed Explanation

This returns the position just prior to the triggering of the force trigger or force motion restriction when the conditions are met.

When the force trigger or force motion restriction conditions are not met, a value of “0” is returned for all.

When, as below, multiple force triggers or force motion restrictions are combined, the position for when that object’s conditions were first met is maintained for each force trigger or force motion restriction Object.

Till FT1 And FMR2

Therefore, when force trigger or force motion restriction objects with different conditions are used in combination, the TriggeredPos status is different for each object.

### Usage Example

This example acquires and displays the position when the force trigger conditions are met.

```
Function TriggeredPosTest
    FCKeep FC1 Till FT1, 10
    FGet FT1.TriggeredPos, P1
    Print P1
Fend
```

### See Also

Force Trigger Object FT#, Force Motion Restriction Object FMR#

## TriggeredPos Result

### Comments

Returns position for a force guide object when force-related end conditions are achieved.

### Usage

**FGGet** *Sequence.Object.TriggeredPos, P#*

*Sequence*      Force guide sequence name or string variable representing force guide sequence name

*Object*          Force guide object name or string variable representing force guide object name.

*P#*              Variable representing a point data

### Detailed Explanation

Returns position for a force guide object when force-related end conditions are achieved.

Returns 0 for all values when force-related end conditions are not achieved or end conditions are invalid.

### Usage Example

The following is an example of a simple program that acquires a result with FGGet.

```
Function EndPosTest

    Motor On

    FGRun Sequence1
    FGGet Sequence1.Contact01.TriggeredPos, P1      ' Acquisition of TriggeredPos
    Print P1

Fend
```

### See Also

FGGet, Contact object, Relax object, SurfaceAlign object, PressProbe object, ContactProbe object, Press object, PressMove object, Paste object, ScrewTighten object, HeightInspect object, Insert object, TensileTest object

## TriggerMode (FT#) Property

### Application

Force Trigger Object FT#

### Comments

Sets or returns the object of the force trigger monitor.

### Immediate Execution

No

### Usage

**FGet** Object.*TriggerMode*, *iVar*

**FSet** Object.*TriggerMode*, *iValue*

*Object* Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

*iVar* An integer variable defining the value of the property

*iValue* An integer value or formula defining the new value of the property

### Values

*iValue*

Name of Constants	Values	Description
FG_FORCE	0	Monitor force and torque. (default)
FG_DIFF	1	Monitor change in force and torque.

### Detailed Explanation

This sets or returns whether the subject being monitored for the force trigger is force and torque or the change thereof.

When monitoring for force above or below a certain value, FC\_FORCE is used. When monitoring for a change in force above or below a certain value, FG\_DIFF is used.

Change in force is monitored in terms of [N/sec] and change in the torque is monitored in terms of [N·mm/sec].

When monitoring change, the use of a low-pass filter is recommended as the effects of noise is significant.

### Usage Example

This example monitors force. The force control function is activated for 10 seconds if force goes below  $-3\text{[N]}$  or above  $3\text{[N]}$ .

```
Function TriggerModeTest_FORCE
    FSet FT1.Fx_Enabled, True
    FSet FT1.Fx_Levels, -3, 3
    FSet FT1.TriggerMode, FG_FORCE

    Till FT1
    FCKeep FC1 Till, 10
Fend
```

This example monitors change in force. The force control function is activated for 10 second if the change goes below  $-50\text{[N/sec]}$  or above  $50\text{[N/sec]}$ .

```
Function TriggerModeTest_DIFF
    FSet FT1.Fx_Enabled, True
    FSet FT1.Fx_Levels, -50, 50
    FSet FT1.Fx_LPF_Enabled, True
    FSet FT1.Fx_LPF_TimeConstant, 0.1
    FSet FT1.TriggerMode, FG_DIFF

    Till FT1
    FCKeep FC1 Till, 10
    Print TillOn
Fend
```

### See Also

Force Trigger Object FT#



## TriggerMode (FMR#) Property

### Application

Force Motion Restriction Object FMR#

### Description

Sets or returns the object of the force motion restriction monitor.

### Immediate Execution

No

### Usage

**FGet** Object.*TriggerMode*, *iVar*

**FSet** Object.*TriggerMode*, *iValue*

**Object** Object name or string variable defining object name  
The object is specified as either FMR (numerical value) or FMR (label).

**iVar** An integer variable defining the value of the property

**iValue** An integer value or expression defining the new value of the property

### Values

iValue

Name of Constants	Values	Description
FG_ABS_COORD_SYS	0	Monitors the current position and orientation of the robot using the base or local coordinate system selected in the RobotLocal property as a reference.
FG_REL_COORD_SYS	1	Monitors the travel amount to the current position and orientation of the robot from the position and orientation at the start of monitoring using the base or local coordinate system selected in the RobotLocal property as a reference.
FG_REL_TOOL	2	Monitors the travel amount to the current position and orientation of the robot from the tool coordinate system at the start of monitoring.
FG_REL_POINT	3	Monitors the travel amount to the current position and orientation of the robot from the position specified in DatumPoint.
FG_FRC_CORRECTION	4	Monitors the amount of correction for the force control function.
FG_ABS_JOINT	5	Monitors the angle of each joint.
FG_REL_JOINT	6	Monitors the amount of rotation of each joint from the angle of each joint at the start of monitoring.

### Detailed Explanation

Sets or returns the object of the force motion restriction monitor.


## FG\_ABS\_COORD\_SYS

Monitors the current position and orientation of the robot as seen from the base or local coordinate system selected in the RobotLocal property.


As the LowerLevel and UpperLevel are fixed as values in the local coordinate system specified by RobotLocal, the restriction range as seen externally does not change depending on the position and orientation of the robot at the start of monitoring.

This is used when setting the entry into and exit from a fixed range, regardless of the motion start position, as a condition.

The position is determined based on the current X, Y, or Z value in the base or local coordinate system used as the basis for robot positions. If X is the specified axis, the position in the X direction in the local coordinate system will be determined as shown in the diagram below.



The orientation will be determined either by the angle between the base coordinate system or the local coordinate system used as the basis for robot positions and the axis (X, Y, or Z) specified by the Rot\_Axes property in the tool coordinate system, or by the amount of rotation of arbitrary axis. If X is the specified axis, this will determine the angle between the X axis in the reference coordinate system and the X axis in the current tool coordinate system as shown in the diagram below.




## FG\_REL\_COORD\_SYS


Monitors the relative travel amount in the base or local coordinate system specified by the RobotLocal property for tool position and orientation at the start of monitoring, and the current tool position and orientation.

As the LowerLevel and UpperLevel are set based on the start position, the restriction range as seen externally will change depending on the position and orientation of the robot at the start of monitoring. This is used to detect movement exceeding a set distance in a specified direction in the local coordinate system when the motion or monitoring start position changes, such as when determining the start position using the vision system, or the force trigger function.

The position is determined based on the amount of movement - from the start of monitoring - towards the current position in the X, Y, or Z direction in the base or local coordinate system used as the basis for robot positions. If X is the specified axis, the amount of movement in the X direction in the local coordinate system will be determined as shown in the diagram below.



The orientation will be determined either by the angle between the axis (X, Y, or Z) specified by the Rot\_Axes property in the current tool coordinate system and the axis in the tool coordinate system at the start of monitoring, or by the amount of rotation of arbitrary axis. If X is the specified axis, this will determine the angle between the X axis at the start of monitoring, and the current X axis as shown in the diagram below.




## FG\_REL\_TOOL


Monitors the relative travel amount to the current position of the robot from the tool coordinate system at the start of monitoring.

As the LowerLevel and UpperLevel are set based on the start position, the restriction range as seen externally will change depending on the position and orientation of the robot at the start of monitoring. This is used to detect movement exceeding a set distance in a specified direction in the tool coordinate system at the start of monitoring when the motion or monitoring start position changes, such as when determining the start position using the vision system, or the force trigger function.

The position is determined based on the amount of movement - from the start of monitoring - towards the current position in the X, Y, or Z direction in the tool coordinate system at the start of monitoring. If X is the specified axis, the amount of movement in the X direction in the tool coordinate system at the start of monitoring will be determined as shown in the diagram below.



The orientation will be determined either by the angle between the axis (X, Y, or Z) specified by the Rot\_Axes property in the current tool coordinate system and the axis in the tool coordinate system at the start of monitoring, or by the amount of rotation of arbitrary axis. If X is the specified axis, this will determine the angle between the X axis at the start of monitoring, and the current X axis as shown in the diagram below.



## FG\_REL\_POINT

Monitors the relative travel amount to the current position as seen from the point data specified by the DatumPoint property.

As the LowerLevel and UpperLevel are set based on the specified point data, the restriction range as seen externally will not change depending on the position and orientation of the robot at the start of monitoring. However, you can refresh the point data before movement to monitor movement based on the motion start position.

While the monitoring range can be changed according to the position of the robot at the start of movement using FG\_REL\_COORD\_SYS and FG\_REL\_TOOL, the following program starts monitoring for each motion command when specifying the Till qualifier for monitoring multiple motion commands. As such, you cannot monitor positions using the first motion start position, for example, as a reference while executing multiple motion commands.


```
Move P1 FC1 Till FMR1
Move P2 FC1 Till FMR1
```

To do this, use FG\_REL\_POINT to save the motion start position as the point specified by the DatumPoint property before the first motion.


```
P1 = Here
Move P1 FC1 Till FMR1
Move P2 FC1 Till FMR1
```

This is used to monitor the travel amount from a point when executing multiple motion commands when the motion or monitoring start position changes, such as when determining the start position using the vision system, or the force trigger function. This can be used when monitoring a single motion command using the offset position from the start position as a reference.

The position is determined based on the amount of movement towards the current position in the X, Y, or Z direction from the point data set for the DatumPoint. If X is the specified axis, the amount of movement in the X direction in the specified point coordinate system will be determined as shown in the diagram below.



The orientation will be determined either by the angle between the axis (X, Y, or Z) specified by the Rot\_Axes property in the current tool coordinate system and the axis in the point data set for the DatumPoint, or by the amount of rotation of arbitrary axis. If X is the specified axis, this will determine the angle between the X axis of the specified point data, and the current X axis as shown in the diagram below.





## FG\_FRC\_CORRECTION


Monitors the amount of correction applied by the force control function. The amount of correction is the difference between the virtual command position (RefPos) to which the robot attempted to move by original motion command and the command position including corrections applied by the force control function in the force coordinate system. Force coordinate system follows the force coordinate system object (FCS) specified by the CoordinateSystem property of the force control object (FC).

You can detect deviations in the amount of correction applied by the force control function from the expected range.

The position is determined as X, Y, and Z according to the amount of correction in the Fx, Fy and Fz directions in the force coordinate system. If X is the specified axis, the amount of movement in the Fx direction will be determined as shown in the diagram below.



The orientation will be determined either by the angle between the axes (X, Y, or Z) specified by the Rot\_Axes property in RefPos and CurPos, or by the amount of rotation of arbitrary axis. If X is the specified axis, this will determine the angle between the X axis for RefPos and the X axis for CurPos as shown in the diagram below.



**FG\_ABS\_JOINT**

Monitors the current joint position of each joint.

As the LowerLevel and UpperLevel are fixed to robot joint positions, the restriction range as seen externally will not change depending on the position and orientation of the robot at the start of monitoring.

This is used when setting the entry into and exit from a fixed range, regardless of the motion start position, as a condition.

**FG\_REL\_JOINT**

Monitors the amount of movement for each joint from the position at the start of monitoring to the current joint position.

As the LowerLevel and UpperLevel are set based on the monitoring start position, the restriction range as seen externally will change depending on the position and orientation of the robot at the start of monitoring.

This is used to detect movement of a specified joint exceeding a set angle from the start of movement when the motion or monitoring start position changes, such as when determining the start position using the vision system, or the force trigger function.

**Usage Example**

This example outlines movement with the force control function activated until the Z position gets to 100 [mm] or less in the base coordinate system when specifying FG\_ABS\_COORD\_SYS.

```
Function ABS_COORD_SYS_Test
    Motor On
    Go Here :Z(150)                                ' Go to Z = 150 [mm] as the initial position

    FSet FCS1.Orientation, FG_BASE                  ' Sets the force coordinate data

    FSet FC1.CoordinateSystem, FCS1                 ' Specifies the force coordinate data
    FSet FC1.Fz_Spring, 0                           ' Sets virtual Fz coefficient of elasticity
    FSet FC1.Fz_Damper, 1                           ' Sets virtual Fz coefficient of viscosity
    FSet FC1.Fz_Mass, 10                            ' Sets virtual Fz coefficient of inertia
    FSet FC1.Fz_Enabled, True                        ' Activates Fz force control function

    FSet FMR1.CoordinateSystem, FCS1                 ' Specifies the force coordinate data
    FSet FMR1.TriggerMode, FG_ABS_COORD_SYS          ' Sets position monitoring in the specified coordinate
system
    FSet FMR1.RobotLocal, 0                          ' Sets the position coordinate system to 0
(base)
    FSet FMR1.PosZ_Enable, True                       ' Activates monitoring in the Z direction
    FSet FMR1.PosZ_Levels, -100, 100                 ' Sets the Z direction range to be from -100
to 100 [mm]
    FSet FMR1.PosZ_Polarity, FG_IN                   ' Sets value within range as condition met

    Move Here -Z(100) FC1 Till FMR1
        ' Execute Move operation with the force control function activated while monitoring
end conditions using Till
Fend
```

In this example, the robot stops when there is  $\pm 100$  [mm] of movement or more toward the Z position in the Local 1 coordinate system with the force control function activated when specifying FG\_REL\_COORD\_SYS. While not expressly stated in this example, assume that the start position changes with each movement, such as for vision system detection.

```
Function REL_COORD_SYS_Test
  Motor On

  FSet FCS1.Orientation, FG_LOOCAL, 1 ' Sets the force coordinate data

  FSet FC1.CoordinateSystem, FCS1      ' Specifies the force coordinate data
  FSet FC1.Fz_Spring, 0                ' Sets virtual Fz coefficient of elasticity
  FSet FC1.Fz_Damper, 1                ' Sets virtual Fz coefficient of viscosity
  FSet FC1.Fz_Mass, 10                 ' Sets virtual Fz coefficient of inertia
  FSet FC1.Fz_Enabled, True            ' Activates Fz force control function

  FSet FMR1.CoordinateSystem, FCS1      ' Specifies the force coordinate data
  FSet FMR1.TriggerMode, FG_REL_COORD_SYS
                                     ' Sets movement amount monitoring in the specified
coordinate system
  FSet FMR1.RobotLocal, 1              ' Sets Local 1 as the coordinate system of
the position
  FSet FMR1.PosZ_Enable, True          ' Activates monitoring in the Z direction
  FSet FMR1.PosZ_Levels, -100, 100    ' Sets the Z direction range to be from -100
to 100 [mm]
  FSet FMR1.PosZ_Polarity, FG_OUT      ' Sets value outside range as condition met

  Move P0 FC1 Till FMR1
      ' Execute Move operation with the force control function activated while monitoring
end conditions using Till
Fend
```



In this example, the robot stops when there is +100 [mm] of movement or more in the Z direction in the tool coordinate system at the start with the force control function activated when specifying FG\_REL\_TOOL. While not expressly stated in this example, assume that the start position changes with each movement, such as for vision system detection.

```
Function REL_TOOL_Test
  Motor On

  FSet FCS1.Orientation, FG_TOOL      ' Sets the force coordinate data

  FSet FC1.CoordinateSystem, FCS1      ' Specifies the force coordinate data
  FSet FC1.Fz_Spring, 0                ' Sets virtual Fz coefficient of elasticity
  FSet FC1.Fz_Damper, 1                ' Sets virtual Fz coefficient of viscosity
  FSet FC1.Fz_Mass, 10                 ' Sets virtual Fz coefficient of inertia
  FSet FC1.Fz_Enabled, True            ' Activates Fz force control function

  FSet FMR1.CoordinateSystem, FCS1      ' Specifies the force coordinate data
  FSet FMR1.TriggerMode, FG_REL_TOOL   ' Sets movement amount monitoring in the tool
coordinate system
  FSet FMR1.PosZ_Enable, True           ' Activates monitoring in the Z direction
  FSet FMR1.PosZ_Levels, 100, 200      ' Sets the Z direction range to be from 100
to 200 [mm]
  FSet FMR1.PosZ_Polarity, FG_IN        ' Sets value within range as condition met

  Move Here +TLZ(200) FC1 Till FMR1
    ' Execute Move operation with the force control function activated while monitoring
end conditions using Till
Fend
```

In this example, the robot stops when there is  $\pm 100$  [mm] of movement or more in the Z direction in the tool coordinate system at the first start while executing multiple motion commands with the force control function activated using the start position as a reference when specifying FG\_REL\_POINT. While not expressly stated in this example, assume that each point changes with each movement, such as for vision system detection.

```
Function REL_POINT_Test
  Motor On
  Go P1                                     ' Go to P1 as the initial position

  FSet FCS1.Orientation, FG_TOOL           ' Sets the force coordinate data

  FSet FC1.CoordinateSystem, FCS1          ' Specifies the force coordinate data
  FSet FC1.Fz_Spring, 0                    ' Sets virtual Fz coefficient of elasticity
  FSet FC1.Fz_Damper, 1                    ' Sets virtual Fz coefficient of viscosity
  FSet FC1.Fz_Mass, 10                     ' Sets virtual Fz coefficient of inertia
  FSet FC1.Fz_Enabled, True                ' Activates Fz force control function

  FSet FMR1.CoordinateSystem, FCS1         ' Specifies the force coordinate data
  FSet FMR1.TriggerMode, FG_REL_POINT      ' Sets movement amount monitoring from point
  FSet FMR1.DatumPoint, P1                 ' Sets P1 as the reference point
  FSet FMR1.PosZ_Enable, True               ' Activates monitoring in the Z direction
  FSet FMR1.PosZ_Levels, -100, 100         ' Sets the Z direction range to be from -100
to 100 [mm]
  FSet FMR1.PosZ_Polarity, FG_OUT          ' Sets value outside range as condition met

  Move P2 FC1 Till FMR1
  Move P3 FC1 Till FMR1
  Move P4 FC1 Till FMR1
      ' Execute Move operation with the force control function activated while monitoring
end conditions using Till
Fend
```

In this example, the robot stops when there is  $\pm 100$  [mm] of movement or more in the Fz direction while executing multiple motion commands with the force control function activated when specifying FG\_FRC\_CORRECTION.

```

Function FRC_CORRECTION_Test
  Motor On
  Go P1                                     ' Go to P1 as the initial position

  FSet FCS1.Orientation, FG_TOOL           ' Sets the force coordinate data

  FSet FC1.CoordinateSystem, FCS1          ' Specifies the force coordinate data
  FSet FC1.Fz_Spring, 0                    ' Sets virtual Fz coefficient of elasticity
  FSet FC1.Fz_Damper, 1                    ' Sets virtual Fz coefficient of viscosity
  FSet FC1.Fz_Mass, 10                     ' Sets virtual Fz coefficient of inertia
  FSet FC1.Fz_Enabled, True                ' Activates Fz force control function

  FSet FMR1.CoordinateSystem, FCS1         ' Specifies the force coordinate data
  FSet FMR1.TriggerMode, FG_FRC_CORRECTION ' Sets force control correction monitoring
  FSet FMR1.PosZ_Enable, True               ' Activates monitoring in the Z direction
  FSet FMR1.PosZ_Levels, -100, 100         ' Sets the Z direction range to be from -100
to 100 [mm]
  FSet FMR1.PosZ_Polarity, FG_OUT          ' Sets value outside range as condition met

  Move P2 FC1 Till FMR1
  Move P3 FC1 Till FMR1
  Move P4 FC1 Till FMR1
  ' Execute Move operation with the force control function activated while monitoring
end conditions using Till
Fend

```

In this example, the robot stops when J5 has moved -5 [deg] or more while executing multiple motion commands with the force control function activated when specifying FG\_ABS\_JOINT.

```
Function ABS_JOINT_Test
  Motor On
  Go JA(0, 0, 0, 0, -90, 0)      ' Move J5 to -90 [deg] as the initial
position
                                  '
  FSet FCS1.Orientation, FG_TOOL ' Sets the force coordinate data
                                  '
  FSet FC1.CoordinateSystem, FCS1 ' Specifies the force coordinate data
  FSet FC1.Fz_Spring, 0           ' Sets virtual Fz coefficient of elasticity
  FSet FC1.Fz_Damper, 1           ' Sets virtual Fz coefficient of viscosity
  FSet FC1.Fz_Mass, 10            ' Sets virtual Fz coefficient of inertia
  FSet FC1.Fz_Enabled, True       ' Activates Fz force control function
                                  '
  FSet FMR1.CoordinateSystem, FCS1 ' Specifies the force coordinate data
  FSet FMR1.TriggerMode, FG_ABS_JOINT ' Sets monitoring of joint positions
  FSet FMR1.J5_Enable, True       ' Activates monitoring of J5
  FSet FMR1.J5_Levels, -5, 100    ' Sets the J5 range to be from -5 to 100
[mm]
  FSet FMR1.J5_Polarity, FG_IN    ' Sets value within range as condition met
                                  '
  Move P1 FC1 Till FMR1
      ' Execute Move operation with the force control function activated while monitoring
end conditions using Till
Fend
```

In this example, the robot stops when J5 has moved  $\pm 30$  [deg] or more while executing multiple motion commands with the force control function activated when specifying FG\_REL\_JOINT. While not expressly stated in this example, assume that the start position changes with each movement, such as for vision system detection.

```
Function FG_REL_JOINT_Test
  Motor On
                                  '
  FSet FCS1.Orientation, FG_TOOL ' Sets the force coordinate data
                                  '
  FSet FC1.CoordinateSystem, FCS1 ' Specifies the force coordinate data
  FSet FC1.Fz_Spring, 0           ' Sets virtual Fz coefficient of elasticity
  FSet FC1.Fz_Damper, 1           ' Sets virtual Fz coefficient of viscosity
  FSet FC1.Fz_Mass, 10            ' Sets virtual Fz coefficient of inertia
  FSet FC1.Fz_Enabled, True       ' Activates Fz force control function
                                  '
  FSet FMR1.CoordinateSystem, FCS1 ' Specifies the force coordinate data
  FSet FMR1.TriggerMode, FG_REL_JOINT ' Sets monitoring of joint movement
amount
  FSet FMR1.J5_Enable, True       ' Activates monitoring of J5
  FSet FMR1.J5_Levels, -30, 30    ' Sets the J5 range to be from -5 to 100
[mm]
  FSet FMR1.J5_Polarity, FG_IN    ' Sets value within range as condition met
                                  '
  Move P2 FC1 Till FMR1
      ' Execute Move operation with the force control function activated while monitoring
end conditions using Till
Fend
```

**See Also**

DatumPoint Property, RefPos, RobotLocal Property, Force Motion Restriction Object FMR#

## Tx\_AvgForce, Ty\_AvgForce, Tz\_AvgForce Status

### Application

Force Monitor Object FM#

### Comments

This returns the average torque for the specified axis in the direction of rotation.

### Usage

**FGet** Object.**XX\_AvgForce**, *rVar*

*Object*      Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*XX*          A character string defining the name of the property

*rVar*        A real number variable defining the value of the property

### Values

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

### Detailed Explanation

XX\_AvgForce returns the value of the average torque in the specified axis in the direction of rotation. Execute AvgForceClear before executing XX\_AvgForce. Without executing AvgForceClear, 0 is returned.

If the time between executing AvgForceClear and executing XX\_AvgForce is short, a deviation in the force and torque averages will occur. Establish a low-pass filter with a time constant of about 5 times between the AvgForceClear and the XX\_AvgForce execution.

There is a time limit on AvgForce. Execute Fmag\_AvgForce within 600 seconds of executing AvgForceClear. When XX\_AvgForce is executed after 600 seconds has passed, an error is generated.

### Usage Example

This example measures the value of the average torque in the Tx direction.

```
Function CheckAverageForce
    Double AF
    FSet FC1.Enabled, False, False, False, True, False, False
    FSet FC1.TargetForces, 0, 0, 0, 200, 0, 0
    FSet FS1.Reset
    FSet FM1.CoordinateSystem, FCS0
    FSet FM1.AvgForceClear, False, False, False, True, False,
                                False, False, False
    FCKeep FC1, 10
    FGet FM1.Tx_AvgForce, AF
    Print AF
Fend
```

### See Also

Force Monitor Object FM#

## Tx\_Damper, Ty\_Damper, Tz\_Damper Property

### Application

Force Control Object FC#

### Comments

This sets or returns the value of the virtual coefficient of viscosity for force control in the specified axis of the force coordinate system.

### Immediate Execution

No

### Usage

**FGet** Object.XX\_Damper, rVar

**FSet** Object.XX\_Damper, rValue

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

rValue (Unit: [ N·mm/(deg/sec)])

	Values
Minimum	10
Maximum	1000000

Default: 3000

### Detailed Explanation

This sets or returns the value of the virtual coefficient of viscosity for force control in the direction of rotation for the specified axis of the established force coordinate system.

Refer to the following manual for details on coefficients.

*EPSON RC+ 7.0 Option Force Guide 7.0*

### Usage Example

This example sets the virtual Tx coefficients of elasticity, viscosity, and inertia, and carries out a motion with the force control function active.

```
Function ForceControlTest
    FSet FCS1.Orientation, FG_TOOL
    FSet FC1.CoordinateSystem, FCS1
    FSet FC1.Enabled, False, False, False, True, False, False
    FSet FC1.Tx_Spring, 20000
    FSet FC1.Tx_Damper, 8000
    FSet FC1.Tx_Mass, 10000
    Move CurPos +TLW(10) FC1 ROT
Fend
```

### See Also

Force Control Object FC#



## Tx\_Enabled, Ty\_Enabled, Tz\_Enabled Property

**Application**

Force Control Object FC#, Force Trigger Object FT#

**Comments**

This activates/inactivates, or returns the force control function of the rotational direction.

**Immediate Execution**

No

**Usage**

**FGet** Object.**XX\_Enabled**, *bVar*

**FSet** Object. **XX\_Enabled**, *bValue*

*Object* Object name, or string variable defining the object name

*XX* A character string defining the name of the property

*bVar* A Boolean variable defining the value of the property

*bValue* A Boolean value or formula defining the new value of the property

**Values**

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

bValue

Name of Constants	Values	Description
False	0	Inactivates the subject axis. (default)
True	-1	Activates the subject axis.

**Detailed Explanation**

This activates/inactivates, or returns the force control function of the rotational direction.

For SCARA robots (including RS series), the force control cannot be executed with the FC object when the following properties are "True".

Tx\_Enabled property

Ty\_Enabled property

**Usage Example**

This example activates the force control function for the torque in the Z axis for the Force Trigger Object.

```
> FSet FT1.Tz_Enabled, True
```

**See Also**

Force Control Object FC#, Force Trigger Object FT#

## Tx\_Force, Ty\_Force, Tz\_Force Status

### Application

Force Monitor Object FM#

### Comments

This returns torque data for the specified axis.

### Usage

**FGet** Object.**XX\_Force**, *rVar*

*Object*      Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*XX*            A character string defining the name of the property

*rVar*          A real number variable defining the value of the property

### Values

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

### Detailed Explanation

This property is used to confirm the torque data for the specified axis of the force coordinate system specified by the CoordinateSystem.

### Usage Example

This example establishes the force coordinate system 1 for the Force Monitor Object, and acquires the X axis torque data.

```
Function Test_Tx_Force
    Real rVar
    FSet FCS1.Position, 0, 0, 100
    FSet FCS1.Orientation, FG_TOOL
    FM1.ForceSensor, 1
    FSet FM1.CoordinateSystem, FCS1
    FGet FM1.Tx_Force, rVar
    Print rVar
Fend
```

### See Also

Force Monitor Object FM#

## Tx\_Levels, Ty\_Levels, Tz\_Levels Property

### Application

Force Trigger Object FT#

### Comments

This sets or returns the values of the lower and upper thresholds for torque in the specified axis in the direction of rotation.

### Immediate Execution

No

### Usage

**FGet** *Object.XX\_Levels, rArray()*

**FSet** *Object.XX\_Levels, rValueL, rValueU*

**Object** Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

**XX** A character string defining the name of the property

**rArray()** The number of elements defining the values of the property is an array of 2 or more real number variables

**rValueL** A real number or formula defining the new value of the property

**rValueU** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

rArray()

Element number	Element number constant
0	FG_LOWERLEVEL
1	FG_UPPERLEVEL

rValueL (Unit: [N·mm])

	Values
Minimum	-100000 (default)
Maximum	100000

rValueU (Unit: [N·mm])

	Values
Minimum	-100000
Maximum	100000 (default)

### Detailed Explanation

XX\_Levels sets or returns the lower and upper torque threshold values for the specified axis in the direction of rotation.

rValueL is the lower threshold. rValueU is the upper threshold. Be sure that  $rValueL < rValueU$ .

This is used for error checking and task completion conditions.

### Usage Example

This example generates an error and stops the robot when the Tx torque is below or above the lower or upper thresholds, respectively.

```
Function SettingLevels
    Set FT1.Enabled, False, False, False, True, False, False, False, False
    Set FT1.Tx_Polarity, FG_OUT
    Set FT1.Tx_Levels, -5000, 5000
    Trap 1, FT1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Trigger Object FT#

## Tx\_LPF\_Enabled, Ty\_LPF\_Enabled, Tz\_LPF\_Enabled Property

**Application**

Force Trigger Object FT#, Force Monitor Object FM#

**Comments**

This activates/inactivates or returns the status of the low-pass filter in the specified axis in the direction of rotation in the force coordinate system.

**Immediate Execution**

No

**Usage**

**FGet** Object.XX\_LPF\_Enabled, *bVar*

**FSet** Object.XX\_LPF\_Enabled, *bValue*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FT (label), FM (numerical value), or FM (label).

**XX** A character string defining the name of the property

**bVar** A Boolean variable defining the value of the property

**bValue** A Boolean value or formula defining the new value of the property

**Values**

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

bValue

Name of Constants	Values	Description
False	0	Sets the low-pass filter to inactive. (default)
True	-1	Sets the low-pass filter to active.

**Detailed Explanation**

This activates/inactivates or returns the status of the low-pass filter in the specified axis in the direction of rotation in the force coordinate system.

When the low-pass filter is active, signal noise can be reduced, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces Status, PeakForces Status, the Force Trigger Function, and Force Monitor, but is not used with Forces Status.

### Usage Example

This example sets the Tx low-pass filter, and acquires the force data.

```
Function GetPeakForceTest
    Real myPeakForce
    FSet FCS1.Orientation, FG_TOOL
    FSet FM1.CoordinateSystem, FCS1
    FSet FM1.Tx_LPF_Enabled, True
    FSet FM1.Tx_LPF_TimeConstant, 0.02
    FSet FM1.PeakForceClear, True, True, True, True, True, True
    Wait 10
    FGet FM1.Tx_PeakForce, myPeakForce
    Print myPeakForce
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#

## Tx\_LPF\_TimeConstant, Ty\_LPF\_TimeConstant, z\_LPF\_TimeConstant Property

### Application

Force Trigger Object FT#, Force Monitor Object FM#

### Comments

This sets or returns the value of the low-pass filter setting applied to the specified axis in the direction of rotation in the force coordinate system.

### Immediate Execution

No

### Usage

**FGet** Object.XX\_LPF\_TimeConstant, *rVar*

**FSet** Object.XX\_LPF\_TimeConstant, *rValue*

**Object** Object name, or string variable defining the object name  
The object is specified as FT (numerical value), FT (label), FM (numerical value), or FM (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

rValue (Unit: [sec])

	Values
Minimum	0.002
Maximum	5

Default: 0.01

### Detailed Explanation

This sets the time constant for the low-pass filter or returns the status thereof for the specified axis in the direction of rotation for the force trigger function or force monitor function.

The low-pass filter time constant is the time it takes to arrive at an input value of  $1-e^{-1}$  (approximately 63.2%) when giving step input.

The signal noise reduction can be enhanced when increasing the time constant, but the following performance for quick signal changes deteriorates.

The low-pass filter is used with AvgForces Status, PeakForces Status, the Force Trigger Function, and Force Monitor, but is not used with Forces Status.

### Usage Example

This example sets the Tx low-pass filter, and acquires the force data.

```
Function GetPeakForceTest
    Real myPeakForce
    FSet FCS1.Orientation, FG_TOOL
    FSet FM1.CoordinateSystem, FCS1
    FSet FM1.Tx_LPF_Enabled, True
    FSet FM1.Tx_LPF_TimeConstant, 0.02
    FSet FM1.PeakForceClear, True, True, True, True, True, True
    Wait 10
    FGet FM1.Tx_PeakForce, myPeakForce
    Print myPeakForce
Fend
```

### See Also

Force Trigger Object FT#, Force Monitor Object FM#



## Tx\_Mass, Ty\_Mass, Tz\_Mass Property

### Application

Force Control Object FC#

### Comments

This sets or returns the value of the virtual coefficient of inertia for force control in the specified axis in the direction of rotation in the force coordinate system.

### Immediate Execution

No

### Usage

**FGet** Object.XX\_Mass, rVar

**FSet** Object.XX\_Mass, rValue

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the value of the new property

### Values

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

rValue (Unit: [ mN·mm/(deg/sec<sup>2</sup>)])

	Values
Minimum	1000
Maximum	10000000

Default: 30000

### Detailed Explanation

This sets or returns the value of the virtual coefficient of inertia for force control in the specified axis in the direction of rotation in the established force coordinate system.

Refer to the following manual for details on coefficients.

*EPSON RC+ 7.0 Option Force Guide 7.0*

### Usage Example

This example sets the Tx virtual coefficients of elasticity, viscosity, and inertia, and carries out a motion with force control active.

```
Function ForceControlTest
    FSet FCS1.Orientation, FG_TOOL
    FSet FC1.CoordinateSystem, FCS1
    FSet FC1.Enabled, False, False, False, True, False, False
    FSet FC1.Tx_Spring, 20000
    FSet FC1.Tx_Damper, 8000
    FSet FC1.Tx_Mass, 10000
    Move CurPos +TLW(10) FC1 ROT
Fend
```

### See Also

Force Control Object FC#

## Tx\_PeakForce, Ty\_PeakForce, Tz\_PeakForce Status

### Application

Force Monitor Object FM#

### Comments

This returns the value of the peak torque in the specified axis in the direction of rotation.

### Usage

**FGet** *Object.XX\_PeakForce, rVar*

*Object*     Object name or string variable defining object name  
The object is specified as either of FM (numerical value) or FM (label).

*XX*         A character string defining the name of the property

*rVar*        A real number variable defining the value of the property

### Values

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

### Detailed Explanation

XX\_PeakForce returns the peak torque for the specified axis in the direction of rotation.

Before executing XX\_PeakForce, execute PeakForceClear.

### Usage Example

This example measures the value of the peak torque in the Tx direction.

```
Function CheckPeakForce
  Double PF
  FSet FC1.Enabled, False, False, False, True, False, False
  FSet FC1.TargetForces, 0, 0, 0, 200, 0, 0
  FSet FS1.Reset
  FSet FM1.CoordinateSystem, FCS0
  FSet FM1.PeakForceClear, False, False, False, True, False, False, False,
False
  FCKeep FC1, 10
  FGet FM1.Tx_PeakForce, PF
  Print PF
Fend
```

### See Also

Force Monitor Object FM#

## Tx\_Polarity, Ty\_Polarity, Tz\_Polarity Property

### Application

Force Trigger Object FT#

### Comments

This returns the status of or sets whether the force trigger is triggered when the value in the specified axis in the direction of rotation is within the thresholds or when the value in the specified axis in the direction of rotation is outside of the thresholds.

### Immediate Execution

No

### Usage

**FGet** Object.XX\_Polarity, *iVar*

**FSet** Object.XX\_Polarity, *iValue*

*Object* Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

*XX* A character string defining the name of the property

*iVar* An integer variable defining the value of the property

*iValue* An integer value or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

iValue

Name of Constants	Values	Description
FG_OUT	0	Activates when the value is outside of the thresholds. (default)
FG_IN	1	Activates when the value is within the thresholds.

### Detailed Explanation

XX\_Polarity returns the status of or sets whether the force trigger is triggered when the value in the specified axis in the direction of rotation is within the thresholds or when the value in the specified axis in the direction of rotation is outside of the thresholds.

**Usage Example**

This example generates an error and stops the robot if the Tx torque is greater than the upper threshold or lower than the lower threshold.

```
Function SettingPolarity
    FSet FT1.Enabled, False, False, False, True, False, False, False,
    False
    FSet FT1.Tx_Polarity, FG_OUT
    FSet FT1.Tx_Levels, -5000, 5000
    Trap 1, FT1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

**See Also**

Force Trigger Object FT#

## Tx\_Spring, Ty\_Spring, Tz\_Spring Property

### Application

Force Control Object FC#

### Comments

This sets or returns the value of the virtual coefficient of elasticity for force control in the specified axis in the direction of rotation in the force coordinate system.

### Immediate Execution

No

### Usage

**FGet** Object.XX\_Spring, rVar

**FSet** Object.XX\_Spring, rValue

**Object** Object name, or string variable defining the object name  
The object is specified as either of FC (numerical value) or FC (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the new value of the property

### Values

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

rValue (Unit: [N·mm/deg])

	Values
Minimum	0 (default)
Maximum	1000000

### Detailed Explanation

This sets or returns the value of the virtual coefficient of elasticity for force control in the specified axis in the direction of rotation in the established force coordinate system.

Refer to the following manual for details on coefficients.

*EPSON RC+7.0 Option Force Guide 7.0*

### Usage Example

This example sets the Tx virtual coefficients of elasticity, viscosity, and inertia, and carries out a motion with force control active.

```
Function ForceControlTest
    FSet FCS1.Orientation, FG_TOOL
    FSet FC1.CoordinateSystem, FCS1
    FSet FC1.Enabled, False, False, False, True, False, False
    FSet FC1.Tx_Spring, 20000
    FSet FC1.Tx_Damper, 8000
    FSet FC1.Tx_Mass, 10000
    Move CurPos +TLW(10) FC1 ROT
Fend
```

### See Also

Force Control Object FC#

**Tx\_TargetForce, Ty\_TargetForce, Tz\_TargetForce Property****Application**

Force Control Object FC#

**Comments**

This sets or returns the value of the target torque in the specified axis in the direction of rotation in the force coordinate system.

**Immediate Execution**

No

**Usage****FGet** *Object.XX\_TargetForce, rVar***FSet** *Object.XX\_TargetForce, rValue*

**Object** Object name, or string variable defining the object name  
The object needs to be specified as either of FC (numerical value) or FC (label).

**XX** A character string defining the name of the property

**rVar** A real number variable defining the value of the property

**rValue** A real number or formula defining the value of the new property

**Values**

XX

Specified Axis	Description
Tx	Specifies X axis in the direction of rotation.
Ty	Specifies Y axis in the direction of rotation.
Tz	Specifies Z axis in the direction of rotation.

rValue (Unit: [N·mm])

	Values
Minimum	The rated negative detection capability of the force sensor
Maximum	The rated positive detection capability of the force sensor

Default: 0

**Detailed Explanation**

This sets or returns the value of the target torque in the specified axis in the direction of rotation in the force coordinate system.

When the force control function is executed with the target torque being set to “0”, the robot operates while following the external force because it moves so that the force becomes “0”.

When using the force control function having set the target torque, there are times that the target force is not achieved even after sufficient time. In such instances, activate the TargetForcePriorityMode when wanting to accurately match the target force. However, when the TargetForcePriorityMode is activated, operation of the robot will not be in accordance with the established values for the virtual coefficients of elasticity, viscosity, and inertia, and the motion may be slowed at times.



### Usage Example

This example sets the Tx virtual coefficients of elasticity, viscosity, and inertia and the target torque, and carries out a motion with force control active.

```
FSet FCS1.Orientation, FG_TOOL
FSet FC1.CoordinateSystem, FCS1
FSet FC1.Enabled, False, False, False, True, False, False
FSet FC1.Tx_Spring, 20000
FSet FC1.Tx_Damper, 8000
FSet FC1.Tx_Mass, 10000
FSet FC1.Tx_TargetForce, 0.1
FCKeep FC1, 5
```

### See Also

Force Control Object FC#

## UpperLevels Property

### Application

Force Trigger Object FT#

### Comments

This sets or returns the value of the upper threshold for force and torque on each axis at the same time.

### Immediate Execution

No

### Usage

**FGet** *Object.UpperLevels*, rArray()

**FSet** *Object.UpperLevels*, rValueFx, rValueFy, rValueFz, rValueTx, rValueTy, rValueTz  
[,rValueFmag ,rValueTmag]

*Object*            Object name, or string variable defining the object name  
The object is specified as either of FT (numerical value) or FT (label).

*rArray()*            The maximum number of elements defining the value of the property is an array of 8 or more real number variable

*rValueFx*            A real number or formula defining the new value of the property.

*rValueFy*            A real number or formula defining the new value of the property.

*rValueFz*            A real number or formula defining the new value of the property.

*rValueTx*            A real number or formula defining the new value of the property.

*rValueTy*            A real number or formula defining the new value of the property.

*rValueTz*            A real number or formula defining the new value of the property.

*rValueFmag*          A real number or formula defining the new value of the property.

*rValueTmag*          A real number or formula defining the new value of the property.

### Values

rArray()

Element number	Element number constant	Description
0	FG_FX	Acquires the upper threshold for Fx force.
1	FG_FY	Acquires the upper threshold for Fy force.
2	FG_FZ	Acquires the upper threshold for Fz force.
3	FG_TX	Acquires the upper threshold for Tx torque.
4	FG_TY	Acquires the upper threshold for Ty torque.
5	FG_TZ	Acquires the upper threshold for Tz torque.
6	FG_FMAG	Acquires the upper threshold for Fmag resultant force.
7	FG_TMAG	Acquires the upper threshold for Tmag resultant torque.

Note: When the number of elements is an array of 6 or 7, the element numbers acquired are 0 to 5.

rValueFx, rValueFy, rValueFz (Unit: [N])

	Values
Minimum	−1000
Maximum	1000 (default)

rValueTx, rValueTy, rValueTz (Unit: [N·mm])

	Values
Minimum	–100000
Maximum	100000 (default)

rValueFmag (Unit: [N])

	Values
Minimum	0
Maximum	1000 (default)

rValueTmag (Unit: [N·mm])

	Values
Minimum	0
Maximum	100000 (default)

### Detailed Explanation

UpperLevels sets or returns the value of the upper threshold for force and torque on each axis at the same time.

Be sure that LowerLevels < UpperLevels.

Since all force upper threshold values for each axis are set at one time, it can be done with fewer lines than setting them one axis at a time.

This is used for error checking and task completion conditions.

### Usage Example

This example generates an error and stops the robot when the force is greater than the upper threshold.

```
Function SettingLevels
    FSet FT1.Enabled, True, True, True, True, True, True, True, True
    FSet FT1.Polarities, FG_OUT, FG_OUT, FG_OUT, FG_OUT, FG_OUT,
FG_OUT, FG_OUT, FG_OUT
    FSet FT1.UpperLevels, 50, 50, 50, 3000, 3000, 3000, 50, 3000
    Trap 1, FT1 Call ForceError
Fend

Function ForceError
    AbortMotion All
Fend
```

### See Also

Force Trigger Object FT#

## Appendix A: List of Commands Added for Each Version

Version of EPSON RC+7.0	New Commands
Ver.7.5.1	<p> FCElapsedTime Function  F_CheckPos Function    Force Trigger Object  TillStopMode Property    Force Motion Restriction Object  Label Property  Number Property  Description Property  ForceSensor Property  HoldTimeThresh Property  CoordinateSystem Property  Operator Property  RobotLocal Property  TriggerMode Property  DatumPoint Property  PosX_Enabled Property  PosY_Enabled Property  PosZ_Enabled Property  PosEnabled Property  J1_Enabled Property  J2_Enabled Property  J3_Enabled Property  JointEnabled Property  Dist_Axes Property  PosX_Polarity Property  PosY_Polarity Property  PosZ_Polarity Property  PosPolarities Property  J1_Polarity Property  J2_Polarity Property  J3_Polarity Property  JointPolarities Property  PosX_Levels Property  PosY_Levels Property  PosZ_Levels Property  PosUpperLevels Property  J1_Levels Property  J2_Levels Property  J3_Levels Property  JointUpperLevels Property  Triggered Status  TriggeredAxes Status  TriggeredPos Status </p> <p> RobotTool Property      Dist_Enabled Property  Rot_Enabled Property    J4_Enabled Property  J5_Enabled Property  J6_Enabled Property    Rot_Axes Property    Dist_Polarity Property  Rot_Polarity Property    J4_Polarity Property  J5_Polarity Property  J6_Polarity Property    Dist_Levels Property  Rot_Levels Property    PosLowerLevels Property  J4_Levels Property  J5_Levels Property  J6_Levels Property  JointLowerLevels Property    TriggeredJoints Status  TriggeredForces Status </p>

Paste Sequence	
EndStatus Result	LastExecObject Result
FailedStatus Result	EndForces Result
Time Result	PeakForces Result
Paste Object	
EndStatus Result	AvgForces Result
ConditionStatus Result	PeakForces Result
LimitedStatus Result	TriggeredForces Result
Time Result	TriggeredPos Result
EndForces Result	
EndPos Result	
ScrewTighten Sequence	
EndStatus Result	LastExecObject Result
FailedStatus Result	EndForces Result
Time Result	PeakForces Result
ScrewTighten Object	
EndStatus Result	AvgForces Result
ConditionStatus Result	PeakForces Result
LimitedStatus Result	TriggeredForces Result
Time Result	TriggeredPos Result
EndForces Result	
EndPos Result	
ScrewRetighten Object	
EndStatus Result	EndForces Result
ConditionStatus Result	EndPos Result
LimitedStatus Result	AvgForces Result
Time Result	PeakForces Result
HeightInspect Sequence	
EndStatus Result	LastExecObject Result
FailedStatus Result	EndForces Result
Time Result	PeakForces Result
MeasuredHeight Result	
HeightInspect Object	
EndStatus Result	AvgForces Result
ConditionStatus Result	PeakForces Result
LimitedStatus Result	TriggeredForces Result
Time Result	TriggeredPos Result
EndForces Result	
EndPos Result	
Insert Sequence	
EndStatus Result	LastExecObject Result
FailedStatus Result	EndForces Result
Time Result	PeakForces Result

	Insert Object EndStatus Result ConditionStatus Result LimitedStatus Result Time Result EndForces Result EndPos Result  TensileTest Object EndStatus Result ConditionStatus Result LimitedStatus Result Time Result EndForces Result EndPos Result	AvgForces Result PeakForces Result TriggeredForces Result TriggeredPos Result  AvgForces Result PeakForces Result TriggeredForces Result TriggeredPos Result
Ver.7.4.0	F_DestPos Function F_RefPos Function F_OffsetPos Function FGRun FGGet  Force Trigger Object TriggeredForces Status  Force Monitor Object RobotLocal Property RecordEnd Property  General Purpose Sequence EndStatus Result EndStatusData Result LastExecObject Result  Contact Object EndStatus Result ConditionStatus Result Time Result EndForces Result EndPos Result  Relax Object EndStatus Result ConditionStatus Result Time Result EndForces Result EndPos Result  FollowMove Object	RobotTool Property RecordStart Property  Time Result PeakForces Result EndForces Result  AvgForces Result PeakForces Result TriggeredForces Result TriggeredPos Result  AvgForces Result PeakForces Result TriggeredForces Result TriggeredPos Result

	EndStatus Result ConditionStatus Result Time Result EndForces Result EndPos Result  SurfaceAlign Object EndStatus Result ConditionStatus Result Time Result EndForces Result EndPos Result  PressProbe Object EndStatus Result ConditionStatus Result Time Result EndForces Result EndPos Result  ContactProbe Object EndStatus Result ConditionStatus Result Time Result EndForces Result EndPos Result  Press Object EndStatus Result ConditionStatus Result Time Result EndForces Result EndPos Result  PressMove Object EndStatus Result ConditionStatus Result Time Result EndForces Result EndPos Result  SPEL Function Object EndStatus Result Time Result	AvgForces Result PeakForces Result   AvgForces Result PeakForces Result TriggeredForces Result TriggeredPos Result  AvgForces Result PeakForces Result TriggeredForces Result TriggeredPos Result  AvgForces Result PeakForces Result TriggeredForces Result TriggeredPos Result  AvgForces Result PeakForces Result TriggeredForces Result TriggeredPos Result  AvgForces Result PeakForces Result TriggeredForces Result TriggeredPos Result
Ver.7.3.0	Force Monitor Object FCMEnd Property FCMSStart Property	
Ver.7.2.0	FCKeep FCEnd	GetRobotFCOn Function FCOn Function

Move Tmove BMove CVMove  FGet FSet Fload FSave FExport FImport  MPGet MPSet MP  F_FlangeOffset F_GravityDirection  ForceSensor Object Reset Property Reboot Property Label Property  ForceCoordinateSystem Object Label Property Number Property Description Property  Robot Object FlangeOffset Property GravityDirection Property  Force Control Object Label Property Number Property Description Property CoordinateSystem Property Fx_Enabled Property Fy_Enabled Property Fz_Enabled Property Enabled Property Fx Property Fx_Mass Property Fx_Damper Property Fx_Spring Property Fy Property Fy_Mass Property Fy_Damper Property Fy_Spring Property Fz Property Fz_Mass Property Fz_Damper Property Fz_Spring Property TargetForcePriorityMode Property Fx_TargetForce Property	Arc3 Arc FCSMove  FDef Function FDel FList FLabel\$ Function FNumber Function  MPDef Function MPDel MPList MPNumber Function MPLabel\$ Function    Description Property Model Property SerialCode Property  Position Property Orientation Property   StepID Property RefPos Property   Tx_Enabled Property Ty_Enabled Property Tz_Enabled Property  Tx Property Tx_Mass Property Tx_Damper Property Tx_Spring Property Ty Property Ty_Mass Property Ty_Damper Property Ty_Spring Property Tz Property Tz_Mass Property Tz_Damper Property Tz_Spring Property
---	---



<p>           Fy_TargetForce Property            Fz_TargetForce Property            TargetForces Property            MotionLimited Status            LimitSpeedS Property            LimitSpeedR Property            LimitSpeedJ Property            LimitSpeedSRJ Property              Force Trigger Object            Label Property            Number Property            Description Property            ForceSensor Property            CoordinateSystem Property            TriggerMode Property            Operator Property            Fmag_Axes Property            Fx_Enabled Property            Fy_Enabled Property            Fz_Enabled Property            Fmag_Enabled Property            Enabled Property            Fx_Polarity Property            Fy_Polarity Property            Fz_Polarity Property            Fmag_Polarity Property            Polarities Property            Fx_Levels Property            Fy_Levels Property            Fz_Levels Property            Fmag_Levels Property            UpperLevels Property            Fx_LPF_Enabled Property            Fy_LPF_Enabled Property            Fz_LPF_Enabled Property            Fmag_LPF_Enabled Property            LPF_Enabled Property            Fx_LPF_TimeConstant Property            Fy_LPF_TimeConstant Property            Fz_LPF_TimeConstant Property            Fmag_LPF_TimeConstant Property            LPF_TimeConstants Property            Triggered Status            TriggeredAxes Status            TriggeredPos Status              Force Monitor Object            Label Property            Number Property            Description Property            ForceSensor Property            CoordinateSystem Property            Fmag_Axes Property            Fx_LPF_Enabled Property            Fy_LPF_Enabled Property         </p>	<p>           Tx_TargetForce Property            Ty_TargetForce Property            Tz_TargetForce Property              LimitAccelS Property            LimitAccelR Property            LimitAccelJ Property            LimitAccelSRJ Property              Tmag_Axes Property            Tx_Enabled Property            Ty_Enabled Property            Tz_Enabled Property            Tmag_Enabled Property              Tx_Polarity Property            Ty_Polarity Property            Tz_Polarity Property            Tmag_Polarity Property              Tx_Levels Property            Ty_Levels Property            Tz_Levels Property            Tmag_Levels Property            LowerLevels Property            Tx_LPF_Enabled Property            Ty_LPF_Enabled Property            Tz_LPF_Enabled Property            Tmag_LPF_Enabled Property              Tx_LPF_TimeConstant Property            Ty_LPF_TimeConstant Property            Tz_LPF_TimeConstant Property            Tmag_LPF_TimeConstant Property         </p>
---	--

	Fz_LPF_Enabled Property Fmag_LPF_Enabled Property LPF_Enabled Property Fx_LPF_TimeConstant Property Fy_LPF_TimeConstant Property Fz_LPF_TimeConstant Property Fmag_LPF_TimeConstant Property LPF_TimeConstants Property AvgForceClear Property LogStart Property Fx_Force Status Fy_Force Status Fz_Force Status Fmag_Force Status Forces Status Fx_AvgForce Status Fy_AvgForce Status Fz_AvgForce Status Fmag_AvgForce Status AvgForces Status Fx_PeakForce Status Fy_PeakForce Status Fz_PeakForce Status Fmag_PeakForce Status PeakForces Status	Tmag_Axes Property Tx_LPF_Enabled Property Ty_LPF_Enabled Property Tz_LPF_Enabled Property Tmag_LPF_Enabled Property  Tx_LPF_TimeConstant Property Ty_LPF_TimeConstant Property Tz_LPF_TimeConstant Property Tmag_LPF_TimeConstant Property  PeakForceClear Property LogEnd Property Tx_Force Status Ty_Force Status Tz_Force Status Tmag_Force Status  Tx_AvgForce Status Ty_AvgForce Status Tz_AvgForce Status Tmag_AvgForce Status  Tx_PeakForce Status Ty_PeakForce Status Tz_PeakForce Status Tmag_PeakForce Status
--	---	--