

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: Ink, S020118

Recommended use of the chemical and restrictions on use

Recommended use:

Ink for inkjet printing

Details of the supplier of the safety data sheet

Company:

Epson America, Inc.
3131 Katella Ave.
Los Alamitos, CA 90720
United States

Telephone : 562.276.1369

Emergency phone number

Telephone : 562.276.1369

2. HAZARD(S) IDENTIFICATION

Classification of the chemical



Warning, Repr. 2, Suspected of damaging fertility or the unborn child.



Warning, STOT RE 2, May cause damage to organs through prolonged or repeated exposure.

Label elements

Hazard pictograms:



Warning

Hazard statements:

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Hazards not otherwise classified identified during the classification process:

None

Additional classification information

NFPA rating:



HMIS rating:

HEALTH	★ 2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	






3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

No

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

Qty	Name	Ident. Number	Classification
65% ~ 80%	Water	CAS: 7732-18-5 EC: 231-791-2	The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).
7% ~ 10%	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Index number: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6	 A.3/2A Eye Irrit. 2A H319
7% ~ 10%	Glycerol	CAS: 56-81-5 EC: 200-289-5	The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).
3% ~ 5%	BONJET BLACK 817-E	Index number: 611-172-00-7 EC: 438-310-7	 B.8/C Self-react. C H242  A.7/2 Repr. 2 H361  A.9/2 STOT RE 2 H373 US-HAE/C3 Aquatic Chronic 3 H412  A.1/4/Oral Acute Tox. 4 H302 Specific Concentration Limits: C >= 3%: Repr. 2 H361 C >= 10%: STOT RE 2 H373
0.5% ~ 1%	Triethanolamine	CAS: 102-71-6 EC: 203-049-8 REACH No.: 01-21194864 82-31	The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: No data available

Oxidizing properties: No data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature:

Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

- 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether - CAS: 112-34-5
 - OEL Type: EU - TWA(8h): 67.5 mg/m³, 10 ppm - STEL: 101.2 mg/m³, 15 ppm
 - OEL Type: ACGIH - TWA(8h): 10 ppm
- Glycerol - CAS: 56-81-5
 - OEL Type: OSHA - TWA: 5 mg/m³ - Notes: Respirable dust
 - OEL Type: OSHA - TWA: 15 mg/m³ - Notes: Total dust
- Triethanolamine - CAS: 102-71-6
 - OEL Type: ACGIH - TWA(8h): 5 mg/m³

DNEL Exposure Limit Values

- Triethanolamine - CAS: 102-71-6
 - Worker Industry: 6.3 mg/kg/day - Consumer: 3.1 mg/kg/day - Exposure: Human Dermal
 - Frequency: Long Term, systemic effects
 - Worker Industry: 5 mg/m³ - Consumer: 1.25 mg/m³ - Exposure: Human Inhalation -
 - Frequency: Long Term, systemic effects
 - Consumer: 13 mg/kg/day - Exposure: Human Oral - Frequency: Short Term, systemic effects

PNEC Exposure Limit Values

- Triethanolamine - CAS: 102-71-6
 - Target: Fresh Water - Value: 0.32 mg/l
 - Target: Marine water - Value: 0.032 mg/l
 - Target: Freshwater sediments - Value: 1.7 mg/kg
 - Target: Marine water sediments - Value: 0.17 mg/kg
 - Target: Soil (agricultural) - Value: 0.151 mg/kg

Appropriate engineering controls:

None

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

Thermal Hazards:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	Black Liquid
Odour:	Slightly
Odour threshold:	No data available
pH:	8.7 ~ 9.7 at 20 °C
Melting point / freezing point:	<0 °C
Initial boiling point and boiling range:	>100 °C
Flash point:	> 230 ° F / 110 °C
Evaporation rate:	No data available
Solid/gas flammability:	Not Relevant
Upper/lower flammability or explosive limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available

Safety Data Sheet

Relative density:	1.063	at 20 °C
Solubility in water:	Complete	
Solubility in oil:	No data available	
Partition coefficient (n-octanol/water):	No data available	
Auto-ignition temperature:	No data available	
Decomposition temperature:	No data available	
Viscosity:	< 5 mPa·s	at 20 °C
Miscibility:	No data available	
Fat Solubility:	No data available	
Conductivity:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions
Chemical stability	Stable under normal conditions
Possibility of hazardous reactions	None
Conditions to avoid	Stable under normal conditions.
Incompatible materials	None in particular.
Hazardous decomposition products	None.

11. TOXICOLOGICAL INFORMATION

Toxicological information of the product:

- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
- b) skin corrosion/irritation:
Test: Skin Irritant - Species: Rabbit Non-irritant
- c) serious eye damage/irritation:
Test: Eye Irritant - Species: Rabbit Mild irritant
- d) respiratory or skin sensitisation:
Test: Skin Sensitisation - Route: Maximisation Assay - Species: Guinea pig
Non-sensitiser
- e) germ cell mutagenicity:
Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative
- f) carcinogenicity:
Does not contain carcinogens (Ref. 1)

Toxicological information of the main substances found in the product:

Glycerol - CAS: 56-81-5

- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941
Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

Triethanolamine - CAS: 102-71-6

- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.
Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

Triethanolamine - Group 3.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

Toxicological information of the product:

No data available

Toxicological information of the main substances found in the product:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

None

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

UN number

Not classified as dangerous in the meaning of transport regulations.

UN proper shipping name

No data available

Transport hazard class(es)

No data available

Packing group

No data available

Environmental hazards

No data available

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

No data available

Special precautions

No data available

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory.

TSCA listed substances:

Diethoxybenzenamine derivative, diazotized, coupled with aminonaphthalenesulfonic acid derivative, ammonium salt (generic) is listed in TSCA §5(a) - Final SNUR, §12(b) - Export Notice.

Safety Data Sheet

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substances listed.

Section 304 – Hazardous substances: no substances listed.

Section 313 – Toxic chemical list: 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA: 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether.

CAA - Clean Air Act

CAA listed substances:

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether is listed in CAA Section 111, Section 112(b) - HAP

Glycerol is listed in CAA Section 111.

CWA - Clean Water Act

CWA listed substances:

None.

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether.

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H242 Heating may cause a fire.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

H302 Harmful if swallowed.

Safety Data Sheet dated December 16, 2022, Revision: 2.0

Sections modified from the previous revision:

1. IDENTIFICATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

6. ACCIDENTAL RELEASE MEASURES

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

9. PHYSICAL AND CHEMICAL PROPERTIES

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

14. TRANSPORT INFORMATION

15. REGULATORY INFORMATION

Main bibliographic sources:

- Ref. 1 · Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
· TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)
· IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)

Safety Data Sheet

·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
·MAK und BAT Werte Liste (DFG: German Research Foundation)
·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).