

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Version Revision Date: -
1.0

Date of last issue: -
Date of first issue: 21/11/2025

SECTION 1. IDENTIFICATION

Product name : T52C7

Importer/Supplier's company name, address and phone number

Company : Epson America, Inc.
Address : 3131 Katella Ave.
 Los Alamitos, CA 90720
 United States
Telephone : 562.276.1369

Company name, address and phone number

Company name of supplier : SEIKO EPSON CORPORATION
Address : 80 Harashinden, Hirooka, Shiojiri-shi,
 Nagano-ken, 399-0785 JAPAN
Telephone : +81-263-52-2552

Recommended use of the chemical and restrictions on use

Recommended use : Inkjet inks (UV-curable type)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4
Skin irritation : Category 2
Serious eye damage : Category 1
Skin sensitization : Category 1
Specific target organ toxicity : Category 3 (Respiratory system)
- single exposure
Specific target organ toxicity : Category 2
- repeated exposure
Short-Term (acute) aquatic : Category 1
hazard
Long-term (chronic) aquatic : Category 1
hazard

Other hazards

None known.

GHS label elements

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EPSON

Version
1.0

Revision Date: -

Date of last issue: -

Date of first issue: 21/11/2025

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements

: Corrosive to the respiratory tract.

Precautionary Statements

: **Prevention:**
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
Response:
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P314 Get medical advice/attention if you feel unwell.
P330 Rinse mouth.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
Storage:
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

Version 1.0 Revision Date: -

Date of last issue: -
Date of first issue: 21/11/2025

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with applicable regulations.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 7.5 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 7.5 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 7.5 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Inkjet inks (UV-curable type)

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Morpholine, 4-(1-oxo-2-propenyl)-	5117-12-4	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 2 (H373)	>= 20 - < 30
2-Propenoic acid, phenylmethyl ester	2495-35-4	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1B (H317) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	>= 25 - < 30
2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-	5888-33-5	Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	>= 10 - < 20
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	84434-11-7	Skin Sens. 1B (H317) Aquatic Chronic 2 (H411)	>= 2.5 - < 10
2-Propenoic acid, 2-(2-ethoxyethoxy)ethyl ester	7328-17-8	Acute Tox. 4 (H302) Acute Tox. 3 (H311) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1A (H317) Aquatic Chronic 2 (H411)	>= 2.5 - < 10
Trimethylolpropane polyoxyethylene triacrylate	28961-43-5	Eye Irrit. 2 (H319) Skin Sens. 1B (H317) Aquatic Chronic 3 (H412)	>= 2.5 - < 10
Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-	162881-26-7	Skin Sens. 1A (H317) Aquatic Chronic 4 (H413)	>= 2.5 - < 10

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

Version 1.0 Revision Date: -

Date of last issue: -
Date of first issue: 21/11/2025

N,N-dimethylacrylamide	2680-03-7	Flam. Liq. 4 (H227) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Eye Dam. 1 (H318) Skin Sens. 1B (H317) STOT RE 2 (H373)	>= 3 - < 10
1,6-Hexanediol diacrylate	13048-33-4	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	>= 0.1 - < 1
Copolymer solution containing pigment affinity group	Not Assigned	Aquatic Acute 1 (H400)	>= 0.1 - < 0.25
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha."-1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propenyl)oxy]-	52408-84-1	Eye Irrit. 2A (H319) Skin Sens. 1 (H317)	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Version
1.0

Revision Date: -

Date of last issue: -

Date of first issue: 21/11/2025

Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Corrosive to the respiratory tract.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

Version 1.0 Revision Date: -

Date of last issue: -
Date of first issue: 21/11/2025

For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Carbon black	1333-86-4	TWA (Inhalable particulate matter)	3 mg/m ³	ACGIH
		TWA	3.5 mg/m ³	NIOSH REL
		TWA	3.5 mg/m ³	OSHA Z-1
		TWA	3.5 mg/m ³	OSHA P0
		TWA	0.1 mg/m ³ (PAHs)	NIOSH REL
1,6-Hexanediol diacrylate	13048-33-4	TWA	1 mg/m ³	US WEEL

Personal protective equipment

Respiratory protection : Wear suitable protective equipment.
Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Version 1.0 Revision Date: -

Date of last issue: -
Date of first issue: 21/11/2025

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	colored
Odor	:	characteristic
pH	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flash point	:	≥ 201 °F / ≥ 94 °C Method: Seta closed cup
Flammability (liquids)	:	Sustains combustion
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.00 - 1.20 g/cm ³
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	Solvent: Solubility: Organic solvent
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	≤ 14 mm ² /s (104 °F / 40 °C)
Particle characteristics		
Particle size	:	Not applicable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Version 1.0 Revision Date: -

Date of last issue: -
Date of first issue: 21/11/2025

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : No decomposition if stored and applied as directed.
Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Conditions to avoid : No data available
Incompatible materials : Not applicable
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,021 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 3,750 mg/kg
Method: Calculation method

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Causes sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

IARC Group 2B: Possibly carcinogenic to humans
Carbon black 1333-86-4

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Version
1.0

Revision Date: -

Date of last issue: -

Date of first issue: 21/11/2025

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

May cause respiratory irritation.

Corrosive to the respiratory tract.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Version 1.0 Revision Date: -

Date of last issue: -
Date of first issue: 21/11/2025

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(,)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

- UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(,)
Class : 9
Packing group : III
Labels : Miscellaneous Dangerous Goods
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(,)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Domestic regulation

49 CFR

- UN/ID/NA number : UN 3082

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

Version 1.0 Revision Date: -

Date of last issue: -
Date of first issue: 21/11/2025

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(,)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(,)
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

2-Propenoic acid, 7328-17-8 $\geq 5 - < 10 \%$
2-(2-ethoxyethoxy)ethyl ester

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

2-Propenoic acid, 2-(2-ethoxyethoxy)ethyl ester 7328-17-8 $\geq 5 - < 10 \%$

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

Version 1.0
Revision Date: -

Date of last issue: -
Date of first issue: 21/11/2025

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Phenol	108-95-2	>= 0 - < 0.1 %
Cyclohexane	110-82-7	>= 0 - < 0.1 %
Toluene	108-88-3	>= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Phenol	108-95-2	>= 0 - < 0.1 %
Cyclohexane	110-82-7	>= 0 - < 0.1 %
Toluene	108-88-3	>= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Phenol	108-95-2
--------	----------

Pennsylvania Right To Know

2-Propenoic acid, 2-(2-ethoxyethoxy)ethyl ester	7328-17-8
Phenol	108-95-2

Maine Chemicals of High Concern

Product does not contain any listed chemicals


Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

 **WARNING:** This product can expose you to chemicals including Toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule:

Morpholine, 4-(1-oxo-2-propenyl)-	5117-12-4	See 40 CFR § 721.5185; Final Rule
2,4-Diethyl-9H-thioxanthen-9-one	82799-44-8	See 40 CFR § 721.9664; Final Rule

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

Morpholine, 4-(1-oxo-2-propenyl)-	5117-12-4
2,4-Diethyl-9H-thioxanthen-9-one	82799-44-8

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Version Revision Date: -
1.0

Date of last issue: -
Date of first issue: 21/11/2025

designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN