



Wide format. Advanced technology. High performance.





The high performance, wide-format printer from Epson.

Designed to meet your most demanding print requirements, the EPSON Stylus Pro 10600 incorporates our most advanced ink, print head and printer engine technologies, making it the most technologically advanced system of its kind.

Imagine producing truly photographic output on virtually any media type at print speeds faster than you ever thought possible. The EPSON Stylus Pro 10600 makes it possible with uncompromised print quality.

The EPSON Stylus Pro 10600 can be ordered with our most advanced ink technologies. Choose either EPSON Archival, EPSON Photographic Dye or our latest EPSON UltraChrome and get the best ink configuration possible for your specific output requirements.

Imagine producing durable signage warranted for two years outdoor and five years indoor at a level of quality that must be seen to be believed. EPSON Archival Ink technology, along with the 3M Matched Component System, will exceed your clients' expectations and keep them coming back for more.

Imagine spending less time dealing with the printer and more time producing your work. With guick front-loading media and inks and an intelligent high-capacity inking system and nozzle verification technology, you'll be more productive than ever before.

Backed by one of the most comprehensive warranty programs in the industry, the EPSON Stylus Pro 10600 comes with toll-free technical support so you can be confident we'll be there when you need us.

Whether you need to produce brilliant photographic signage that lasts, impressive business presentation graphics that persuade, high resolution GIS Maps that clarify, or color pre-press proofs that are color accurate, the EPSON Stylus Pro 10600 combines innovative technology, extraordinary performance and unprecedented value for the ultimate competitive edge.




19C 76M 100Y 8K



19C 86M 100Y 8K

adjusted +10%M



EPSON UltraChrome[™]Ink

Best For: Pre-press Proofing Graphic Design / Comping **Color Photography**



1600 Main Street



EPSON Archival[™]Ink

Best For: Outdoor / Indoor Signage Durable Outdoor Signage using the 3M[™] Matched Component System[™] Fine Art Reproduction EPSON Photographic Dye[™]Ink

Best For: GIS Mapping CAD/CAM/CAE/Architecture/Visualization Business Presentation Graphics

Collected by Space Imaging's IKONOS™ satellite. Courtesy of Space Imaging, LLC. www.spaceimaging.com

EPSON UltraChrome Ink

All New 6-Color Pigmented Inking System

- Extremely wide color gamut rivaling EPSON Photographic Dye Ink
- Ideal compromise between color gamut and print longevity
- No noticeable short-term color shift for stable prints immediately after printing
- Color prints with lightfastness rated up to 82 years under glass on Epson specific medias^A

Two User-Exchangeable Black Ink Modes

Optimize black ink density for various media surfaces by simply exchanging black ink cartridges. Both Photo Black and Matte Black inks come standard with the UltraChrome ink version.

Photo Black Mode is optimized for traditional photographic and ink jet-coated media types.

Matte Black Mode is optimized for matte or plain papers such as EPSON Enhanced Matte, Smooth and Textured Fine Art papers as well as Somerset[®] Velvet for Epson and newsprint papers.

EPSON Archival Ink

Award-winning 6-Color Pigmented Inking System

- Brilliant color gamut rivaling competitive dye-based inks
- The longest print life of any Epson ink technology

- No noticeable short-term color shift for stable prints immediately after printing
- Color prints with lightfastness rated over 100 years under glass on Epson specific medias^A

Compatible with the 3M Matched Component System (MCS)

- EPSON Archival Ink with the 3M Matched Component System of vinyl and laminates will produce extremely high-quality signage beyond your clients' expectations
- Finished output warranted by 3M for two years outdoor and five years indoor (visit 3M website for warranty details)

EPSON Photographic Dye Ink

Award-winning 6-Color Dye Inking System

- The widest color gamut of any Epson ink technology
- Represents the lowest possible printing costs
- Super compatibility with photographic and plain bond papers
- Color prints with lightfastness rated up to 26 years under glass on EPSON ColorLife[™] media^A

Compatible with EPSON ColorLife Media Line

- EPSON Photographic Dye Ink and the ColorLife line of photographic media produces the highest photographic quality yet from an Epson printer
- EPSON ColorLife prints can achieve a black D-Max up to 3.0



Professional Print Head Technology

True 1440 x 720 dpi Resolution

- Advanced 180-nozzle-per-color print head can produce a 5-picoliter droplet – the smallest of any printer in its class
- Incredibly sharp text and line art rivals a final press sheet with its extremely fine blends and photographic transitions

Variable Droplet Micro Piezo® DX3[™] Technology

- True Variable Size Droplet Technology produces up to three different dot sizes per line of print, greatly decreasing print times while optimizing photographic quality
- Proprietary DX3 ASIC technology achieves consistent image quality and color output from print to print

Photo Accelerator Technology

 Groundbreaking Photo Accelerator Technology virtually guarantees full print engine performance when printing RBG-based files with even the slowest computer systems

Automatic Nozzle Verification Technology

 Proprietary laser technology scans the print head surface before printing to detect possible nozzle clogs. If found, the system automatically cleans the head, virtually eliminating streaking or banding due to print head clogging


Production Level Print Engine Technology

Professional Media Handling

- Prints on virtually any media type, in roll or cut sheet, up to 44-inch wide
- Holds up to one 2-inch and one 3-inch roll of cored media simultaneously



Dual Media Rolls Front-loading makes media swapping quick and easy



Automatic Nozzle Verification Technology Self-cleaning print heads assure consistently streak-free output



Optional Take-up Reel Allows unattended production of large print jobs

- Comes standard with one 2-inch and one 3-inch paper feed spindle
- Accurate automatic loading of cut sheet media from 13- to 44-inch wide in a variety of weights up to 1.5mm thick
- Built-in Automatic Cutting System with optional Manual Media Cutter for cutting even the thickest of media types
- Optional Automatic Take-up Reel System for large, unattended print runs

True Production Quality Print Speeds

- Depending on the print job, engine speeds will vary from 22 ft²/hr to 231 ft²/hr
- Extremely photographic printing can be produced at approximately 72 ft²/hr
- At approximately 87-125 ft²/hr, output is superior to direct competitors in any print mode



1600 Main Street

EPSON Intelligent High-Capacity Ink System

- Six 500ml ink cartridges (CcMmYK) with automatic tracking of key data points like ink levels, ink type and usage rates for providing the most accurate production costs
- Greatly increases productivity by replacing ink cartridges onthe-fly, even during the middle of a print job, with no loss in image quality or production time

Superior Connectivity

- One USB (1.1 compatible), one ECP Parallel, one 10/100 BaseT Ethernet and two IEEE 1394 FireWire[®] ports as standard connections, gives the best connectivity possible for both direct networking and external RIP support
- Award-winning EPSON Photographic Drivers for Macintosh[®] and Windows[®]
- High-speed HPGL/2 plotting support with included ZEHPlot Driver[®]
- Optional EFI Fiery Spark Professional 2.0 Adobe® PostScript® 3 software RIP Server
- The EPSON Stylus Pro 10000 Series print engine is used, and fully supported, by most leading third-party RIPs and workflows

World Class Service and Support

- One-year coverage under the EPSON Preferred[™] Protection Plan with toll-free phone support available Mon.-Sat. and nextbusiness-day on-site service, typically available Mon.-Fri.
- Optional one or two-year EPSON Preferred Plus Service plans also available



Easy-to-use Control Panel Provides quick, convenient access to all printer functions



High-Capacity Intelligent Ink System Fast-loading 500ml ink cartridges with automatic data tracking

Genuine Epson media, inks and print engines guarantee Epson quality

EPSON Stylus Pro 10600 Print Engine Specifications

Printing Method

6-color (CcMmYK) Variable Droplet Micro Piezo DX3 drop-on-demand ink jet technology with Photo Accelerator Technology and Automatic Nozzle Verification Technology

Nozzle Configuration

Monochrome head Color head

180 nozzles (K) 180 nozzles x 5 (CcMmY)

Droplet Technology

Smallest droplet size Variable droplet

5 picoliter Produces up to 3 different sizes per print line

Resolution

1440 x 720 dpi; 720 x 720 dpi; 720 x 360 dpi; 360 x 720 dpi; 360 x 360 dpi

Print Engine Speed

Maximum Speed **Production Speed** Maximum Quality 231 ft²/hour 55-99 ft²/hour 22 ft²/hour

Acoustic Noise Level

Approximately 50 dB(A) according to ISO 7779

Printer Language EPSON ESC/P® Raster Photographic Drivers standard ZEHPlot high-speed HPGL/2 printing utility standard[®] External server-based Adobe PostScript 3 with optional software RIP Also supported by most leading third-party RIPs and workflows

Operating Systems Supported

Macintosh

Windows

OS 8.5.1 through 9.x (OS 10.2.x supported via RIP) 95, 98, 2000, Me, NT 4.0, or XP

Printer Interfaces

Includes one USB (1.1 compatible), one ECP Parallel, one 10/100 BaseT Ethernet, and two FireWire (IEEE 1394) ports standard

Dimensions and Weights

73.4" (W) x 48.2" (H) x 28" (D) Printer weight 284 lb with standard printer stand

44'

Printable Area

Maximum paper width Minimum left and right print margins Maximum printable width Maximum printable length

3 mm each (0.26" total) 43 76' Up to 100' (limited by roll length

and by software application)

Media Handling

Media input Cut sheet size Max. roll media diameter Media core compatibility Weight Built-in media cutter Optional manual media cutter Optional auto take-up reel

Dual rolls up to 44" width Up to 44" wide media (auto-loading) 4" (on 2" core) or 6" (on 3" core) Handles both 2" and 3" cored media 12 lb bond up to 1.5 mm cardboard Automatic or manual cutting Used for cutting very thick media Used for unattended printing of large print runs

A Ink lightfastness rating based on accelerated testing of prints on specialty media, displayed indoors, under glass. Actual print stability will vary according to media, printed image, display conditions, light intensity, humidity, and atmospheric conditions. Epson does not guarantee longevity of prints. For maximum print life, display all prints under glass or lamination or properly store them. Visit www.wilhelm-research.com for the latest information

B Archival Ink version not supported C Based upon print engine speed only. Total throughput times depend upon front end RIP, file size, printer resolution, ink coverage, networking, etc.



Epson America, Inc.: 3840 Kilroy Airport Way, Long Beach, CA 90806 Epson Canada, Inc.: 3771 Victoria Park Avenue, Toronto, Ontario M1W 3Z5 Epson Latin America, Inc.: 6303 Blue Lagoon Drive, Suite 195, Miami, FL 33126 Internet Website: www.prographics.epson.com

EPSON Intelligent Ink Cartridge

In

In

nk cartridge capacity	500ml each color x 6 colors total
nk cartridge shelf life	2 years from printed production d
	6 months after open for Archival
	UltraChrome inks, 2 years after or

m printed production date or after open for Archival and ne inks, 2 years after open for Photographic Dye ink

On cartridge I.C. chip automatically tracks several ink usage data points for use in very accurate production cost estimations and reporting

Up to 82 years under glass

Up to 26 years under glass

-4° to 140° F (-20° to 40° C)

20 to 80% relative humidity

20 to 85% relative humidity

UL1950, CSA 22.2 No. 950

28 billion shots per nozzle

cleaner, cap assembly

FCC Part 15 subpart B class A,

20,000 B0 pages at 720 x 360 dpi

Ink pad, pump unit, flushing box, head

2,000 times (B0+, coated paper)

(no condensation)

CSA C108.8 class A AS/NZS 3548 class A

Greater than 100 years under glass

Up to 2 years outdoor; 5 years indoor

Color Lightfastness Ratings^A

UltraChrome Ink Archival Ink Archival Ink w/ 3M MCS Photographic Dye Ink

Environmental Characteristics 50° to 95° F (10° to 35° C)

Temperature operating Storage Humidity operating Storage

Safety Approval

Safety standards EMI

Engine Reliability

Total print volume Print head life Cutter life Maintenance parts

Electrical Requirements Voltage

120 V (90 to 264 V) 50 to 60 Hz Frequency Current 1.4 - 0.7A Power consumption Approx. 131W (operating) 30W or less (standby) Energy Star compliant

Product/Accessories

Part Numbers EPSON Stylus Pro 10600 print engine w/Archival Ink C499001ARC EPSON Stylus Pro 10600 print engine w/UltraChrome Ink C499001UCM EPSON Stylus Pro 10600 print engine C499001DYE w/Photographic Dye Ink EFI Fiery Spark Professional 2.0 Software RIP C842912 EFI Fiery Spark Professional 2.0 Software RIP - Demo C842912DEMO Additional One-year EPSON Preferred Plus Service EPP10B1 Additional Two-year EPSON Preferred Plus Service EPP10B2 Automatic Take-up Reel System C12C815251 Replacement 44" Take-up Reel Core C815121 Paper Feed Spindle (Normal Tension) - 2" C811133 Paper Feed Spindle (High Tension) - 2 C811134 Paper Feed Spindle (High Tension) - 3" C811122 Replacement Printer Cutter Blade C12C815271 Manual Media Cutting System C815182 Replacement Manual Cutting Blade C815192 EPCON Jok Technology Photo Dvo Archival Liltra Chromo

EPSON INK lechnology	Photo Dye	Archival	UltraChrome
Black ink cartridge	T499201	T511201	T549100
Yellow ink cartridge	T500201	T512201	T549400
Magenta ink cartridge	T501201	T513201	T549300
Cyan ink cartridge	T502201	T514201	T549200
Light Magenta ink cartridge	T503201	T515201	T549600
Light Cyan ink cartridge	T504201	T516201	T549500
Matte Black ink cartridge	Not Available	Not Available	T549800



Specifications and terms are subject to change without notice. EPSON, EPSON Stylus and Micro Piezo are registered trademarks of Seiko Epson Corporation. UltraChrome, EPSON Photographic Dye, ColorLife, EPSON Archival and DX3 are trademarks and EPSON Preferred is a service mark of Epson America, Inc. All other product brand names are trademarks and/or registered trademarks of their respective companies Epson disclaims any and all rights in these marks. ©Epson America, Inc. 2002. CPD-14834 50K 9/02 RICE